






# THE STUFF RIDERS WANT, NEED AND SIMPLY JUST GOTTA HAVE FOR NO OTHER REASON.

First comes the desire to own an Arctic Cat® ATV, Prowler® or Wildcat.™ Then comes the quest for all the cool stuff that goes with it. Arctic Cat Accessories and Arcticwear® have always gone above and beyond. 2015 marks the introduction of the all-new XRs and Prowlers, plus the ever-popular Wildcat Trail and Wildcat Sport. That means there are plenty of new parts, accessories and gear ready for the ordering, all of it designed and built with the same innovation and quality Arctic Cat riders have come to expect.







# CABS



# SOFT CAB KIT WITH WINDLOCK WINDSHIELD SYSTEM

9-oz. heavy series 70 Surlast™ fabric. Includes roof, back panel and doors. Roof slides into WindLock™ channel that is mounted directly to the windshield forming a complete seal (windshield required). Choose your windshield: Full (1436-734), Flip-up (1436-739) or Glass Flip-up (1436-661); sold separately. Does not work with aluminum doors.

#### 1436-831

'12-'15 WILDCAT (EXCLUDES LIMITED MODELS)

#### 1436-676

'13-'15 WILDCAT 4 (EXCLUDES LIMITED MODELS)







# SOFT ROOF WITH BACK PANEL & WINDLOCK WINDSHIELD SYSTEM

9-oz. heavy series 70 Surlast fabric. Roof slides into WindLock channel that is mounted directly to the windshield forming a complete seal (windshield required). Lightweight aluminum roof frame is designed to work with the doors to create an enclosed cab area. Back panel rolls up when not in use. Provides access to the whip flag mount. Choose your windshield: Full [1436-734], Flip-up [1436-739] or Glass Flip-up [1436-661]; sold separately.

**1436-830** '12-'15 WILDCAT

**1436-674** '13-'15 WILDCAT 4



#### **SOFT DOOR KIT**

9-oz. heavy series 70 Surlast fabric. Windows unzip, roll down and stay secured with Velcro.® 1436-961 Doors also fit with Hard Top (1436-753) installed.

#### 1436-961

'12-'15 WILDCAT (EXCLUDES LIMITED MODELS)

# ROOFS





#### **BIMINI TOP**

Blocks the glaring sun. Easily tightens with strap adjustment. 9-oz. heavy series 70 Surlast fabric. Access to the whip flag mount.

#### 1436-731

'12-'15 WILDCAT

#### 1436-673

'13-'15 WILDCAT 4





# **SPORT ROOF**

Durable polyethylene construction. Textured surface prevents scratching. Removable plug provides easy installation of whip flag.

#### 1436-907

'12-'15 WILDCAT

#### 1436-986

'13-'15 WILDCAT 4



#### STEREO-READY HARD TOP

Stylish hard top features a finished interior and is equipped for a radio and four 4-in. speakers (radio and speakers sold separately). Features twin-tinted sunroofs. Provides protection from the elements. Accommodates Aluminum Light Support.

# 1436-753

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)







#### HARD TOP REAR EXTENSION

Combine the Stereo-Ready Hard Top [1436-753] with this rear extension for a complete roof system and the perfect coverage on your Wildcat™ 4. Features rain gutters on each side to let water roll out the back.

#### 1436-672

'13-'15 WILDCAT 4





## **STEREO KIT**

Developed for installation in a Hard Top (1436-753). Includes Jensen® radio, four 4-in. JBL speakers, antenna and custom wiring.

#### 1436-838

FITS WILDCAT STEREO-READY HARD TOP (1436-753)



# **SUBWOOFER**

Slim-designed 8-in. IMPP woofer with built-in amplification and 12-volt DC power. Black anodized aluminum enclosure with water-resistant housing (IPx5). Mate-in-Lock connectors for easy installation. Adjustable gain and crossover and low level inputs. Meets ASTM B117 UV, salt fog testing specifications. 200-watt max power rating.

## 2436-202

UNIVERSAL (EACH)



# **RADIO KIT**

U.S./Euro AM/FM tuner with RBDS. SiriusXM® satellite radio-ready. Features iPod® and iPhone® control and charging, plus MP3 use via front USB. Full 7-channel NOAA weather band tuner with "Weather Alert." Low battery alert. 4-channel, 180-watt power amplifier (4 x 45w).

# 1436-836

UNIVERSAL



# **4-IN. JBL SPEAKERS (PAIR)**

35-watt RMS handling power. 105-watt maximum power.

#### 1436-666

FITS WILDCAT STEREO-READY HARD TOP (1436-753)



# **RADIO ANTENNA**

Rubber gasket allows for a watertight seal. Angle adjusts up to  $90^{\circ}$ .

1436-106







# **ALUMINUM ROOF**

Lightweight aluminum overhead protection. Easy to install, works great for mounting lights and applying Cat Wraps. Features built-in whip flag mounting location.

#### 1436-698 SMOOTH GRAIN ANODIZED FINISH

'12-'15 WILDCAT

# 1436-910 MATTE BLACK FINISH

'12-'15 WILDCAT

# ROOF GRAPHICS

# CAT WRAPS ALUMINUM ROOF GRAPHICS KITS

Make a statement by adding style to your Wildcat. Arctic Cat factory-designed to perfectly match production graphic packages. High-quality, durable graphics. Printed with UV-resistant metallic inks. Graphics are screen-printed for color accuracy. Fits Wildcat Aluminum Roofs [1436-698 & 1436-910].





# **WILDCAT ROOF CAT WRAPS**

**1436-911 ORANGE** '14 WILDCAT

**1436-913 GREEN** '14 WILDCAT





# **WILDCAT LIMITED ROOF CAT WRAPS**

# **1436-939 ORANGE** '14 WILDCAT LIMITED

1436-938 GREEN
'14 WILDCAT LIMITED



#### 2014







#### **WILDCAT X ROOF CAT WRAPS**

**2436-074 VIPER BLUE** '15 WILDCAT X

2436-075 METALLIC WHITE 15 WILDCAT X

**2436-076 TEAM ARCTIC GREEN** '15 WILDCAT X

**1436-941 BLUE** '14 WILDCAT X

1436-912 RED

'14 WILDCAT X

**1436-940 GREEN** '14 WILDCAT X

# **DOORS**





# **ALUMINUM DOOR KITS — FRONT**

Adds style and function to your Wildcat. Frame and skin constructed of lightweight aluminum to save weight and provide strength. Sealed leading and bottom edge help prevent dirt, sand and debris from entering vehicle. Premium fit and finish. Easy and simple installation takes minutes and requires no cutting or drilling. Design provides additional knee and elbow room compared with stock doors.

#### 1436-890 SMOOTH GRAIN ANODIZED FINISH

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)

1436-892 MATTE BLACK FINISH '12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)





# **ALUMINUM DOOR KITS — REAR**

Adds style and function to your Wildcat. Frame and skin constructed of lightweight aluminum to save weight and provide strength. Sealed leading and bottom edge help prevent dirt, sand and debris from entering vehicle. Premium fit and finish. Easy and simple installation takes minutes and requires no cutting or drilling. Design provides additional knee and elbow room compared with stock doors. NOTE: Front Doors required for full kit.

#### 1436-891 SMOOTH GRAIN ANODIZED FINISH

'13-'15 WILDCAT 4

# 1436-893 MATTE BLACK FINISH

'13-'15 WILDCAT 4



#### **ALUMINUM DOOR LINER**

Soft-touch molded liner provides a finished look, and adds function to your Wildcat Aluminum Doors. Integrated pocket for trail essentials. Easy on/off design makes installation and cleaning easy. Sold as a pair. Available October 2014.

#### 2436-044 BLACK

FITS ALUMINUM DOORS (1436-890 & 1436-891)

# DOOR GRAPHICS

# CAT WRAPS ALUMINUM DOOR GRAPHIC KITS

Eye-catching wraps stand out from the crowd. Designed to match color and style of factory graphic packages. High-quality durable graphics are printed with UV-resistant inks and coated for durability. Fits Aluminum Doors. Includes right and left graphics.



**WILDCAT DOOR CAT WRAPS** 

1436-629 ORANGE

'14 WILDCAT

1436-628 GREEN

'14 WILDCAT



**WILDCAT 4 LIMITED DOOR CAT WRAPS** 

Includes decals for all four doors.

1436-944 ORANGE

'14 WILDCAT 4 LIMITED

1436-943 GREEN 14 WILDCAT 4 LIMITED





# **WILDCAT X DOOR CAT WRAPS**

2436-064 VIPER BLUE

'15 WILDCAT X

2436-065 METALLIC WHITE

'15 WILDCAT X

2436-066 TEAM ARCTIC GREEN

'15 WILDCAT X

1436-947 BLUE

'14 WILDCAT X

1436-946 RED

'14 WILDCAT X

1436-945 GREEN

'14 WILDCAT X



WILDCAT LIMITED DOOR CAT WRAPS

1436-942 ORANGE

'14 WILDCAT LIMITED

1436-951 GREEN

'14 WILDCAT LIMITED



**WILDCAT 4 DOOR CAT WRAPS** 

Includes decals for all four doors.

1436-631 ORANGE

'14 WILDCAT 4

1436-630 GREEN

'14 WILDCAT 4





**WILDCAT 4X DOOR CAT WRAPS** 

Includes decals for all four doors.

**2436-069 VIPER BLUE** 

'15 WILDCAT 4X

2436-067 METALLIC WHITE

'15 WILDCAT 4X

1436-950 BLUE

'14 WILDCAT 4X

1436-949 RED

'14 WILDCAT 4X

1436-948 GREEN

'14 WILDCAT 4X

# REAR PANELS





# **POLYCARBONATE REAR PANEL**

Shatter-resistant polycarbonate construction. Dual vents control vehicle airflow. Provides a clear field of view. Works with a Bimini Top, Hard Top or Aluminum Roof.

**1436-825** '12-'15 WILDCAT

**1436-828** '13-'15 WILDCAT 4





#### **SOFT REAR PANEL**

Maximum visibility from a see-through design. Significantly reduces dust swirl when used with a windshield. Works with a Bimini Top, Hard Top, or Aluminum Roof.

**1436-771** '12-'15 WILDCAT

**1436-839** '13-'15 WILDCAT 4

# WINDSHIELDS



#### **FULL WINDSHIELD**

Scratch/abrasion-resistant polycarbonate. 8-point mounting. Works with Soft Cab, Hard Top, Bimini Top, or Aluminum Roof.

1436-734

'12-'15 WILDCAT; '13-'15 WILDCAT 4





# **MANUAL WINDSHIELD WIPER**

8-in.-12-in. adjustable arm length; 11-in. wiper blade length.

# 1436-582

'12-'15 WILDCAT, WILDCAT TRAIL & WILDCAT SPORT MODELS WITH WINDSHIELD



# FULLY CLOSED POSITION

#### **GLASS FLIP-UP WINDSHIELD**

Features laminated automotive glass. Uses easyopening gas-assist shocks. Manages cab area airflow with three venting/operating positions: fully closed, partially open and fully open. Optional Windshield Wiper Kit [1436-841].

1436-661

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# WINDSHIELD WIPER KIT

180° of rotation clears both driver and passenger sides. Kit includes wiper, motor, custom wiring harness and switch.

#### 1436-841

FITS GLASS FLIP-UP WINDSHIELD (1436-661)



# **GLASS WINDSHIELD WASHER KIT**

Tank holds over a half-gallon of fluid. Works with Windshield Wiper Kit (1436-841).

1436-843

'12-'15 WILDCAT & WILDCAT 4




#### **FLIP-UP WINDSHIELD**

Upper windshield is composed of scratch/abrasion-resistant polycarbonate and is held open with two gas-assist shocks. Flip-up Windshield can be driven in three positions: closed, open a few inches or fully open.

#### 1436-739

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# **HALF, LOPRO & WINDSCREENS**

Choose the windshield that perfectly matches your riding style. The Windscreen stylishly protects hands and chest from flying dirt and debris. LoPRO™ Windshield offers maximum visibility and dust management for both left and right sides. Half Windshield offers greater protection with aerodynamic styling.



## **HALF WINDSHIELD**

Aerodynamic styling diverts wind up and over driver and passenger. Dust management system helps prevent dust from rolling in the cage. Snap clamps offer quick installation or removal.

#### 1436-740

'12-'15 WILDCAT; '13-'15 WILDCAT 4





# **LOPRO WINDSHIELDS**

Console-style design provides maximum visibility and improved dust management. Tinted polycarbonate with graphics. Diverts air up and over occupants. Sold as a complete left and right set.

#### 1436-664

'12-'15 WILDCAT; '13-'15 WILDCAT 4



#### WINDSCREEN

Low, stylish windscreen diverts air, dirt, sand, mud and debris from hitting driver and passenger's hand and chest areas.

#### 1436-826

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# **BUMPERS**





# **ALUMINUM BUMPER — FRONT \***

Lightweight aluminum construction is corrosionresistant. Steel mounting brackets on front bumper provide added strength. Bumper style integrated with Aluminum Step Rails.

1436-684 BRUSHED ALUMINUM FINISH '13-'15 WILDCAT & WILDCAT 4

**1436-894 MATTE BLACK FINISH** '13-'15 WILDCAT & WILDCAT 4

1436-895 ORANGE METALLIC '13-'15 WILDCAT & WILDCAT 4

1436-896 TEAM ARCTIC GREEN
'13-'15 WILDCAT & WILDCAT 4

<sup>\*</sup> not mountable on homologated Wildcats





# **ALUMINUM BUMPER — REAR \***

Lightweight aluminum construction is corrosion-resistant. Bumper style integrated with Aluminum Step Rails.

**1436-685 BRUSHED ALUMINUM FINISH** 13-15 WILDCAT & WILDCAT 4

1436-898 MATTE BLACK FINISH '13-'15 WILDCAT & WILDCAT 4

1436-899 ORANGE METALLIC '13-'15 WILDCAT & WILDCAT 4

1436-900 TEAM ARCTIC GREEN '13-'15 WILDCAT & WILDCAT 4



# STEEL BUMPER — FRONT \*

Durable 1.25-in. steel pipe bumper protects the machine and lights from brush and debris. Front bumper features an integrated mini skid plate. Bumper style integrated with Steel Step Rails.

1436-686

'13-'15 WILDCAT & WILDCAT 4



#### STEEL BUMPER — REAR \*

Durable 1.25-in. steel pipe bumper protects the machine and lights from brush and debris. Bumper style integrated with Steel Step Rails.

1436-832

'13-'15 WILDCAT & WILDCAT 4

# **WINCHES**



# 5,000-LB. PROVANTAGE WINCH KIT \*

Arctic Cat/WARN® designed and engineered. Includes 55 ft. of durable wire cable. Custom-fit wire harnesses and connections. Powerful permanent magnet motor with 5,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch for night or low light applications. All-metal gear end housing and mechanical brake. Plow roller fairlead with larger diameter bottom roller for less rope stress. Remote-ready wiring harness for optional remote upgrade kits. Multi-Mount Ready Wiring Harness.

2436-107

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# 5,000-LB. PROVANTAGE WINCH KIT WITH SYNTHETIC ROPE \*

Arctic Cat/WARN® designed and engineered. Includes 50 ft. of market-leading 7/32-in. Spydura™ synthetic rope. Custom-fit wire harnesses and connections. Powerful permanent magnet motor with 5,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch works great for night use or plowing applications. All-metal gear end housing and mechanical brake. Double-coated hawse fairlead reduces rope wear and improves corrosion resistance. Remote-ready wiring harness for optional remote upgrade kits. Multi-Mount Ready Wiring Harness.

2436-108

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# MULTI-MOUNT WINCH HARNESS UPGRADE KIT

Converts Wildcat multi-mount ready Arctic Cat 5,000-lb. winch kits into full multi-mount capabilities. Quick-connect plugs allow for changing from front to rear mounting location in seconds.

#### 2436-109

MULTI-MOUNT CONVERSION KIT FOR PROVANTAGE 5,000 LB. WINCH KITS



# WILDCAT 4 EXTENSION FOR MULTI-MOUNT WINCH HARNESS

Extends the rear connect plug on the multi-mount-ready winch kits to accommodate the Wildcat 4.

1436-697

'13-'15 WILDCAT 4

<sup>\*</sup> not mountable on homologated Wildcats



# **WIRELESS REMOTE UPGRADE KIT**

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. 50-ft. operation radius. Automatic system shut off.

#### 2434-110

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



# **CORDED REMOTE UPGRADE KIT**

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. Includes remote control, storage bag, socket and wiring. Remote has 10 ft. of cord.

#### 2436-114

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



# STANDARD ROLLER FAIRLEAD

For use with 2015 Prowler and full-size Wildcats.

#### 2441-933

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER (EXCLUDES HDX)



## **PLOW ROLLER FAIRLEAD**

Plow roller fairlead with larger diameter bottom roller for reduced rope stress. For use with 2015 Prowler and full-size Wildcats.

#### 2441-934

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER & HDX



#### **HAWSE FAIRLEAD**

Double-coated hawse fairlead reduces rope wear and improves corrosion resistance. For use with 2015 Prowler and full-size Wildcats.

#### 2441-935

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER (EXCLUDES HDX)



#### **HITCH LOCK**

Durable hardened steel with black finish and 1/4-turn lock. Tubular key won't bend, cannot be false-locked. Dust cap included. Ideal for locking your Winch Carrier to the Front Winch Mount.

#### 1436-855

5/8-IN. PIN FITS 2-IN. X 2-IN. RECEIVERS



# WINCH ACCESSORIES KIT

Doubles the power of your winch with the handy pulley block. Two clevis shackles provide secure rigging. Includes two sturdy 7,000-lb. tow straps. Packs conveniently into the rugged Cordura® nylon case.

**1436-600** UNIVERSAL



# **WINCH SYNTHETIC ROPE**

Maximizes winch efficiency for angled pulls. Excellent for lifting plows. 50-ft. long, 3/16-in. thick. Use with aluminum drum Arctic Cat/WARN winches.

2441-113 USE WITH 4,000 & 5,000 LB. WINCHES



\* Winch is not mountable on homologated Wildcats





# **FRONT WINCH MOUNT\***

Multi-mount or permanent-mount capable. Easy to install. Positions your winch in a convenient location. Durable high-strength powder-coated steel construction.

# 1436-692

'12-'15 WILDCAT; '13-'15 WILDCAT 4







# WINCH CARRIER FOR FRONT WINCH MOUNT \*

Allows you to use your Multi-Mount Winch on the front winch mount or in the Rear Winch Receiver. Rides permanently in the required Front Winch Mount. Durable high-strength powder-coated steel construction.

2436-133 5,000-LB. WINCH CAPACITY 1436-693 4,000-LB. WINCH CAPACITY



# **REAR WINCH RECEIVER\***

Steel winch receiver works in conjunction with Front Winch Mount and Winch Carrier to complete your multi-mount winch solution. 3/8-in. steel plate for durability and strength. Built-in rear scrub plate. Not for towing and will not work with any 2-in. receiver hitch.

**2436-139 5,000-LB. WINCH CAPACITY** '12-'15 WILDCAT; '13-'15 WILDCAT 4





# 5,000-LB. REAR WINCH RECEIVER UPGRADE KIT

Upgrade your existing 4,000 lb. Rear Winch Receiver [1436-741] to accommodate winches with capacity up to 5,000 lbs.

3441-065



# BRUSHED ALUMINUM BUMPER FOR FRONT WINCH MOUNT \*

Installs quickly and directly to the required Front Winch Mount. Provides protection for your winch and Front Winch Mount. Lightweight aluminum adds an extra level of style.

1436-695



# STEEL BUMPER FOR FRONT WINCH MOUNT \*

Installs quickly and directly to the required Front Winch Mount. Provides protection and style for your winch and Front Winch Mount. Durable highstrength powder-coated steel construction.

1436-694

# \* not mountable on homologated Wildcats

# PERFORMANCE





SPRING CROSSOVER





SPRING PRELOAD SET YOUR GROUND CLEARANCE











# 2.0 PODIUM RC2 FACTORY SERIES

Impact-forged Kashima-coated 2.0-in. bore aluminum body. The distinctive gold Kashima coating is backed by its high-performance properties that provide an exceptionally smooth feel, extreme durability and reduced friction, allowing you to ride longer, faster and harder. Advanced high-flow velocity-sensitive damping, custom-tuned for the Wildcat. Negative spring technology for initial travel ride comfort. Dual rate Eibach 2.5-in. ID race springs for top performance, handling and excellent ride comfort. Fully rebuildable and serviceable. Anodized internal moving parts for increased performance and reduced friction. Sold in pairs. Limited supply.

## 1436-849 FRONT

'12-'15 WILDCAT (EXCLUDES WILDCAT 4)



# 2.5 PODIUM RC2 FACTORY SERIES

Impact-forged Kashima-coated 2.5-in. bore aluminum body. Bottom-Out Control allows the shocks to be adjusted to give improved small bump compliance while still absorbing huge impacts effectively. The distinctive gold Kashima coating is backed by its high-performance properties that provide an exceptionally smooth feel, extreme durability and reduced friction, allowing you to ride longer, faster and harder. Advanced high-flow velocity-sensitive damping custom-tuned for the Wildcat. Negative spring technology for initial travel ride comfort. Dual rate Eibach 3.0-in. ID race springs for top performance, handling and excellent ride comfort. Fully rebuildable and serviceable. Anodized internal moving parts for increased performance and reduced friction. Sold in pairs. Limited supply.

#### 1436-850 REAR

'12-'15 WILDCAT (EXCLUDES WILDCAT 4)





# FRONT A-ARM GUARDS — HMWPE

Provide additional protection to CV boot and steering arm. Rugged 0.25-in.-thick polyethylene material. Large drainage holes fight mud and crud buildup.

#### 1436-663

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# SMOOTH GRAIN ALUMINUM SIDE GUARDS & SIDE GUARD EXTENSIONS

1436-922 and 1436-924

Rust-free, lightweight aluminum construction.
Installs with or without Aluminum Skid Plate.
Protects your vehicle's rocker panels. Premium smooth grain anodized finish adds style and complements other aluminum accessories. Not compatible with Step Rails with Flush Mount System.
Side Guard Extensions (1436-924) are required for complete protection on your Wildcat 4.

# 1436-922 WILDCAT SIDE GUARDS

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)

# 1436-924 WILDCAT 4 SIDE GUARD EXTENSIONS

'13-'15 WILDCAT 4

# **UNDERBODY**





## SKID PLATES — HMWPE


High-molecular-weight polyethylene surface allows you to glide over obstacles. Wraparound design protects rocker panels and floorboard. Replaceable 0.5-in. UHMWPE rear scrub plate protects the frame from excessive wear. Openings provide ease for maintenance and drainage.

1436-662

'12-'15 WILDCAT

1436-677

'13-'15 WILDCAT 4





# SMOOTH GRAIN ALUMINUM SKID PLATES & SKID PLATE EXTENSION

Replaces stock skid plates with rust-free, rugged and lightweight aluminum protection. Offers maximum strength and durability. Straightforward install. Openings for maintenance. Features heavyduty 3/16-in. rear scrub plate. Premium smooth grain anodized finish adds style and complements other aluminum accessories. Side guards not included. Kit features full under-vehicle protection for your Wildcat. For complete protection on your Wildcat 4, the Wildcat Skid Plate Extension Kit [1436-925] is required.

# 1436-923 WILDCAT SKID PLATE KIT

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)

# 1436-925 WILDCAT 4 SKID PLATE EXTENSION KIT

'13-'15 WILDCAT 4



# SMOOTH GRAIN ALUMINUM FRONT & REAR ARM GUARDS

Adds rust-free, rugged and lightweight aluminum protection to one of the most vital areas of your Wildcat. Quick and easy installation. Premium smooth grain anodized finish adds style and complements other aluminum accessories.

#### 1436-926 FRONT

'12-'15 WILDCAT; '13-'15 WILDCAT 4

#### 1436-927 REAR

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# **BODY & FRAME**



# ALUMINUM STEP RAILS WITH FLUSH MOUNT SYSTEM

Flush mounting system maintains vehicle ground clearance. Lightweight tubular aluminum frame. Styling integrates with Wildcat Aluminum Bumpers. Protects side of vehicle and can be used as a side step. Also works on Wildcat 4 in conjunction with Step Rail Extensions. Premium smooth grain anodized finish adds style and complements other aluminum accessories.

#### 1436-904

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (REAR)



# ALUMINUM STEP RAIL EXTENSIONS WITH FLUSH MOUNT SYSTEM

Combine the Aluminum Step Rail (1436-904) with this extension for a full-length Wildcat 4 Step Rail. Flush mounting system maintains vehicle ground clearance. Lightweight tubular aluminum frame. Styling integrates with Wildcat Aluminum Bumpers. Protects side of vehicle and can be used as a side step. Premium smooth grain anodized finish adds style and complements other aluminum accessories.

#### 1436-905

'13-'15 WILDCAT 4



# STEEL STEP RAILS WITH FLUSH MOUNT SYSTEM

Improved flush mounting system maintains vehicle ground clearance. 1.25-in. steel pipe construction. Styling integrates with Wildcat Steel Bumpers. Protects side of vehicle and can be used as a side step. Also works on Wildcat 4 in conjunction with Step Rail Extensions.

#### 1436-902

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (REAR)



# STEEL STEP RAIL EXTENSIONS WITH FLUSH MOUNT SYSTEM

Combine the Steel Step Rail (1436-902) with this extension for a full-length Wildcat 4 Step Rail. Improved flush mounting system maintains vehicle ground clearance. 1.25-in. steel pipe construction. Styling integrates with Wildcat Steel Bumpers. Protects side of vehicle and can be used as a side step.

# 1436-903

'13-'15 WILDCAT 4





# **REAR FENDER FLARES**

Diverts mud and debris away from rear of vehicle. Uses premium, paintable TPO plastic. Maintains flexibility in all weather conditions.

#### 1436-682

'12-'15 WILDCAT; '13-'15 WILDCAT 4





## **FRONT FENDERS**

Unique suspension-mounted fenders offer superior full-coverage protection through entire length of travel. Composed of premium, paintable TPO plastic. Maintains flexibility in all weather conditions.

#### 1436-679

'12-'15 WILDCAT; '13-'15 WILDCAT 4





# FENDER MOUNT SIDE MIRROR


Mounts to front fenders. Adjustable shaft for customized viewing. Not e-marked.

# 1436-765 LEFT HAND

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# 1436-824 RIGHT HAND

'12-'15 WILDCAT; '13-'15 WILDCAT 4





# **SUN VISOR**

Clamps to ROPS where needed to block sun. Dark tint still allows full field of vision. Ratchet system allows for easy adjustment into multiple positions. Available October 2014.

#### 2436-016

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX

Easy-access storage compartment is tucked out of the way under the door opening. Rugged

#### 1436-736

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# CARGO BAGS



# **OVERHEAD STORAGE BAG**

Provides ample storage for your gear. Includes map pocket.

#### 1436-735

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# **SHOULDER BAG**

Secure, convenient, easy-access storage between the seats. Easy bolt-on design — no drilling necessary. 1,000-denier coated nylon fabric with vinyl accent.

# 1436-770

'12-'15 WILDCAT





#### **KICK PANEL BAGS**

1,000-denier construction. Sold in pairs.



## **TRUNK BAG**

Zipperless bag. Lightweight aluminum tube framework. Top composed of heavy-duty 18-oz. PVC-coated polyester material.

## 1436-737

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# COVERS & NETS




# TRUNKNET

 $\label{thm:conditional} \textit{Helps protect driver and passenger from cargo}$ shifting in the rear box. Open-weave design provides rear visibility.

#### 1436-723

'12-'15 WILDCAT





#### **BOX NET**

Versatile 15 in. x 30 in. net with coated steel hooks. Secures cargo or other items.

#### 1436-717

'12-'15 WILDCAT; '13-'15 WILDCAT 4



# **PADDED ARMREST**

Easy install — no drilling necessary. Closed-cell foam design for comfort. Crack-resistant vinyl.

#### 1436-769

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (FRONT)



#### **REAR KNEE PADS**

Easy-install frame pads provide cushion to the outside knee for the passenger in the rear seat. Includes left and right pads.

**1436-840** '13-'15 WILDCAT 4



#### TRAILERABLE COVER

Heavy-duty 600-denier Surlast fade-resistant polyester. Interior lining protects plastic. Features ratchet-and-buckle tensioning system. Fits with Hard Top or Soft Cab installed.

#### 1436-738

'12-'15 WILDCAT

#### 1436-671

'13-'15 WILDCAT 4

# **ACCESSORIES**



# **FUEL CAN HOLDER**

Steel construction for strength and durability. Mounting location frees up rear storage area. Fits Scepter brand 10 L/2.5-gal. fuel can (1436-952) with base dimensions of 11.25 in.  $\times$  7.75 in.

# 1436-854

'12-'15 WILDCAT; '13-'15 WILDCAT 4





#### SPARE TIRE CARRIER

Steel tubing provides frame strength while lightweight aluminum clamps and carrier plate ensure lightweight application. Universal wheel mounting accommodates front or rear wheels and tire. Installs directly to canopy. NOTE: Side mirrors are recommended when Spare Tire Carrier is installed.

#### 1436-814

'12-'15 WILDCAT

#### 1436-822

'13-'15 WILDCAT 4



# **SCEPTER 2.5 GAL. FUEL CAN**

Lightweight, dent-resistant, rustproof, noncorroding polyethylene plastic contains additive to combat permeation of fumes through can walls. Includes child-resistant "spill-proof" spout with automatic shut-off and overflow protection. Meets or exceeds current U.S. and Canadian standards.

#### 1436-952

UNIVERSAL - FITS FUEL CAN HOLDER (1436-854)



# **PASSENGER GRIP HANDLE**

Precut flange protects leg and hands. Narrow diamondized surface pattern. Simple installation.

# 2436-052

ALL WILDCATS



# **PASSENGER POWERGRIP**

Soft handle grip. Provides additional passenger comfort. Installs easily.

#### 1436-768

'12 WILDCAT



#### **PAINT**

Add style to your Cat to the Core™ accessories with custom matched paint. Available in factory colors to match most '12-'15 Wildcat models. 12-oz. spray can. See dealer for additional colors and sizes. NOTE: Paint is for metal parts only and is not to be used on body panels.

# 0652-190 WHITE

UNIVERSAL

# 0652-024 GLOSS BLACK

UNIVERSAL

# 0652-200 TEAM ARCTIC GREEN

'14-'15 WILDCAT

# **0652-196 VIBRANT RED**

'14-'15 WILDCAT

## **0652-172 VIPER BLUE**

'14-'15 WILDCAT

# 0652-188 FLAT BLACK

'14-'15 WILDCAT

# 0652-180 ORANGE METALLIC (BASE COAT)

'13-'15 WILDCAT

# 0652-184 ORANGE METALLIC (TOP COAT)

'13-'15 WILDCAT

#### 0652-145 PEARL CAT GREEN

'12-'13 WILDCAT



# CABS



# **SOFT CAB**

Complete kit, including roof, back panel, doors and full windshield. WindLock Windshield System mounts directly to windshield for complete seal. 9-oz. heavy series 70 Surlast fabric. UV-resistant polyester material. Door window unzips and rolls up for full ventilation.

#### 1436-991

'14-'15 WILDCAT TRAIL



# **SOFT ROOF WITH BACK PANEL**

9-oz. heavy series 70 Surlast fabric provides high UV protection. WindLock Windshield System mounts directly to windshield for complete seal. Full Windshield (1436-988) required. Roll-up back panel.

## 1436-992

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

# **ROOFS**



#### **BIMINI TOP**

9-oz. heavy series 70 Surlast fabric provides high UV protection. Works with all windshields and rear panels, allowing for customization with accessories.

#### 2436-000

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# **PRINTED BIMINI TOP**

9-oz. heavy series 70 Surlast fabric provides high UV protection. Works with all windshields and rear panels, allowing for customization with accessories. Printed graphics match Trunk Bag (2436-028).

#### 2436-163

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





#### **HARD TOP**

Uses SpeedRatchet™ attachment system for fast installation or removal. Injection-molded HDPE hard top provides durable protection. Flat surface is ideal for custom decals. Mounting bosses on interior side support addition of accessories. Flag bracket included.

#### 1436-987

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# **HARD TOP SPOILER**

Features paintable TPO plastic for a custom look.

#### 2436-037

FITS HARD TOP (1436-987)





#### **ALUMINUM ROOF**

Lightweight overhead protection. Great for mounting lights. Molded rubber access protectors add comfort and style. Simple mounting hardware for easy installation. Built-in whip flag mounting location.

#### 1436-974 SMOOTH GRAIN ANODIZED FINISH

'14-'15 WILDCAT TRAIL: '15 WILDCAT SPORT

#### **2436-031 MATTE BLACK**

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

# ROOF GRAPHICS

# CAT WRAPS ALUMINUM ROOF GRAPHIC KITS

Eye-catching wraps stand out from the crowd. Designed to match color and style of factory graphic packages. High-quality durable graphics are printed with UV-resistant metallic inks.





## **WILDCAT TRAIL XT ROOF CAT WRAPS**

2436-070 VIBRANT RED

'15 WILDCAT TRAIL XT

2436-071 TEAM ARCTIC GREEN

'15 WILDCAT TRAIL XT

2436-032 BLACK

'14 WILDCAT TRAIL XT

2436-033 TEAM ARCTIC GREEN

'14 WILDCAT TRAIL XT



# **WILDCAT SPORT XT ROOF CAT WRAPS**

**2436-072 VIBRANT RED** 

'15 WILDCAT SPORT XT

2436-073 VIPER BLUE

'15 WILDCAT SPORT XT







#### HARD TOP GRAPHIC KIT

Four color options: red, black, camo and Team Arctic green. Made with UV-resistant inks that resist fading. Fits Wildcat Hard Top (1436-987). Includes left and right decals.

2436-053 RED

2436-054 TEAM ARCTIC GREEN

2436-055 BLACK

2436-056 CAMO

# **DOORS**







#### **ALUMINUM DOOR KIT**

Adds style and an extra layer of protection. Aluminum skin and steel tube frame provide optimum weight and strength. Premium fit and finish. Simple installation takes just minutes and requires no cutting or drilling.

## 1436-983 SMOOTH GRAIN ANODIZED FINISH

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

#### 1436-984 MATTE BLACK

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



#### **ALUMINUM DOOR LINER**

Soft-touch molded liner adds style and protection to Wildcat Trail or Wildcat Sport Aluminum Doors. Integrated pocket for trail essentials. Easy on/off design provides quick cleaning and installation. Available October 2014.

#### 2436-006

FITS ALUMINUM DOORS (1436-983 & 1436-984)





#### **DOOR PADS**

Add shoulder padding on door. Easy installation.

#### 2436-029

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# WILDCAT SPORT XT DOOR CAT WRAPS

# **2436-062 VIBRANT RED**

'15 WILDCAT SPORT XT

#### 2436-063 VIPER BLUE

'15 WILDCAT SPORT XT

# DOOR GRAPHICS

# **CAT WRAPS ALUMINUM DOOR GRAPHIC KITS**

Eye-catching wraps stand out from the crowd. Designed to match color and style of factory graphic packages. High-quality durable graphics are printed with durable UV-resistant metallic inks.





## WILDCAT TRAIL XT DOOR CAT WRAPS

#### **2436-207 VIBRANT RED**

'15 WILDCAT TRAIL XT

#### 2436-208 TEAM ARCTIC GREEN

'15 WILDCAT TRAIL XT

## 2436-010 BLACK

'14 WILDCAT TRAIL XT

# 2436-011 TEAM ARCTIC GREEN

'14 WILDCAT TRAIL XT

# REAR PANELS



# **POLYCARBONATE REAR PANEL**

Shatter-resistant polycarbonate rear panel provides a clear field of view. Dual vents for controlled airflow. Custom integrated trim seals tightly to ROPS and body panels. Fits Aluminum Roof, Hard Top and Bimini Top. SpeedRatchet clamping system for easy installation and removal.

#### 1436-990

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



## **SOFT REAR PANEL**

Huge, clear vinyl/rear window provides maximum rearview visibility. Works with Aluminum Roof, Hard Top or Bimini Top. Reduces wrap-around wind currents with a windshield installed.

## 2436-030

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

# **WINDSHIELDS**









## **FULL WINDSHIELD**

Durable, scratch-resistant clear polycarbonate. Includes two lower panel vents and one upper center vent for airflow in the cab area. Lower panel design allows easy underhood access. Uses SpeedRatchet attachment system for fast installation or removal. Works with Aluminum Roof, Bimini Top or Hard Top. Included in Soft Cab Kit.

#### 1436-988

'14-'15 WILDCAT TRAIL: '15 WILDCAT SPORT







# **FLIP-UP WINDSHIELD**

Scratch-resistant coating for a clear view. Two gasassist shocks hold in full open position. Two lower panel vents provide airflow with windshield closed. Three positions; fully open, partially open, and closed. Available November 2014.

#### 2436-162

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# **HALF WINDSHIELD**

Scratch-resistant polycarbonate without bends provides an excellent field of view. Lower panel venting design allows easy hood access. Unique arched design moves air up and over occupants while reducing dust swirl.

#### 2436-017

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



#### WINDSCREEN

Low profile windscreen diverts air from hand and chest area. Installs in seconds with three 1/4-turn fasteners.

#### 1436-989

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

# **BUMPERS**



# **STEEL DELUXE FRONT BUMPER \***

Durable 1.25-in. powder-coated steel protects from brush and debris. Front bumper features a built-in mini skid plate that integrates with underbody. Matches Wildcat Trail and Wildcat Sport accessories.

#### 1436-979 FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# STEEL DELUXE REAR BUMPER \*

Durable 1.25-in. powder-coated steel protects from brush and debris. Matches Wildcat Trail and Wildcat Sport accessories.

#### 1436-980 REAR

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT







# **ALUMINUM FRONT BUMPER \***

Sport-styled, lightweight aluminum construction resists corrosion. Steel mounting brackets for added strength.

#### 1436-977 SMOOTH GRAIN ANODIZED FINISH

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

## 2436-018 BLACK

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

#### 2436-020 TEAM ARCTIC GREEN

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT







# **ALUMINUM REAR BUMPER\***

Sport-styled, lightweight aluminum construction resists corrosion. Steel mounting brackets for added strength.

#### 1436-978 SMOOTH GRAIN ANODIZED FINISH

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

#### 2436-019 BLACK

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

#### 2436-021 TEAM ARCTIC GREEN

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

<sup>\*</sup> not mountable on homologated Wildcats

# **WINCHES**



# 3,000-LB. PROVANTAGE WINCH KIT\*

Arctic Cat/WARN designed and engineered. Includes 50 ft. of durable wire cable. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 3,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch for night use and plowing. All-metal gear end housing and mechanical brake. Plow roller fairlead with larger diameter bottom roller for reduced rope stress. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-105

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# 3,000-LB. PROVANTAGE WINCH KIT WITH SYNTHETIC ROPE \*

Arctic Cat/WARN designed and engineered. Includes 50 ft. of market-leading 3/16-in. Spydura synthetic rope. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 3,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch for night use and plowing. All-metal gear end housing and mechanical brake. Double-coated hawse fairlead reduces rope wear and improves corrosion resistance. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-106

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

\* not mountable on homologated Wildcats



# WIRELESS REMOTE UPGRADE KIT — ALL VEHICLES

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. 50-ft. operation radius. Automatic system shut-off.

#### 2436-110

ALL ARCTIC CAT/WARN PROVANTAGE WINCHES



# CORDED REMOTE UPGRADE KIT — ALL VEHICLES

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. Includes remote control, storage bag, socket and wiring. Remote has 10 ft. of cord.

#### 2436-114

ALL ARCTIC CAT/WARN PROVANTAGE WINCHES



#### STANDARD ROLLER FAIRLEAD

For use with 2015 Prowler and full-size Wildcats.

#### 0441-403

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



# **PLOW ROLLER FAIRLEAD**

Plow roller fairlead with larger diameter bottom roller for reduced rope stress.

## 2441-931

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



# **HAWSE FAIRLEAD**

Double-coated hawse fairlead reduces rope wear and improves corrosion resistance.

#### 2441-932

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT: '14 & OLDER PROWLERS: '11-'15 HDX



# **WINCH ACCESSORIES KIT**

Doubles the power of your winch with the handy pulley block. Two clevis shackles provide secure rigging. Includes two sturdy 7,000-lb. tow straps. Packs conveniently into the rugged Cordura nylon case.

1436-600 UNIVERSAL



# **WINCH SYNTHETIC ROPE**

Maximizes winch efficiency for angled pulls. Excellent for lifting plows. 50-ft. long. Use with aluminum drum Arctic Cat/WARN winches. Use a new fairlead when installing synthetic rope.

#### 0436-962

USE WITH 2,500 & 3,000 LB. WINCHES

# **PLOWS**



# QUICK-ATTACH PLOW PUSH FRAME & MOUNT KIT

Includes frame and mount, with choice of blade style. Durable, heavy-duty steel construction with five adjustable plow positions for increased versatility. Attaches and detaches in just seconds. Engineered exclusively for Arctic Cat Wildcat Trail models. Requires Winch Kit and blade (sold separately). Not on stock - ask for lead time.

#### 2436-209

'14-'15 WILDCAT TRAIL



# 60-IN. TWO-WAY STEEL TAPERED PLOW BLADE

Optimal right- or left-angled plow position performance from a two-way tapered blade. Tough, high-strength steel construction with 3-in. serviceable wearbar and adjustable skid plates. Wide 60-in. blades with 16-in. center height and standard snow deflector. Throws snow farther with blade ends tapering out to 22 in. for increased snow handling. Requires Plow Push Frame and Mount Kit. Edge Markers (0436-235), sold separately. Not on stock - ask for lead time.

1436-398 60-IN. BLADE — BLACK



#### **ONE-WAY TAPERED PLOW BLADE**

Unique 16-in. to 26-in. tapered design launches snow up and away. Deflector flap prevents snow from getting over the blade top. End Plate comes standard for increased snow handling. Requires Plow Push Frame and Mount Kit.

0436-360 60-IN. BLADE — YELLOW

0436-967 60-IN. BLADE — DIAMOND TREAD (WITH ARCTIC CAT LOGO)



# **POLYETHYLENE PLOW BLADES**

Tough, slippery, lightweight construction from highdensity polyethylene over a steel frame. Available in 50-in.- and 60-in.-wide options with a 16-in. overall height. Adjustable skid plates. Requires Plow Push Frame and Mount Kit. Snow Deflectors, End Plates and Edge Markers sold separately. 60-in. blades are not recommended for 450 models and below.


Yellow Blades on stock - others on request (please ask for lead time)

0436-228 50-IN. BLADE — YELLOW

0436-296 60-IN. BLADE — YELLOW

0436-719 60-IN. BLADE — GREEN

0436-966 60-IN. BLADE — DIAMOND TREAD (WITH ARCTIC CAT LOGO)



#### 1. SNOW DEFLECTORS

#### 0436-231

USE WITH 50-IN. STRAIGHT BLADES

#### 0436-299

USE WITH 60-IN. STRAIGHT BLADES

#### 2. END PLATES

#### 0436-232

USE WITH 50-IN. & 60-IN. STRAIGHT BLADES

# 3. EDGE MARKERS

#### 0436-235

USE WITH 50-IN. & 60-IN. STRAIGHT BLADES

# **UNDERBODY**



# **SKID PLATES — HMWPE**

High-molecular-weight polyethylene surface allows you to glide over obstacles. Wraparound design protects rocker panels and floorboard. Replaceable 0.5-in. UHMWPE rear scrub plate protects the frame from excessive wear. Openings provide ease for maintenance and drainage. Available November 2014.

#### 1436-995

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





# **A-ARM GUARDS — HMWPE**

Rugged 0.25-in.-thick HMWPE material assists in sliding over obstacles. Provides additional protection to suspension components. Drainage holes to fight mud and crud buildup. Available October 2014.

#### 1436-997 FRONT

'14-'15 WILDCAT TRAIL

# 2436-042 REAR

'14-'15 WILDCAT TRAIL



# **ALUMINUM SKID PLATE**

Rugged, rustproof aluminum construction provides strength and durability without added weight. Maintenance and drainage openings. Straightforward installation. Premium smooth grain anodized finish.

# 1436-973

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





# **ALUMINUM ARM GUARDS**

Rust-free protection for key areas of your Wildcat Trail. Quick and easy installation. Premium smooth grain anodized finish.

#### 1436-972 FRONT

'14-'15 WILDCAT TRAIL

#### 1436-971 REAR

'14-'15 WILDCAT TRAIL

# **BODY & FRAME**



# **ALUMINUM ROCK SLIDERS**

Flush mount system provides excellent ground clearance and protection. Lightweight aluminum construction. Aggressive styling with premium smooth grain anodized finish. Sold as a pair.

# 1436-982

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



#### STEEL ROCK SLIDERS

Flush mount system provides excellent ground clearance and protection. Steel construction for added durability. Aggressive styling with black powder-coat finish. Sold as a pair.

#### 1436-98

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





#### **FENDER FLARES**

Front Flares provide front and side coverage while Rear Flares work with rear bumper, diverting mud and debris. Sleek design maintains 50-in. vehicle width. Rugged HMWPE construction.

Not mountable on homologated Wildcats.

#### 2436-003 FRONT

'14-'15 WILDCAT TRAIL

#### 2436-004 REAR

'14-'15 WILDCAT TRAIL



# **DASH MOUNT MIRROR**

Mounts to side of dash or front fenders. Protected with fold-in option. Adjustable mirror shaft for customized viewing. Not e-marked.

#### 2436-012 LEFT HAND

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT

#### 2436-013 RIGHT HAND

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





# **SUN VISOR**

Clamps to ROPS where needed to block sun. Dark tint still allows full field of vision. Ratchet system allows for easy adjustment into multiple positions. Not e-marked.

#### 2436-016

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX

# CARGO BAGS

# **COVERS**

# *ACCESSORIES*



## **OVERHEAD BAGS**

Easy-to-access, out-of-the-way location for items you want to keep dry. Sold as a pair.

#### 2436-026

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



#### **KICK PANEL BAGS**

Easy-access compartment provides convenient, outof-the-way storage. Sold as a pair.

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





# **SHOULDER BAG**

1,000-denier coated nylon fabric with compressionmolded accent for durability. Bolt-on design provides secure storage.

# 2436-022

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



## **TRUNK BAG**

Element-proof zipperless access. Lightweight aluminum construction. Fade-resistant heavy-duty 18-oz. PVC-coated polyester material.

## 2436-028

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





#### TRAILERABLE COVER

Heavy-duty 600-denier Surlast fade-resistant polyester. Prevents damage from transporting and storage. Interior lining protects plastic. Features ratchet-and-buckle tensioning system. Fits with Hard Top, Soft Cab or Bumpers.

#### 1436-998

'14-'15 WILDCAT TRAIL

#### 2436-183

'14-'15 WILDCAT TRAIL WITH ANGLE BARS OR SPARE TIRE CARRIER INSTALLED

#### 2436-186

'15 WILDCAT SPORT

#### 2436-187

'15 WILDCAT SPORT WITH ANGLE BARS OR SPARE TIRE CARRIER INSTALLED



#### **UNDERHOOD CARGO BOX**

Convenient underhood storage. Lid features a gasket for a watertight seal.

# 1436-999

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT



# **ANGLE BARS**

Baja-inspired steel tube design with plate mounting adds durability and styling. Factory designed to accommodate other Arctic Cat accessories, providing increased versatility.

#### 1436-976

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT





# **SPARE TIRE CARRIER**

Fits all Arctic Cat accessory wheels and tires. Installs directly to Wildcat Trail/Wildcat Sport Angle Bars (required for installation). OEM integration and styling. Combination steel and aluminum construction for optimum strength and weight.

#### 1436-975

INSTALLS ON ANGLE BARS (1436-976)



# CABS

#### **SOFT-CAB KIT** \*

Complete kit includes full polycarbonate windshield, roof/back panel and doors. WindLock Windshield System mounts directly to roof for complete seal. 9-oz. heavy series 70 Surlast fabric provides high UV protection. Door window unzips and rolls up. Available February 2015.

#### 2436-160

'15 PROWLER (EXCLUDES HDX)



# **SOFT-CAB KIT**\*


Solution-dyed, high-UV, 600-denier, urethane-coated polyester roof, back and doors. Makrolon™ AR® polycarbonate windshield has a scratch-resistant coating. Side windows unzip, back rolls up. Side and rear windows are 20-gauge clear vinyl with a crack-resistant rating of -30°F. Soft cab components are not designed to work with LXC and most VXC cab components.

#### 1436-528

'11-'14 PROWLER (EXCLUDES HDX)

#### 1436-598

'12-'15 HDX





# **LXC CAB KIT\***

Cab components have an excellent fit and a high degree of finish. Lightweight and spacious; easy to install. Provides ample protection against the elements and plenty of ventilation. Features sliding window in door, plus rear tip-out window;  $HDX^{\mathbb{M}}$  features a sliding glass window. Kit includes: roof, windshield, rear panel and doors.

#### 1436-520

'11-'14 PROWLER (EXCLUDES HDX)

# 1436-593

'12-'15 HDX

# 1. LXC ROOF KIT \*

Constructed entirely of twin-sheet thermo-formed HDPE with integrated, tinted sunroof and finished interior. Provides protection against wind, rain, cold and sand. Highly impact-resistant and lightweight sunroof. Stereo Kit (1436-837) may be installed in the interior of the LXC Roof.

## 1436-500

'11-'15 PROWLER; '12-'15 HDX

# 2. LXC DOOR KIT (PAIR) \*

Lightweight molded HDPE provides protection against elements. Lockable door system and frame create an automotive look. HDPE absorbs noise, providing better acoustics. Up and down sliding scratch-resistant polycarbonate window provides ample ventilation. Finished interior with armrest.

#### 1436-503

'11-'14 PROWLER (EXCLUDES HDX)

# 1436-594

'12-'15 HDX

# 3. LXC WINDSHIELD KIT \*

Laminated glass. Easy-opening assist with gas springs. Protection against wind, rain, cold and sand with excellent visibility. Provides ventilation inside when the panel is open. Three positions: completely closed, partially open and fully open.

#### 1436-501

'11-'14 PROWLER; '12-'15 HDX



# 4. HDX LXC REAR PANEL \*

Two-piece steel framework with sliding glass window. Reduces dust swirl when an LXC Roof and windshield are installed.

#### 1436-595

'12-'15 HDX



#### 4. LXC REAR PANEL \*

Smoked polycarbonate panel is molded for strength and lightness and provides optimal visibility. Tip-out window provides ventilation. Lightweight and easy to handle. Resistant to shocks that may come from the rear box.

#### 1436-502

'11-'14 PROWLER (EXCLUDES HDX)



# WINDSHIELD WASHER KIT

Tank holds just over a half-gallon of fluid. Works with Windshield Wiper Kit (1436-522).

1436-523

<sup>\*</sup>Bulky items are not on stock - please ask for lead time.



# WINDSHIELD WIPER KIT

180° of rotation clears both driver and passenger sides. Kit includes wiper, motor, custom wiring harness and switch.

#### 1436-522

FITS LXC & VXC GLASS WINDSHIELDS





# **VXC CAB KIT\***

Lightweight polycarbonate and TPO components. Includes 2-piece roof, rear panel and doors. Excludes windshield.

# 1436-585

'11-'14 PROWLER (EXCLUDES HDX)

#### 1436-586

'12-'15 HDX



# 1. VXC REAR PANEL \*

Dust swirl is significantly reduced with a roof and windshield installed.

#### 1436-557

'11-'14 PROWLER (EXCLUDES HDX)

#### 1436-587

'12-'15 HDX

# 2. VXC DOOR KIT (PAIR) \*

TPO formed A-pillar provides a perfect watertight fit. Metal subframe backs up the A-pillar and provides a sturdy mount for door hinges. Doors can be removed without tools, delivering the ultimate in convenience. TPO with textured finish hides scratches and provides a stylish, low-profile appearance. Windows do not open.


#### 1436-558

'11-'14 PROWLER (EXCLUDES HDX)

# 1436-588

'12-'15 HDX

# **ROOFS**



# **LXC ROOF KIT\***

Constructed entirely of twin-sheet thermo-formed HDPE with integrated, tinted sunroof and finished interior. Provides protection against wind, rain, cold and sand. Highly impact-resistant. Stereo Kit [1436-837] may be installed in the interior of the LXC Roof.

#### 1436-500

'11-'15 PROWLER; '12-'15 HDX



# 2-PIECE ROOF \*

Designed for use with polycarbonate and VXC Glass Windshields. Durable polyethylene construction. Bold styling; textured surface resists scratching. Innovative two-piece design shields out the elements.

## 1436-519



# **BIMINI TOP\***

Keeps sun out. Tightens easily with strap attachment. Great value.

#### 1436-531

'11-'15 PROWLER; '12-'15 HDX

# **STEREO**





# **STEREO KIT**

Developed for installation in an LXC Roof Kit (1436-500). Includes Jensen radio, two 6.5-in. and two 5.25-in. JBL speakers, antenna and custom wiring.

#### 1436-837

FITS LXC ROOF (1436-500)



#### **RADIO KIT**

U.S./Euro AM/FM tuner with RBDS. SiriusXM satellite radio-ready. Features iPod and iPhone control and charging, plus MP3 use via front USB. Full 7-channel NOAA weather band tuner with "Weather Alert." Low battery alert. 4-channel, 180-watt power amplifier (4 x 45w).

## 1436-836

UNIVERSAL

<sup>\*</sup>Bulky items are not on stock - please ask for lead time.



#### **SUBWOOFER**

Slim-designed 8-in. IMPP woofer with built-in amplification and 12-volt DC power. Black anodized aluminum encloure with water-resistant housing (IPx5). Mate-in-Lock connectors for easy installation. Adjustable gain and crossover and low level inputs. Meets ASTM B117 UV, salt fog testing specifications.

## 2436-202 UNIVERSAL (EACH)



# 6.5-IN. JBL SPEAKERS (PAIR)

60-watt RMS handling power. 180-watt peak power.

**1436-637** UNIVERSAL



# **5.25-IN. JBL SPEAKERS (PAIR)**

45-watt RMS handling power. 135-watt maximum power.

**1436-638** UNIVERSAL



# **RADIO ANTENNA**

Rubber gasket allows for a watertight seal. Angle adjusts up to  $90^{\circ}$ .

**1436-106** UNIVERSAL

# REAR PANEL



# **REAR PANEL\***

Polycarbonate upper provides a clear rearward view. Features SpeedRatchet attachment system and two vents for controlling air flow. Available February 2015.

#### 2436-057

'15 PROWLER (EXCLUDES HDX)

# **WINDSHIELDS**



# **LXC WINDSHIELD\***

Laminated glass. Easy-opening assist with gas springs. Protection against wind, rain, cold and sand with excellent visibility. Provides ventilation inside when the panel is open. Three positions: completely closed, partially open and fully open. Works with Windshield Wiper Kit [1436-522 or 1436-582].

# 1436-501

'11-'14 PROWLER; '12-'15 HDX



# **VXC GLASS WINDSHIELD\***

Fixed laminated glass with steel frame. Dual upper vents for added airflow. Works with Windshield Wiper Kit (1436-522 or 1436-582).

# 1436-648

'11-'14 PROWLER; '12-'15 HDX



# **TIP-OUT WINDSHIELD\***

Scratch-resistant/hard-coated polycarbonate (top half only). Durable nylon mounting brackets. Exclusive vented design. Convertible design allows use as half- or full-height, vented windshield.

#### 1436-517

'11-'14 PROWLER; '12-'15 HDX



## **VENTED WINDSHIELD\***

Dual adjustable vents for added airflow. Scratch- and abrasion-resistant Makrolon AR polycarbonate construction.

#### 1436-928

'11-'14 PROWLER; '12-'15 HDX



# **FULL WINDSHIELD\***

Durable, abrasion-resistant clear polycarbonate resists scratches. SpeedRatchet attachment system for fast, easy installation. Left, center and right lower panel vents control airflow. Custom trim seals to ROPS to lock out air, snow and water. Lower panel design allows clearance for opening hood. Available February 2015.

#### 2436-157

'15 PROWLER (EXCLUDES HDX)

<sup>\*</sup>Bulky items are not on stock - please ask for lead time.



# **FULL WINDSHIELD\***

Scratch- and abrasion-resistant Makrolon AR polycarbonate construction. Rattle-free, eight-point rubber-cushioned mounting.

#### 1436-829

'11-'14 PROWLER: '12-'14 HDX



# **HALF WINDSHIELD**\*

Half polycarbonate windshield diverts air up and over driver and passenger. Lower panel allows front hood to open. Available February 2015.

#### 2436-159

'15 PROWLER (EXCLUDES HDX)



# **LOW WINDSHIELD**

Aerodynamic styling diverts wind up and over operator and passenger. Makrolon polycarbonate construction.

# 1436-876

'11-'14 PROWLER; '12-'15 HDX



# WINDSHIELD VENT KIT

Add to any polycarbonate windshield. Adjustable opening positions for added airflow. Cutout template included. Vent opening dimensions  $14.8^\circ$  W x  $1.8^\circ$  H

#### 1436-809

FITS POLYCARBONATE WINDSHIELDS





# **MANUAL WINDSHIELD WIPER**

8-in.-12-in. adjustable arm length; 11-in. wiper blade length. Fits polycarbonate and glass windshields. NOTE: Polycarbonate windshields have a scratch-resistant coating. Caution should be taken when wiping mud or abrasive material off windshield as it will affect the coating over time.

#### 1436-582

'06-'15 PROWLER; '11-'15 HDX MODELS WITH WINDSHIELD

# **BUMPERS**

Bumpers are only for off-road use!



# FRONT BRUSHGUARD BUMPER

Contoured fit for protection of grill, hood and headlights. Mounts to front frame and pivots for underhood access.

**0436-992** '06-'14 PROWLER; '11-'15 HDX





# **REAR BUMPER**

Heavy-duty, powder-coated tubular steel construction. Mounts to rear of box frame to protect the box and tailgate areas. Allows bed to dump.

#### 1436-609

'11-'15 HDX

## 0436-986

'06-'15 PROWLER (EXCLUDES HDX & FLATBED)

# **WINCHES**



# 5,000-LB. PROVANTAGE WINCH KIT

Arctic Cat/WARN designed and engineered. Includes 55 ft. of durable wire cable. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 5,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch for night use and plowing. All-metal gear end housing and mechanical brake. Plow roller fairlead with larger diameter bottom roller for reduced rope stress when plowing. Remote-ready wiring harness for optional remote upgrade kits. Available December 2015.

#### 2436-103

'15 PROWLER (EXCLUDES HDX)



# 5,000-LB. PROVANTAGE WINCH KIT WITH SYNTHETIC ROPE

Arctic Cat/WARN designed and engineered. Includes 50 ft. of market-leading 7/32-in. Spydura synthetic rope. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 5,000 lbs. of pulling capacity. Continuous backlit illuminated rocker switch for night use and plowing. All-metal gear end housing and mechanical brake. Plow roller fairlead with larger diameter bottom roller for reduced rope stress when plowing. Remote-ready wiring harness for optional remote upgrade kits. Available December 2015.

# 2436-104

'15 PROWLER (EXCLUDES HDX)



# 3,000-LB. PROVANTAGE WINCH KIT

Arctic Cat/WARN designed and engineered. Includes 50 ft. of durable wire cable. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 3,000 lbs. of pulling capacity. Continuous backlit illuminated rock switch for night use and plowing. All-metal gear end housing and mechanical brake. Plow roller fairlead with larger diameter bottom roller for reduced rope stress when plowing. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-102

'06-'14 PROWLER; '11-'15 HDX



# **WIRELESS REMOTE UPGRADE KIT**

Works with all Arctic Cat/WARN ProVantage Winch kits. Easy plug-and-play installation. 50-ft. operation radius. Automatic system shut-off.

#### 2436-110

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



# **CORDED REMOTE UPGRADE KIT**

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. Includes remote control, storage bag, socket and wiring. Remote has 10 ft. of cord.

#### 2436-114

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



# STANDARD ROLLER FAIRLEAD

For use with 2015 Prowler and full-size Wildcats.

#### 2441-933

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER (EXCLUDES HDX)

#### 0441-403

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX





# **PLOW ROLLER FAIRLEAD**

Plow roller fairlead with larger diameter bottom roller for reduced rope stress.

# 2441-934

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER & HDX

# 2441-931

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX





#### **HAWSE FAIRLEAD**

Double-coated hawse fairlead reduces rope wear and improves corrosion resistance.

#### 2441-935

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '15 PROWLER (EXCLUDES HDX)

#### 2441-932

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



#### **FAIRLEAD EXTENSION**

Designed for additional clearance for sharp-angle pulls. Durable, heavy-duty steel construction.

#### 1436-623

'06-'14 PROWLER; '11-'15 HDX



# **FAIRLEAD SPACER KIT**

Designed for additional clearance for sharp-angle pulls. Durable, heavy-duty steel construction.

#### 2436-179

'15 PROWLER (EXCLUDES HDX)

## 1436-405

'06-'14 PROWLER; '11-'15 HDX



# **WINCH ACCESSORIES KIT**

Doubles the power of your winch with the handy pulley block. Two clevis shackles provide secure rigging. Includes two sturdy 7,000-lb. tow straps. Packs conveniently into the rugged Cordura nylon case.

1436-600 UNIVERSAL



# **WINCH SYNTHETIC ROPE**

Maximizes winch efficiency for angled pulls. Excellent for lifting plows. 50-ft. long. Use with aluminum drum Arctic Cat/WARN winches. Use a new fairlead when installing synthetic rope.

#### 0436-962

USE WITH 2,500 & 3,000 LB. WINCHES

#### 2441-113

USE WITH 4,000 & 5,000 LB. WINCHES

# **PLOWS**



# 72-IN. QUICK-ATTACH PLOW KIT

Designed and engineered exclusively for Arctic Cat Prowler models. Includes blade, frame and mount. Attaches/detaches in less than 10 seconds. Wide, 72-in. two-way tapered blade design throws snow farther in either direction. 16-in. center height with blade ends tapering out to 22 in. Five adjustable plow positions for increased versatility. Durable, heavyduty steel construction. Standard Snow Deflectors and Edge Markers for increased snow handling. Requires 3,000-lb. Winch Kit to lift.

# 2436-138

'06-'15 PROWLER; '11-'15 HDX




# **QUICK-ATTACH TIGERTRAX EXTENSION**

Provides required blade clearance when TigerTrax  $^{\text{IM}}$  Kit is installed. Use with Quick-Attach Plow Kit [2436-138].

1436-608

# UNDERBODY



# **SKID PLATES**

High-strength, brushed aluminum construction for undercarriage protection. Incorporated drainage holes. Includes necessary mounting hardware. Smooth grain anodized finish.

#### 1. 1436-013 MIDDLE

'15 PROWLER 550, 700 (EXCLUDES HDX); '06-'14 PROWLER XT & XTX

#### 1. 1436-348 MIDDLE

'15 PROWLER 1000; '09-'14 PROWLER XTZ

#### 2. 1436-014 MIDDLE OUTER

'15 PROWLER (EXCLUDES HDX); '06-'14 PROWLER XT, XTX & XTZ

#### 3.1436-016 FRONT

'15 PROWLER (EXCLUDES HDX); '06-'14 PROWLER XT. XTX & XTZ

## 4. 1436-015 REAR

'15 PROWLER 550 & 700 (EXCLUDES HDX); '06-'14 PROWLER XT & XTX

#### 4. 1436-349 REAR

'15 PROWLER 1000; '09-'14 PROWLER XTZ



#### **A-ARM GUARDS**

High-strength, brushed aluminum construction for undercarriage protection. Incorporated drainage holes. Includes necessary mounting hardware. Smooth grain anodized finish.

#### 5.1436-020 FRONT

'15 PROWLER; '11-'15 HDX; '06-'14 PROWLER XT, XTX & XTZ

#### 6.1436-021 REAR

'15 PROWLER; '06-'14 PROWLER XT, XTX & XTZ

# 6.1436-350 REAR

'15 PROWLER 1000; '11-'15 HDX; '06-'14 PROWLER XTZ




# **SIDE GUARDS**

Durable aluminum alloy protects side gas tank and coolant hose area. Can be used in conjunction with Nerf Bars (1436-025). Smooth grain anodized finish.

# 0436-989

'06-'15 PROWLER (EXCLUDES HDX)

# INTERIOR





#### CAR HEATED

Space-saving, under hood-mounted heat unit. High-output, dual-speed fan and two-directional outlets in splash panel keep feet warm. Fog-free windshield from two-direction dash-mounted defrosters. Comes complete with installation kit and instructions.

#### 1436-877

'06-'14 PROWLER; '11-'15 HDX (500 HDX REQUIRES FRONT STORAGE BOX)





# **HIGH-BACK SPORT SEATS**

Direct bolt-on seat offers a perfect fit in minutes. High-strength carbon spring steel suspension system for extreme comfort. Double-stitched seams. Mildew-treated, high-grade carbon-fiber black and silver vinyl made for outdoor use. Sold in pairs.

#### 1436-835

'06-'15 PROWLER (EXCLUDES HDX)

# **SOFT GOODS**





# **SOFT REAR PANEL**

Soft rear panel works with a Soft-Top, LXC or 2-Piece Roof Kit. Maximum visibility from a see-through design. Significantly reduces dust swirl when used with a windshield.

# 1436-556

'11-'15 PROWLER (EXCLUDES HDX)

#### 1436-708

'12-'15 HDX





#### **BOX ENCLOSURE**

Sturdy aluminum framework and canvas construction easily mounts to the rear cargo box. Front and rear see-through windows with zippered rear access. Lays down when not in use. Not for use with LXC Cab Kit.

#### 1436-102

'06-'15 PROWLER (EXCLUDES HDX)

#### 1436-930

'12-'15 HDX



# **HDX TONNEAU COVER**

18.5-oz. heavy-duty, durable material. Features two anti-pooling bars to keep bed dry and clean. Easy on/off.

# 1436-929

'12-'15 HDX



# **SOFT-SCABBARD KIT**

Plush sherpa lining with room for two guns. Mudguard coated zippers.

#### 1436-529

'06-'15 PROWLER; '11-'15 HDX



# TRAILERABLE CAB COVER

Keeps the seating area out of the elements. Lined windshield area.

#### 1436-583

'06-'14 PROWLER; '11-'15 HDX



## **TRAILERABLE COVER**

Heavy-duty, 600-denier, solution-dyed polyester resists fading. Secures with a ratchet system to withstand trailering winds. Lined windshield area.

## 1436-559

'06-'15 PROWLER (EXCLUDES HDX)

#### 1436-513

'11-'15 HDX

# **STORAGE COVER**

Custom fit.

#### 1436-264

'06-'15 PROWLER; '11-'15 HDX



# **V-BAG**

Gives extra storage in unused space. Mounts to "V" section in rear canopy tube.

#### 1436-530

'11-'15 PROWLER (EXCLUDES HDX)


# 1436-709

'11-'15 HDX

# **ACCESSORIES**







# 1. RAIL MOUNT KIT

Rugged black anodized aluminum construction with molded end caps. Includes adjustable rail-mounted anchor points for securing cargo. Allows for the addition of mounting a gun scabbard or other accessories.

#### 1436-383

'06-'15 PROWLER MODELS WITH CARGO BOX (EXCLUDES HDX MODELS)

#### 2. GUN SCABBARD RAIL MOUNT

Provides quick, easy access to guns. Mounts to Prowler Rail Mount Kit (1436-383). Works with Clamshell Gun Scabbard (1436-384), sold separately.

#### 1436-382

REQUIRES RAIL MOUNT KIT (1436-383)



# 3. CLAMSHELL GUN SCABBARD

High-density foam padding protects your firearm. Tough, high-density polyurethane outer shell. Carrying handle fits both left- and right-handed guns. Accommodates guns up to 51 in. in total length, guns with pistol grips, and scopes up to 60mm.

#### 1436-384

UNIVERSAL - GUN SCABBARD ONLY



# 4. RAIL MOUNT ANCHOR

Add additional anchor points to your Rail Mount Kit for versatility. Sold individually.

#### 1436-622

FITS RAIL MOUNT KIT (1436-383)

# **BODY & FRAME**





# 1. TIRE CARRIER KIT

Rattle-free design secures your spare on those long hauls. Designed for Arctic Cat 14-in. front wheels and tires. Tire sold separately. NOTE: Not designed to work with cabs.

# 1436-119

'06-'15 PROWLER (EXCLUDES HDX & FLATBED)

# 2. BOX RAILS

Protects box sides with rugged, powder-coated, heavy-duty steel. Adds style to Prowler box.

# 1436-399

'06-'15 PROWLER (EXCLUDES HDX & FLATBED)

## 3. NERF BARS

Slip-resistant step for easy access to your Prowler. Strong, heavy-duty, powder-coated steel with solid four-point attachment.

#### 1436-025

'06-'15 PROWLER; '11-'15 HDX





#### 4. REAR BUMPER

Heavy-duty, powder-coated tubular steel construction. Mounts to rear of box frame to protect the box and tailgate areas. Allows bed to dump.

#### 1436-609

'11-'15 HDX

#### 0436-986

'06-'15 PROWLER (EXCLUDES HDX & FLATBED)



# **FENDER FLARE KIT**

Adds up to 2 in. of extra coverage. Scratch-resistant, textured polyethylene. Front and rear flares.

## 1436-273

'10-'14 PROWLER; '11-'15 HDX (FRONT ONLY)



# **PROWLER SIDE STEPS**

Heavy-duty steel side step for ease of entry. Grip louvers for added traction. Sold in pairs.

# 1436-647

'06-'15 PROWLER; '11-'15 HDX



# **PROWLER SIDE RESTRAINT KIT**

Kit includes upper and lower, left and right side restraints and webbing.

#### 1436-937

'06-'10 PROWLER; '11 HDX



# **HDX GUN SCABBARD MOUNT**

Mounts directly to Prowler HDX box. Provides quick, easy access to guns. Quick-release feature for gun scabbard. Rugged black anodized construction. Works with Clamshell Gun Scabbard (1436-384), sold separately.

#### 1436-678

'11-'15 HDX



#### **REARVIEW MIRROR**

Easily mounts to Prowler canopy tube. 4-in. x 11-in. size gives a nice, wide rear view. Not e-marked.

#### 1436-414

'11-'15 PROWLER; '12-'15 HDX





# **SIDE MIRROR**

5-in. x 6.5-in. adjustable mirror head provides superior visibility. Bracket and hardware included. Not e-marked.

#### 1436-505 RIGHT HAND

'11-'15 PROWLER; '12-'15 HDX

#### 1436-506 LEFT HAND

'11-'15 PROWLER; '12-'15 HDX



# **OIL COOLER**

Provides additional engine oil cooling in extremely high temperatures. Recommended for heavy-pulling, heavy-load conditions or extended high-speed operation. Includes oil cooler, oil tower, filter, hoses and mounting brackets for Prowler HDX,  $XT^{\text{\tiny M}}$  and  $XTX.^{\text{\tiny M}}$ 

# 1436-481

550 – 700 PROWLER MODELS WITHOUT OIL COOLER





# **SUN VISOR**

Clamps to ROPS where needed to block sun. Dark tint still allows full field of vision. Ratchet system allows for easy adjustment into multiple positions. Available October 2014.

#### 2436-016

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX

# **TIGERTRAX**

#### **PROWLER TIGERTRAX 2**

If you're looking for the next level in performance, the Arctic Cat team has delivered! Building on the tried-and-true original TigerTrax system, we have brought you the next evolution in performance all-season tracks. Custom fit and optimized for your Arctic Cat, the TigerTrax 2 will take you farther and allow you to climb higher. It's the most terraincapable Side by Side all-season track system available today. Improved flotation, increased ground clearance, optimized frame geometry, aggressive track design, and significant increase in ground traction will give you the edge in deep snow, sand, swamps and the nastiest terrain. Simply stated, when there is terrain to be conquered and when you simply just need to get there, TigerTrax 2 will take you there. NOTE: Requires Track Kit, Mount Kit and Clutch Kit, sold separately.










#### **ALL-SEASON PROWLER TRACK KIT**

#### 1436-882

'08-'15 PROWLER 700 - 1000; '11-'15 700 HDX



# **MOUNTING BRACKETS KIT**

## 1436-916

'08-'15 PROWLER 700 (EXCLUDES HDX)

#### 1436-917

'08-'15 PROWLER 1000; '11-'15 700 HDX



# **4-SEASON CLUTCH KIT**

# 1436-614

'08-'15 PROWLER 700; '11-'15 700 HDX

#### 1436-333

'09-'15 PROWLER 1000



# **WINDSHIELDS**



# WINDPRO™ WINDSHIELD SYSTEM\*

Removable in 10 seconds, no tools necessary. Dashboard includes: Built-in beverage holder, flashlight holder with flashlight. Surface for mounting GPS or cellphone. Dual mirrors. Durable, injection-molded HDPE. Convenient quick-release feature. Two-piece windshield; windshield can be removed and dashboard can still be used. Dust-management system. Accommodates 4-LED Light Kit [1436-412] or Firebar 3 [1436-856].

#### 1436-536 BLACK

'15 500, 1000, ALL TRV & TBX (EXCLUDES XR & MUDPRO); '13-'14 500 – 1000, ALL TRV & TBX (EXCLUDES MUDPRO); '09-'12 450 – 1000, ALL TRV & TBX (EXCLUDES MUDPRO & XC 450)

1436-538 RED



# CUSTOM COLOR-MATCHED WINDPRO WINDSHIELDS \*

All custom color-matched windshields work with the following models: '15 500, 1000, ALL TRV & TBX (EXCLUDES XR & MUDPRO); '13-'14 500 - 1000, ALL TRV & TBX (EXCLUDES MUDPRO); '09-'12 450 - 1000, ALL TRV & TBX (EXCLUDES MUDPRO & XC 450).

0505-562 SUNSET ORANGE

0505-617 GREEN METALLIC

0505-667 TUNGSTEN METALLIC

0505-669 VIPER BLUE

1436-541 STEEL BLUE

1436-542 DESERT RED

1436-688 BLACK METALLIC

1436-920 NAVY BLUE

1436-921 EMERALD GREEN



#### (RANK BOX \*

Integrated to fit TRV® Limited, Cruiser and WindPro Windshields. 2 in. x 2.75 in., 15-watt, marine-grade speakers. Marinized amplifier with a 45-watt, 20W RMS keeps salt and corrosion away. Audio auxiliary-in port connects to any iPod or MP3 player. Access to MP3 player controls.

#### 1436-701

FITS TRV LIMITED, CRUISER & WINDPRO WINDSHIELDS



#### **KRANK BOX BRACKET\***

Mount a Krank Box to your WindGuard™ Windshield or handlebar with this easy-to-install bracket.

#### 1436-654

USE WITH WINDGUARD WINDSHIELD (EXCLUDES WINDGUARD 2)

#### 1436-653

USE WITH HANDLEBAR – WINDSHIELD NOT INSTALLED (EXCLUDES XR)

<sup>\*</sup> not mountable on homologated ATVs.







## WINDGUARD 2 WINDSHIELD \*

Attach and remove in seconds – no tools required. Unique dust management system – an Arctic Cat exclusive. Multiple windshield heights for drivers of all sizes. Adjustable angle to optimize wind flow. RAM® mount ready – fits over 200 RAM accessories. Visit www.rammount.com for the full lineup of Ram accessories. Available December 2014.

# **2436-178 BLACK MID HEIGHT** '15 ALL XR

# 2436-156 BLACK TALL

'15 ALL XR



#### WINDGUARD WINDSHIELDS \*

Protects face, torso and hands from wind, weather and debris on the trail. Removable in 10 seconds, no tools necessary. Built-in beverage holder. Dust-management system. Features Quick-Attach System. WindGuard windshields work with the following models: '96-'15 150 - 1000, ALL TRV & TBX (EXCLUDES XR, 366, MUDPRO & XC 450).

1436-592 CLEAR

1436-590 BLACK

1436-591 RED



#### WINDSHIELD MIRROR KIT

Compact, yet offers excellent rear view. Not e-marked.

#### 1436-713

FITS WINDGUARD WINDSHIELDS (EXLCUDES WINDGUARD 2)

# HAND GUARDS



# **AIRCAT HAND GUARDS\***

Protect hands from brush and debris with rugged, contoured plastic. Includes mounting brackets.

#### 1436-646 RED

'04-'15 350 - 1000, XR, MUDPRO, ALL TRV & TBX

#### 1436-375 BLACK

'04-'15 350 - 1000, XR, MUDPRO, ALL TRV & TBX

# 1436-644 WHITE

'04-'15 350 – 1000, XR, MUDPRO, ALL TRV & TBX



# **ARCTIC CAT HAND GUARDS \***

Protect hands from brush and debris with rugged, contoured plastic. c mounting brackets.

#### 0436-505 BLACK

'04-'15 350 - 1000, MUDPRO, ALL TRV & TBX (EXCLUDES XR & XC 450)

# **MIRRORS**



## **HANDLEBAR END MIRROR**

Quick bar-end mounting on most ATVs. Does not interfere with hand movement. Vibration-free convex safety lens for ultraclear rearview vision. Sold individually. Not e-marked.

#### 1436-507

'05-'15 350 - 1000, XR, MUDPRO, ALL TRV & TBX; '03-'04 250 & 300; '96-'02 FULL SIZE



# **DUAL MIRROR KIT**

Lightweight, easy to install. Provides excellent dual rearview vision. Black powder coating for a long-lasting finish. Rustproof. Not e-marked.

#### 1436-510

'04-'15 350 – 1000, XR, MUDPRO, ALL TRV & TBX (EXCLUDES XC 450)



#### MIRROR

Compact, yet offers excellent rear view. Requires Mirror-Mounting Bracket (1436-700). Not e-marked.

#### 1436-702

'04-'15 350 – 1000, XR, MUDPRO, ALL TRV & TBX



## MIRROR-MOUNTING BRACKET

Use for mounting Mirror (1436-702).

#### 1436-700

'04-'15 350 – 1000, XR, MUDPRO, ALL TRV & TBX

# **BUMPERS**

Use Bumpers only off-Road!



## BUMPER — FRONT (XR) \*

Wide, steel box plate construction and durable rust-inhibiting black wrinkle paint provide style and protection. Easy installation. Plate construction provides easy mounting of accessory lights.

Available November 2014.

# **2436-192** '15 ALL XR





# **BRUSHGUARD BUMPERS** \*

Protects grill, rack and lights from brush and debris. Contoured to fit the front of your Arctic Cat ATV. Durable protection with rust-inhibiting, powder-coated steel. Withstands abuse with a burly, heavy-duty 1.5-in. center-tube section. Ideal for use with Arctic Cat winch kits. See dealer for additional applications.

#### 1436-031

'15 1000, ALL TRV & TBX; '10-'14 700 – 1000, ALL TRV & TBX; '08-'09 550 – 1000, TRV & TBX

#### 1436-446

'13-'15 450; '10-15' 400 2X4/4X4 & 450; '11-'12 350 & 425

#### 1436-189

'08-'09 400 2X4/4X4



# BUMPER — REAR (XR) \*

Custom designed for protection of rear frame, muffler, fenders and taillights. Durable, 1.5-in. dualtube, powder-coated steel construction. Four-point mounting to the upper and lower frame for added strength. Durable rust-inhibiting black wrinkle paint. Available November 2014.

#### 2436-193

'15 ALL XR







## **REAR BUMPERS**\*

Custom designed for protection of rear frame, muffler, fenders and taillights. Durable, 1.5-in. dual-tube, powder-coated steel construction. Four-point mounting to the upper and lower frame for added strength.

#### 0436-620

'10-'15 700 (EXCLUDES XR, TRV & TBX)

#### 1436-056

'08-'15 1000 (EXCLUDES TRV)

#### 0436-794

'06-'15 ALL TRV

#### 1436-190

'13-'15 400 & 450; '08-'12 350, 366 & 425

<sup>\*</sup> not mountable on homologated ATVs. Only for off-Road use.

# **PLOWS**



# 60-IN. & 72-IN. TWO-WAY STEEL TAPERED PLOW BLADE

Optimal right- or left-angled plow position performance from a two-way tapered blade. Tough, high-strength steel construction with 3-in. serviceable wearbar and adjustable skid plates. Wide 60-in. and 72-in. blades with 16-in. center height and standard snow deflector. Throws snow farther with blade ends tapering out to 22 in. for increased snow handling. Requires Plow Push Frame and Mount Kit. Edge Markers (0436-235), sold separately. 60-in. and 72-in. blades are not recommended for 450 models and below.

This Modell is not on stock - only on request (please ask for lead time)

1436-398 60-IN. BLADE — BLACK 1436-390 72-IN. BLADE — BLACK



# **ONE-WAY TAPERED PLOW BLADE**

Unique 16-in. to 26-in. tapered design launches snow up and away. Deflector flap prevents snow from getting over the blade top. End Plate comes standard for increased snow handling. Requires Plow Push Frame and Mount Kit. 60-in. blades are not recommended for 450 models and below.

This Modell is not on stock - only on request (please ask for lead time)

0436-360 60-IN. BLADE — YELLOW

0436-967 60-IN. BLADE — DIAMOND TREAD (WITH ARCTIC CAT LOGO)



#### **POLYETHYLENE PLOW BLADES**

Tough, slippery, lightweight construction from highdensity polyethylene over a steel frame. Available in 50-in.- and 60-in.-wide options with a 16-in. overall height. Adjustable skid plates. Requires Plow Push Frame and Mount Kit. Snow Deflectors, End Plates and Edge Markers sold separately. 60-in. blades are not recommended for 450 models and below.


Yellow Blades on stock - others on request (please ask for lead time)

0436-228 50-IN. BLADE — YELLOW

0436-296 60-IN. BLADE — YELLOW

0436-719 60-IN. BLADE — GREEN

0436-966 60-IN. BLADE — DIAMOND TREAD (WITH ARCTIC CAT LOGO)



#### 1. SNOW DEFLECTORS

#### 0436-231

USE WITH 50-IN. STRAIGHT BLADES

#### 0436-299

USE WITH 60-IN. STRAIGHT BLADES

#### 2. END PLATES

#### 0436-232

USE WITH 50-IN. & 60-IN. STRAIGHT BLADES

## 3. EDGE MARKERS

#### 0436-235

USE WITH 50-IN. & 60-IN. STRAIGHT BLADES



#### STANDARD PLOW MOUNT KIT

Frame mounting for added strength. Durable heavyduty steel construction. The XR Standard Plow Mount Kit features low profile mounting to prevent catching on obstacles when plow is not attached.

## 2436-170

'15 ALL XR

#### 0436-635

'15 500, 1000, TBX & ALL TRV (EXCLUDES XR); '13-'14 500 – 1000, TBX & TRV; '10-'12 450 – 1000, TBX & TRV (EXCLUDES XC 450)

#### 1436-191

'13-'15 400 & 450 (EXCLUDES XR & XC 450); '08-'12 350, 366 & 425 UTILITY

# STANDARD PLOW PUSH FRAME KIT

Strong, heavy-duty steel construction with rust-resistant powder coating. Five-position blade adjustments with four cutting-edge angle options make adjusting plow angle and cutting-edge angle easier. Quick-connect system for easy installation and detachment. Requires Standard Plow Mount Kit and Plow Blade (sold separately).

#### 0436-636

FITS STANDARD PLOW MOUNT (2436-170, 0436-635 & 1436-191)



# **QUICK-ATTACH PLOW MOUNT KIT**

Durable, powder-coated steel construction. Mounts to frame and front bumper for added strength. Easy-access, low-profile mounting area.

#### 2436-090

'15 1000, TBX, ALL TRV & MUDPRO (EXCLUDES XR); '10-'14 700 – 1000, TBX, ALL TRV & MUDPRO

#### 2436-091

'15 500 (EXCLUDES XR); '13-'14 500 - 550 (EXCLUDES TBX & TRV); '10-'12 450 - 650 (EXCLUDES XC 450, 650 MUDPRO, TBX & TRV)

## **QUICK-ATTACH PLOW PUSH FRAME KIT**

Heavy-duty steel construction with quick-attach, easy-access features and five-position blade adjustments. Attaches/detaches in less than 10 seconds. Requires Quick-Attach Plow Mount Kit and Plow Blade (sold separately).

#### 2436-092

FITS QUICK-ATTACH PLOW MOUNT (2436-090 & 2436-091)



# **TIGERTRAX PLOW EXTENSION KIT**

Provides required blade clearance when TigerTrax Kit is installed.

#### 1436-392

FITS STANDARD PLOW PUSH FRAME KIT (0436-636)

#### 1436-601

FITS QUICK-ATTACH PLOW PUSH FRAME KIT (2436-092)

# PLOW - KITS



# PLOW KIT DELUXE -STANDARD FRAME

Kit includes standard frame and mounting, yellow blade (127cm or 152cm depending on kit number), end plates, edge markers and deflector (127cm or 152cm depending on kit number). Durable, heavyduty stell construction

#### AC010-002 STANDARD KIT 152CM

ALL ATV 500 - 1000 (EXCL. PROWLER / WILDCAT)

## AC010-013 STANDARD KIT 127CM

350, 400 2X4 & 4X4, 425, 450 (EXCL.XC 450)

#### AC010-140 STANDARD KIT 127CM WINCH & WINCH MOUNTING NEEDS TO BE ORDERED SEPERATELY

XC 450




# PLOW KIT BASIC -STANDARD FRAME

Kit includes standard frame and mounting, yellow blade (127cm or 152cm depending on kit number) Durable, heavy-duty stell construction

#### AC010-012 STANDARD KIT 127CM

350, 400 2X4 & 4X4, 425, 450 (EXCL.XC 450)



# PLOW KIT DELUXE -QUICK ATTACH

Kit includes quick attach frame and mounting, yellow blade (127cm or 152cm depending on kit number), end plates, edge markers and deflector (127cm or 152cm depending on kit number). Durable, heavyduty stell construction

#### AC010-077 STANDARD KIT 152CM

ALL ATV 500 - 1000 (EXCL. PROWLER / WILDCAT)

# **WINCHES**



#### 3,000-LB. PROVANTAGE WINCH KIT

Arctic Cat/WARN designed and engineered. Includes 50 ft. of durable wire cable. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 3,000 lbs. of pulling capacity. All-metal gear end housing and mechanical brake. Convenient patented handlebar-mounted rocker switch. Plow roller fairlead with larger diameter bottom roller for reduced rope stress. Remote-ready wiring harness for optional remote upgrade kits.

# 2436-095

'15 ALL XR

#### 2436-135

'13-'15 500 – 1000 & TRV (EXCLUDES XR, 700 DIESEL & TBX); '10-'12 450 – 1000 & TRV (EXCLUDES XC 450, DIESEL & TBX)

#### 2436-097

'07-'15 TBX & DIESEL (EXCLUDES XR)



# 3,000-LB. PROVANTAGE WINCH KIT WITH SYNTHETIC ROPE

Arctic Cat/WARN designed and engineered. Includes 50 ft. of market-leading 3/16-in. Spydura synthetic rope. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 3,000 lbs. of pulling capacity. All-metal gear end housing and mechanical brake. Convenient patented handlebarmounted rocker switch. Plow roller fairlead with larger diameter bottom roller for reduced rope stress. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-096

'15 ALL XR

#### 2436-136

'13-'15 500 - 1000 & TRV (EXCLUDES XR, 700 DIESEL & TBX); '10-'12 450 - 1000 & TRV (EXCLUDES XC 450, DIESEL & TBX)

#### 2436-098

'07-'15 TBX & DIESEL (EXCLUDES XR)



# 2,500-LB. PROVANTAGE WINCH KIT

Arctic Cat/WARN designed and engineered. Includes 50 ft. of durable wire cable. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 2,500 lbs. of pulling capacity. All-metal gear end housing and mechanical brake. Handlebar-mounted rocker switch. Plow roller fairlead with larger diameter bottom roller for reduced rope stress. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-100

'13-'15 400 & 450 (EXCLUDES XR); '08-'12 350, 366 & 425



# 2,500-LB. PROVANTAGE WINCH KIT WITH SYNTHETIC ROPE

Arctic Cat/WARN designed and engineered. Includes 50 ft. of market-leading 7/32-in. Spydura synthetic rope. Custom-fit wiring harnesses and connections. Powerful permanent magnet motor with 2,500 lbs. of pulling capacity. All-metal gear end housing and mechanical brake. Handlebar-mounted rocker switch. Plow roller fairlead with larger diameter bottom roller for reduced rope stress. Remote-ready wiring harness for optional remote upgrade kits.

#### 2436-101


'13-'15 400 & 450 (EXCLUDES XR); '08-'12 350, 366 & 425



# 2,500-LB. UNIVERSAL WINCH KIT

Arctic Convenient handlebar-mounted rocker switch, 1.134kg / 2.500 lbs. of pulling capacity, wiring cables black (95cm) red (98cm), winch relay wiring cable blue (250cm) and green (255cm), universal mounting plate and mounting bracket, custom-fit connections, roller fairlead, winchrelay, solenoid controller for key-only

1436-187 UNIVERSAL



# **WINCH CARRIER XC 450**

Designed to carrier winch for XC 450; Durable, heavy-duty stell construction;
Carrier needed to install snowplow kit AC010-140 on XC 450

#### AC008-813

XC 450



# 1,500-LB. WINCH KIT

Arctic Cat/WARN designed and engineered for Arctic Cat 250 and 300 models. Compact, yet boasts 1,500 lbs. of pulling capacity. 50 ft. of cable with easy-to-use free spooling clutch, mechanical brake and roller fairlead.

#### 0436-826

'06-'15 250 & 300 UTILITY



# WIRELESS REMOTE UPGRADE KIT — ALL VEHICLES

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. 50-ft. operation radius. Automatic system shut-off.

#### 2436-110

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



# CORDED REMOTE UPGRADE KIT — ALL VEHICLES

Works with all Arctic Cat/WARN ProVantage Winch Kits. Easy plug-and-play installation. Includes remote control, storage bag, socket and wiring. Remote has 10 ft. of cord.

#### 2436-114

ALL ARCTIC CAT/WARN PROVANTAGE WINCH KITS



#### STANDARD ROLLER FAIRLEAD

For use with all Arctic Cat ATVs, Wildcats and 2014 and earlier Prowler models.

#### 0441-403

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



# **PLOW ROLLER FAIRLEAD**

Plow roller fairlead with larger diameter bottom roller for reduced rope stress.

#### 2441-931

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



#### **HAWSE FAIRLEAD**

Double-coated hawse fairlead reduces rope wear and improves corrosion resistance.

#### 2441-932

ALL ATVS; '14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '14 & OLDER PROWLERS; '11-'15 HDX



# **WINCH ACCESSORIES KIT**

Doubles the power of your winch with the handy pulley block. Two clevis shackles provide secure rigging. Includes two sturdy 7,000-lb. tow straps. Packs conveniently into the rugged Cordura nylon case.

# 1436-600

UNIVERSAL



# **ATV WINCH SYNTHETIC ROPE**

Maximizes winch efficiency for angled pulls. Excellent for lifting plows. 50-ft. long. Use with aluminum drum Arctic Cat/WARN winches. Use a new fairlead when installing synthetic rope.

#### 0436-962

USE WITH 2,500 & 3,000 LB. WINCHES

# **BODY & FRAME**

# **UNDERBODY**

# **RACKS**



1436-355

# FENDER EXTENSIONS

Adds coverage in wet, muddy, off-trail conditions. Two coverage options available upon installation: 2.5 in. or 5 in. Helps prevent snow, slush, mud and water from hitting driver/passenger when tracks are installed. Durable, sandblasted black finish, HMWPE construction. Adds bold style and custom appearance. Ideal when tracks are installed.

#### 1436-351 FRONT

'15 1000, MUDPRO, ALL TRV & TBX (EXCLUDES XR); '10-'14 550 - 1000, MUDPRO, ALL TRV & TBX; '05-'09 500 - 1000 (EXCLUDES '05 TRV)

#### 1436-352 REAR

'15 1000, MUDPRO, ALL TRY (EXCLUDES XR & TBX); '10-'14 550 - 1000, MUDPRO & ALL TRY (EXCLUDES TBX); '05-'09 500 - 1000 (EXCLUDES TBX & '05 TRY)

#### 1436-355 FRONT & REAR

'13-'15 400 - 450 (EXCLUDES XC 450); '08-'12 350 - 425 (INCLUDES FRONT & REAR EXTENSIONS)



#### **RECOIL KIT**

Everything needed to add complete backup recoil starting option to electric-start engines. Essential for backcountry riders. Includes recoil assembly and hardware. NOTE: Included side panel is not applicable for some uses. Side panel is not included in the 0837-008 kit.

#### 1436-002


'15 TBX (EXCLUDES XR); '10-'14 550 – 700 H1 FIS & TBX (EXCLUDES TRV)

#### 1436-007

'07-'15 650 & 700 H1 TRV (EXCLUDES XR)

#### 0837-008

'13-'15 400 (EXCLUDES XR); '08-'12 350 & 366



## **SKID PLATE KIT & A-ARM GUARDS**

Easy to install and contoured specifically for Arctic Cat ATVs. Offers full-coverage protection for front and rear drive components. Made of highly durable 8-gauge 5052 aluminum. Aluminum provides greater protection against damage and corrosion.

#### 1. 1436-616 SKID PLATE KIT

'13-'14 550 - 700 (EXCLUDES ALL TRV & TBX); '10-'12 550 - 700 (EXCLUDES XC 450, ALL TRV & TBX)

#### 1. 1436-658 SKID PLATE KIT


'07-'15 TBX; '06-'15 ALL TRV (EXCLUDES XR)

# **2. 1436-617 A-ARM GUARDS — FRONT** 15 1000 (EXCLUDES XR); 13-14 550 – 1000;

'10-'12 450 - 1000 (EXCLUDES XC 450)

#### 3. 1436-964 A-ARM GUARDS — REAR

'15 1000 (EXCLUDES XR); '13-'14 550 - 1000; '10-'12 450 - 1000 (EXCLUDES XC 450)



#### **SWAY BAR KIT**

Tighten the rear suspension for flatter, more aggressive on-trail cornering. Includes sway bar assembly and hardware. Application minimizes full range of rear suspension travel.

## 0436-744

'13-'15 550 – 1000 EFT FIS NON-EPS MODELS & TBX (REAR) (EXCLUDES XR); '06-'12 550 – 1000 FIS (REAR) (EXCLUDES 425 & XC 450)





#### **RACK EXTENSION**

Maximize rack capacity with a 3-in. or 6-in. rack extension. Includes manual attachment system. Upgradable to the accessory "SpeedLock™" attachment system.

2436-119 3 INCH '15 ALL XR

2436-120 6 INCH '15 ALL XR



# ATV DELUXE RACK EXTENSIONS — FRONT

Maximizes rack capacity by adding 5 in. of height in front. Prevents scratches, rattling and rusting with durable, molded composite posts.

#### 1434-395

'15 550 - 1000 EFT, ALL TRV & TBX (EXCLUDES XR); '13-'14 500 - 1000, TRV & TBX; '08-'12 550 - 1000, TRV & TBX

#### 1436-603

'13-'15 400 – 450; '11-'12 350 & 425



#### ATV DELUXE RACK EXTENSIONS — REAR

Maximizes rack capacity by adding 5 in. of height in rear. Prevents scratches, rattling and rusting with durable, molded composite posts.

#### 1436-396

15 550 - 1000 EFT (EXCLUDES XR, TRV & TBX); 13-14 500 - 1000 (EXCLUDES TRV & TBX); 08-12 450 - 1000 (EXCLUDES TRV & TBX)

#### 1436-604

'13-'15 400 - 450; '11-'12 350 & 425



#### **RACK RAIL**

Fits front or rear rack for additional attachment point. Rail helps hold oddly shaped items. Sandcasted aluminum for added strength.

# 2436-118

'15 ALL XR



# **SPEEDLOCK**

Drop-in system quickly attaches with easy-to-use thumb locks. One-click unlocking for fast removal. Available November 2014.

# 2436-121

'15 ALL XR





# SPEEDRACK II MANUAL ATTACHMENT SYSTEM

Replacement hardware for SpeedRack II manually attached accessories.

# 2441-951 SLOTTED WASHER KIT

'15 ALL XR

## 2436-211 MANUAL ATTACHMENT KIT

'15 ALL XR





## **TOOL HOLDERS**

Adjustable rubber-lined hooks offer scratch-free tool anchoring. Secure Velcro strapping allows for versatility. Universal mount for both front and rear tube-style racks. Sold in pairs.

# 0436-297 DOUBLE

ALL ATVS (EXCLUDES '15 XR)

0436-263 SINGLE





## **DELUXE SPEEDRACK KITS**

Upgrade your production SpeedRack® to heavy-duty 1-in. tubing. Built-in entry points offer more versatile mounting of perimeter accessories.

#### 1436-124 F10 — FRONT

'15 1000, ALL TRV & TBX (EXCLUDES XR & MUDPRO); '10-'14 550 – 1000 EFT, TRV, TBX (EXCLUDES MUDPRO)

#### 1436-125 R12 — REAR

'15 1000 (EXCLUDES XR, MUDPRO, TRV & TBX); '10-'14 550 – 1000 EFT (EXCLUDES TRV, TBX & MUDPRO)



#### DIN KIT

Five pins to secure any SpeedRack accessory. '05-'15 SpeedRack models are not supplied with pins.

#### 0/34-759

'05-'15 SPEEDRACK MODELS ARE NOT SUPPLIED WITH PINS (EXCLUDES XR)



# **SPEEDSERT INSERT**

Converts vertical SpeedRack pockets to M6x1.0. Molded inserts available for custom mounting of additional items. Contoured to fit vertical SpeedRack pockets. Use with M6x1.0 fasteners (not included). Sold individually.

#### 1441-993

'05-'15 SPEEDRACK (EXCLUDES XR)



#### SPEEDSERT INSERT

Converts vertical SpeedRack pockets to M6x1.0. Molded inserts available for custom mounting of additional items. Contoured to fit vertical SpeedRack pockets. Use with M6x1.0 fasteners (not included). Sold individually.

#### 1441-993

'05-'15 SPEEDRACK (EXCLUDES XR)



## **SPEEDRACK SIDE ADAPTER KIT**

Mounts to rear rack. Provides easy installation of side perimeter-mounted SpeedRack accessories. No tools needed to quickly install/remove Arctic Catexclusive accessories. Allows use of top pockets for Arctic Cat drop-in SpeedRack accessories. Requires SpeedRack Pin Kit (0436-759), sold separately.

#### 1436-026

'05-'15 SPEEDRACK (EXCLUDES XR, TRV & TBX)



#### **BUCKET HUGGER**

Contoured to securely hold two 5-gallon buckets (not included). Convenient tool space between buckets. Rugged, dual-walled polypropylene construction. Rear SpeedRack mount only.

#### 0436-651

'05-'15 SPEEDRACK – REAR MOUNT ONLY (EXCLUDES XR)



## SPEEDRACK RACK BASKET

Heavy-duty 0.75-in. steel square tubing perimeter for durability. Open-mesh metal bottom won't collect dirt and is perfect for hauling tools and gear. Snag-free round-corner plates. Works on front or rear SpeedRack.

#### 1436-123

'05-'15 SPEEDRACK MODELS – FRONT OR REAR (EXCLUDES XR)





#### SPEEDRACK BACKREST

Offers excellent, fully padded lumbar support. Adjustable mounting positions for custom comfort.

## 1436-050

'05-'15 SPEEDRACK (EXCLUDES XR)



# **REAR CARGO BOX**

Large capacity for extended cruises. Lockable for safe, secure storage of your gear. Box only on request - not on stock.

#### 1436-670

'08-'15 450 – 1000 REAR SPEEDRACK (EXCLUDES XR)

#### 1436-669

'06-'15 TRV ('14 TRV 400, '13 TRV CORE MODELS & '06-'08 TRV MODELS REQUIRE EXTENDED RACK KIT [1436-230])



#### **CARGO BOX**

Weather-resistant protection for all your gear. Versatile front or rear hinges make for easy-access options. Top can be removed, turning the bottom into a tray. Tough, molded construction. Optional Seal Kit [0436-497]. 33-in. L x 18-in. W x 9-in. H.


#### 0436-454

'05-'15 REAR SPEEDRACK – REQUIRES QUICK-RELEASE MOUNT, 1436-287 (EXCLUDES XR)



## **CARGO BOX SEAL KIT**

**0436-497** FITS CARGO BOX (0436-454)



# **CARGO BOX QUICK-RELEASE MOUNT KIT**

#### 1436-287

'05-'15 SPEEDRACK (EXCLUDES XR)



## **MOLDED RACK TRAY**

Lightweight, quick-install front tray. Provides generous cargo space for bulky items including chainsaws. Can be used with Arctic Cat windshields. Includes template for creating custom dividers. Uses four Speedsert Inserts (1441-993).

#### 1436-906

'05-'15 SPEEDRACK (EXCLUDES XR)

# **COVERS**



### **TRAILERABLE COVER**

Protective, water-resistant, urethane-coated, 600-denier polyester. Secure, heavy-duty straps at front, center and rear. Fast, easy-to-use locking buckles. Fits with front and rear bumpers installed. Fits not with mounted mirrors

# 2436-188

'15 ALL XR

## 1436-091

'15 550 - 1000 EFT (EXCLUDES XR, MUDPRO, TRV & TBX); '13-'14 550 - 1000 (EXCLUDES MUDPRO, TRV & TBX); '05-'12 550 - 1000 (EXCLUDES MUDPRO, TRV & TBX)

#### 1436-371

'15 550 - 1000 EFT MODELS WITH WINDSHIELD (EXCLUDES XR, MUDPRO, TRV & TBX); '13-'14 500 - 1000 MODELS WITH WINDSHIELD (EXCLUDES MUDPRO, TRV & TBX); '05-'12 500 - 1000 (EXCLUDES MUDPRO, TRV & TBX)

#### 1436-250

'09-'15 TRV (EXCLUDES LIMITED & CRUISER)

# 1436-265

'08-'15 TRV LIMITED & CRUISER

#### 1436-092

'02-'15 TBX; '02-'08 TRV & DIESEL

#### 1436-512

'10-'15 1000 MUDPRO

#### 1436-568

'09-'15 650 - 700 MUDPRO



#### STORAGE COVER

Wards off sun, moisture and dust with urethanecoated, 150-denier polyester. Snug, custom fit from elastic stretch cords. Not for trailering.

#### 1436-087

'15 ALL XR; '13-'15 550 – 1000 EFT (EXCLUDES MUDPRO, TRV & TBX); '05-'12 400 – 1000 (EXCLUDES MUDPRO, TRV & TBX)

#### 1436-088

'13-'15 300 - 450; '06-'12 250 - 425

#### 1436-248

'09-'15 TRV (EXCLUDES LIMITED & CRUISER)

#### 1436-263

'08-'15 TRV LIMITED & CRUISER

#### 1436-089

'02-'15 TBX; '02-'08 TRV & DIESEL

# CARGO BAGS



#### **RACK BAG**

Durable, ballistic nylon with reinforced bottom. Water-resistant zippers. Features three large openings with two removable dividers. Easy Velcro attachment.

#### 2436-176

'15 ALL XR FRONT & REAR RACKS







#### **RACK BAGS**

Durable, ballistic nylon with reinforced bottom. Added support from the no-sag, closed-cell-foam structure. Water-resistant zippers and convenient carrying handle. Rear bag features top stretch cord to secure items, plus mesh top-opening pockets for easy access to added storage.

#### 1436-083 FRONT

'15 500, 1000, ALL TRV & TBX (EXCLUDES XR & MUDPRO); '13-'14 500 - 1000, ALL TRV & TBX (EXCLUDES MUDPRO); '05-'12 450 - 1000, TRV & TBX (EXCLUDES '05 TRV, MUDPRO & XC 450); '06-'08 400

# 1436-084 REAR

'15 550 - 1000 EFT & MUDPRO (EXCLUDES XR, TRV & TBX); '13-'14 550 - 1000 & MUDPRO (EXCLUDES TRV & TBX); '05-'12 500 - 1000 & MUDPRO (EXCLUDES TRV & TBX)



## ZIPPERLESS RACK BAGS

Aluminum inner frame and compression-molded lid. Stretch cords on top provide added cargo capacity. Convenient carrying handle. No zipper to attract mud or dirt.

#### 1436-511 FRONT

'15 550 - 1000 EFT, ALL TRV & TBX (EXCLUDES XR & MUDPRO); '13-'14 550 - 1000, ALL TRV & TBX (EXCLUDES MUDPRO); '05-'12 450 - 1000, ALL TRV & TBX (EXCLUDES '05 TRV, MUDPRO & XC 450); '06-'08 400

#### 1436-577 REAR

'15 550 - 1000 EFT & MUDPRO (EXCLUDES XR, TRV & TBX); '13-'14 550 - 1000 & MUDPRO (EXCLUDES TRV & TBX); '05-'12 450 - 1000 & MUDPRO (EXCLUDES TRV & TBX)



## **FENDER BAG**

Clips quickly to rear fender. Easy-access, topopening pocket. Dual beverage holders.

# 1436-085

'00-'15 FULL SIZE

# HUNTING

Know your local and state laws for gun transport.





# **REMINGTON BIG GAME EDITION PACKAGE**

Fit your ATV with our premium Remington® Big Game package for quick and easy mobility of you and your equipment. Includes Hand Guards (Black), Front Brushguard Bumper, Rear Bumper and Gun Scabbard with Mount. Item only on request.

#### 1436-650

'15 1000 (EXCLUDES XR, TRV & TBX); '10-'14 550 - 1000 (EXCLUDES TRV & TBX); '08-'09 500 - 1000 (EXCLUDES TRV & TBX)



## TBX™ GUN SCABBARD MOUNT

Mounts on either side of rear box for convenience. Features quick-release pin for detaching the scabbard. Accommodates only Deluxe Gun Scabbard (0436-445), sold separately. Item only on request.

# **0436-637** '05-'15 TBX



#### **RACK/GUN MOUNT**

Vertical mount attachment for front or rear rack. Soft rubber fins grip and cushion cargo.

**0436-828**'05-'15 SPEEDRACK (EXCLUDES XR)



## **DUAL GUN/UTILITY MOUNT**

Adjustable dual-utility holders. Securely holds cargo. Held in place by four SpeedRack pins. Radius reducers for smaller tools.

1436-179 '05-'15 TBX



# **GUN SCABBARD KIT**

Kit includes Deluxe Gun Scabbard (0436-445). Gun Scabbard Mount (0436-705), can be purchased separately.

#### 1436-656

'08-'15 FULL SIZE MODELS (EXCLUDES XR, TBX & TRV); ACCOMMODATES GUN SCABBARDS (0436-445 & 1436-384)

# **BATTERY**




## **HEAVY-DUTY SEALED BATTERY**

Holds voltage longer than normal batteries. Increased starting power from lead-calcium technology. Requires only periodic charging. 350 cold-cranking amps. Leak-free, spill-proof design. 8.25 in. L x 3.5 in. W x 6.5 in. H.

### 1436-252

UNIVERSAL (EXCLUDES XR & TRV); FITS MOWERS



## **GUN SCABBARD MOUNT**

Adjustable for both right- or left-side mounting. Bolts to rear rack with included hardware. Accommodates Clamshell Gun Scabbard [1436-384] and Deluxe Gun Scabbard [0436-445], sold separately.

#### 0436-705

'08-'15 FULL SIZE MODELS (EXCLUDES XR, TBX & TRV); TRV ACCESSORY RACK (1436-397) ACCOMMODATES GUN SCABBARDS (0436-445 & 1436-384)



#### **DELUXE GUN SCABBARD**

Removable, internal gun case for additional transport options. Tough, high-density polyurethane outer shell. Fits both left- and right-handed guns. Accommodates guns up to 51 in. in total length with up to 50mm scope.

#### **0436-445** UNIVERSAL – GUN SCABBARD ONLY



# **CLAMSHELL GUN SCABBARD**

Removable, internal gun case for additional transport options. Tough, high-density polyurethane outer shell. Carrying handle fits both left- and right-handed guns. Accommodates guns up to 51 in. in total length, guns with pistol grips and guns with scopes up to 60mm.

#### 1436-384

UNIVERSAL - GUN SCABBARD ONLY

# COLD-WEATHER GEAR



#### **ATV TIRE CHAINS**

Gives maximum traction on snow and ice. Made from hardened steel with a grippy V-bar design. Easyattach, secure, solid fit. Two sizes available. Sold in pairs. For use on rear tires only.

#### 0436-026 SIZE B

FITS MOST 24-IN. & 25-IN. TIRES (REAR)

#### 0436-027 SIZE C

FITS MOST 25-IN. & 26-IN. TIRES (REAR)





#### **REAR HAND WARMERS — TRV**

Includes everything needed to upgrade '06-'15 TRV models to the "Cruiser-style" rear handlebar heaters for added passenger comfort. Convenient control switch.

#### 1436-272

'06-'15 ALL TRV - PASSENGER



# STANDARD HANDLEBAR/ THUMB WARMERS

Offers all-day warmth to hands and thumbs. Easy-to-install kit with three-position (high/low/off) toggle switch. Secure molded connectors and replacement grips. Requires Grip-It Glue (0441-510).

# 0436-352

'96-'15 FULL SIZE MODELS



#### **DELUXE HANDLEBAR/THUMB WARMERS**

All the features of the Standard Handlebar/Thumb Warmers plus a pod-mounted, three-position rocker switch and easy-install wiring. Requires Grip-It Glue [0441-510].

## 1436-271

'13-'15 550 - 1000 EFT, ALL XR, TBX & ALL TRV (EXCLUDES XC 450); '06-'12 450 - 1000, TBX & TRV (EXCLUDES XC 450); '06-'08 400



#### **GRIP-IT GLUE**

Specially formulated for applying grips to recreational vehicles. Bonds up to 12 sets of grips.

#### 0441-510 1 OZ.

REQUIRED FOR HANDLEBAR GRIP INSTALLATION



#### **ENGINE BLOCK HEATER**

Makes cold-weather starting smoother. Prewarms liquid-cooled engines with 375 watts of power. Incorporated thermal switch prevents overheating and is UL®- and CSA-approved.

#### 1436-432

'13-'15 550 - 700 LIQUID-COOLED; '96-'12 500 - 700 LIQUID-COOLED (EXCLUDES 650 V2)



## **HANDLEBAR MUFFS**

Water- and wind-resistant nylon outer. Easy-attach Velcro straps with an elastic grip strap.

#### 1436-562

'96-'15 FULL SIZE

# **TRV**



## **TRV SEAT BAG**

Add to TRV Limited or Cruiser when the cargo box is removed. Adds carrying capacity on a TRV. Easy-access, inside storage compartments. Highly visible, reflective Aircat logo and carbon fiber vinyl pattern. Quickly attaches over passenger seat.

# **1436-306** '09-'15 ALL TRV



# **TRV SADDLEBAGS**

Durable, UV-stable vinyl bag won't break down in sunlight. Lightweight with carbon-fiber pattern. Lends ample storage, even with two riders.

# 1436-262

'06-'15 TRV (EXCLUDES LIMITED & CRUISER)



# TRV EXTENDED REAR RACK

Add rear storage/carrying capacity to TRV models without a rear rack.

# 1436-230

'06-'08 TRV



#### TRV BOX ATTACHMENT

Adds a pickup-style box to TRV or Diesel models by using a few quick-attach pins. Easy-loading flip tailgate. Side rails help prevent load from falling out. NOTE: '09-'15 models require removal of rear rack cover for installation.

#### 0436-827

'06-'15 ALL TRV & DIESEL



# **TRV REAR RACK KIT**

Transforms your TRV into a versatile work machine. Allows for the addition of top-mounted SpeedRack accessories.

#### 1436-397

'06-'15 ALL TRV (REAR)



# **DIESEL/TRV SEAT KIT**

Converts your Diesel model to a Two Rider Vehicle (TRV) with a couple of pins.

#### 1436-028

'06-'15 DIESEL

# **SPRAYERS**

## SPEEDRACK SPRAYER KIT

Kit includes SpeedRack Rack-Mounted Sprayer [1436-605] and 120-in. Folding Boom [1436-606]. No CE-approval.

On Request - please ask for lead time.

#### 1436-680







# 1. SPEEDRACK RACK-MOUNTED SPRAYER

Reliable 1.8-GPM SHURflo® pump with liquid-filled pressure gauge for accuracy. 18-gallon, low-profile contoured tank for a custom fit. Hand sprayer and 25-ft. hose included. Built-in manifold system allows quick addition of the 120-in. Folding Boom. Mounts on rear rack only. 120-in. Folding Boom sold separately. Spacer Kit (0436-854) recommended for '13-'14 500 - 550 Rear SpeedRack models. No CEapproval. On Request - please ask for lead time.

#### 1436-605

'08-'15 550 - 1000 EFT REAR SPEEDRACK (EXCLUDES XR);

# 2. 120-IN. FOLDING BOOM

Versatile, multiposition spraying ability. Accurate and adjustable 120-in.-wide spray for complete coverage. Turn on or off any combination of wand, left, center and right boom nozzles. Spring-loaded folding booms spray when folded down, angled or in upright position. Mounts in 2-in. rear receiver. Sprayer sold separately. No CE-approval. On Request - please ask for lead time.

#### 1436-606

2-INCH RECEIVER MOUNT FOR MODEL APPLICATIONS USED WITH SPEEDRACK SPRAYER (1436-605)



## **ECONO SPRAYER**

Large 20-gallon capacity. Spot sprayer with .9-GPM pump and built-in switch. 15-ft. hose with lightweight wand for extended reach. Universal fit requires two Ratchet Tie-Downs (0436-999). No CEapproval. On Request - please ask for lead time.


#### 1436-607

'13-'15 550 - 1000, ALL XR, MUDPRO, TBX & TRV WITH OPTIONAL RACK (REAR MOUNT); '06-'12 450 - 1000, MUDPRO, TBX & TRV WITH OPTIONAL RACK (REAR MOUNT)

# **TIGERTRAX**

## **ATV TIGERTRAX 2**

If you're looking for the next level in performance, the Arctic Cat team has delivered! Building on the tried-and-true original TigerTrax system, we have brought you the next evolution in performance all-season tracks. Custom fit and optimized for your Arctic Cat, the TigerTrax 2 will take you farther and allow you to climb higher. It's the most terraincapable ATV all-season track system available today. Improved flotation, increased ground clearance, optimized frame geometry, aggressive track design and significant increase in ground traction will give you the edge in deep snow, sand, swamps and the nastiest terrain. Simply stated, when there is terrain to be conquered and when you simply just need to get there, TigerTrax 2 will take you there. NOTE: Requires Track Kit, Mount Kit & Clutch Kit, sold separately. Clutch Kit not required for XR and TRV 1000.



#### **MOUNTING BRACKETS**

2436-180 available December 2014.

#### 1436-915

'08-'15 1000 (EXCLUDES XR & MUDPRO); '07-'14 550 - 700, TBX & ALL TRV (EXCLUDES MUDPRO & DIESEL)

#### 2436-180

'15 550 – 700 XR





#### 1436-881

'15 550 - 700 XR, TBX & ALL TRV; '08-'15 1000 (EXCLUDES MUDPRO); '07-'15 550 - 700 (EXCLUDES MUDPRO & DIESEL)




# **4-SEASON CLUTCH KIT**

#### 1436-614

'07-'15 550 – 700 FIS, TRV & TBX (EXCLUDES XR, MUDPRO & DIESEL)

#### 1436-333

'15 1000 FIS & TRV MODELS (EXCLUDES XR); '06-'14 1000 FIS (EXCLUDES MUDPRO & 1000 TRV)



# LIGHTING

#### FIREBAR™ 5-WATT LED LIGHT BARS \*

Powerful 5-watt LEDs. Combination lens pattern for optimized peripheral flood and spot performance. Electronic thermal management. Advanced 90% optically pure optics optimize light performance. 6061 aluminum bezel and housing. IP-68 rating for extreme performance in all conditions. Custom Arctic Cat Wiring Harness with high-end weatherproof connectors and backlit switch for quick and painless installation. Multivoltage electronics for an input voltage of 9–32 volts for increased output. Included foot-style mounting hardware. Engineered by VisionX.



### FIREBAR 3\*

4.5-in., 5-watt, 1x row LED light bar. 3, 5-watt LEDs output 1,479 lumens.

#### 1436-856

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS



#### FIREBAR 9\*

12-in., 5-watt, 1x row LED light bar. 9, 5-watt LEDs output 4,437 lumens.

## 1436-857

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS; '12 WILDCAT REQUIRES AN ACCESSORY EXTENSION HARNESS (1436-643)



#### FIREBAR 18\*

23.5-in., 5-watt, 1x row LED light bar. 18, 5-watt LEDs output 8,874 lumens.

#### 1436-858

WORKS WITH WILDCAT & PROWLER MODELS; '12 WILDCAT REQUIRES AN ACCESSORY EXTENSION HARNESS (1436-643)



#### FIREBAR 27 \*

35-in., 5-watt, 1x row LED light bar. 27, 5-watt LEDs output 13,311 lumens.

#### 1436-859

WORKS WITH WILDCAT & PROWLER MODELS; '12 WILDCAT REQUIRES AN ACCESSORY EXTENSION HARNESS [1436-643]



#### FIREBAR 36 \*

20.5-in., 5-watt, 2x row LED light bar. 36, 5-watt LEDs output 17,748 lumens.

#### 1436-860

WORKS WITH WILDCAT & PROWLER MODELS; '12 WILDCAT REQUIRES AN ACCESSORY EXTENSION HARNESS [1436-643]



#### FIREBAR 54\*

30-in., 5-watt, 2x row LED light bar. 54, 5-watt LEDs output 26,622 lumens. Not recommended for Prowler models.

#### 1436-861

WORKS WITH WILDCAT MODELS; '12 WILDCAT REQUIRES AN ACCESSORY EXTENSION HARNESS [1436-643]



#### FIREBAR SOLO LED LIGHT \*

Electronic thermal management. 90% advanced optically pure polycarbonate lenses. Aluminum bezel and housing. IP-68 rating for extreme performance in all conditions. Custom Arctic Cat Wiring Harness and switch for quick and painless installation. Multivoltage electronics for an input voltage of 9–48 volts for increased output. Versatile mounting hardware included. 10-degree lens pattern is ideal for spot and directional lighting. 40-degree lens pattern is ideal for work, backup and peripheral lighting. Engineered by VisionX.

# 1436-866 10-DEGREE LED

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

#### 1436-883 40-DEGREE LED

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

<sup>\*</sup> Items are not e-marked. Only available on requst.







## 4-POD LED ROCK LIGHT KITS \*

Four individual pods included in kit; accommodates up to eight single pods. Rugged weatherproof housing for performance in all conditions. Solid or choose from multiple scan, flashing or strobe to music patterns. Extremely low-amp draw. No ballasts, bulbs or lenses. Custom Arctic Cat Wiring Harness. Wireless remote controls all features. Versatile mounting kit included. Engineered by VisionX.

#### 1436-862 WHITE

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

# 1436-864 GREEN

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS





# **ADDITIONAL LED ROCK LIGHTS \***

Add up to four additional pods to an LED Rock Light Kit (1436-862 or 1436-864). Colored lights are interchangeable.

# 1436-863 WHITE

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

#### 1436-865 GREEN

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS



#### ATV POD KIT \*

Turns with handlebars to provide directional lighting. Ultra-bright, pod-mounted halogen light adds 35 watts of illumination. Quickly mounts to instrument pod. Includes pod-mounted light, keyactivated switch and wiring harness with molded connections (models with Winch Kits require Accessory Adapter [1639-623], sold separately).

#### 1436-389

'15 1000, MUDPRO, TRV & TBX (EXCLUDES XR); '13-'14 500 – 1000, MUDPRO, TRV & TBX; '06-'12 450 – 1000, MUDPRO, TRV & TBX (EXCLUDES XC 450)









#### 4-LED LIGHT KIT \*

Four 3-watt LED bulbs for exceptional illumination. Fully sealed cast aluminum housing with high-impact lens. Low-profile construction with black powder-coated finish. Includes black 0.75-in. tube clamp. Fits TRV Limited, Cruiser and WindPro Windshields. Use Fast Clamps (1436-619) to mount to bumpers and canopy.

## 1436-412

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS; ALSO FITS WINDPRO, CRUISER, TRV LIMITED & STANDARD WINDSHIELDS



## **BRUSHGUARD 4-LED LIGHT MOUNT KIT**

Conveniently mounts on front brushguard of ATV or to provide a lower-profile mount. Ideal for any use, including plowing. Black powder-coated finish provides integrated look. 4-LED Light Kit [1436-412] sold separately.

#### 1436-413

'15 1000 WITH BRUSHGUARD BUMPER (EXCLUDES XR); '10-'14 700 – 1000 WITH BRUSHGUARD BUMPER





#### **ALUMINUM LIGHT SUPPORT \***

Lightweight cast and extruded aluminum construction. Installs easily with or without a roof. Firebar LED Light Bars require Firebar to Light Support Transition Brackets (1436-908). Fits Arctic Cat Firebar LED Light Bars up to 23.5 in.; also fits light bars with lateral mounts up to 22 in. in length. NOTE: Use Anchor Block for Aluminum Light Support (2441-300) for extra mounting locations.

#### 1436-724 ALUMINUM

'12-'15 WILDCAT; '13-'15 WILDCAT 4

# 1436-909 BLACK

'12-'15 WILDCAT; '13-'15 WILDCAT 4

<sup>\*</sup> Items are not e-marked. Only available on requst.





# PROWLER ALUMINUM LIGHT SUPPORT

Lightweight cast and extruded aluminum construction. Installs easily to your Prowler canopy. Fits Arctic Cat Firebar LED Light Bars up to 30.25 in.; also fits light bars with lateral mounts up to 28 in. long. Firebar LED Light Bars require Firebar to Light Support Transition Brackets (1436-908). Firebar 54 not recommended for Prowler models. NOTE: Use Anchor Block for Aluminum Light Support (2441-300) for extra mounting locations.

#### 1436-699 ALUMINUM

'11-'15 PROWLER (EXCLUDES '11 HDX)

#### 2436-182 BLACK

'11-'15 PROWLER (EXCLUDES '11 HDX)

# PROWLER LIGHT SUPPORT 2-PIECE ROOF MOUNTING KIT

Allows mounting of the Prowler Aluminum Light Support (1436-699 or 2436-182) to a Prowler 2-Piece Roof (1436-519).

#### 1436-960



# ANCHOR BLOCK FOR ALUMINUM LIGHT SUPPORT

Adds extra mounting locations to your Aluminum Light Support. Sold individually.

#### 2441-300

FOR USE WITH ALUMINUM LIGHT SUPPORT



#### **PROWLER BAJA LIGHT BAR**

Mount directly to ROPS or give your LXC Roof a custom look. Attach to ROPS using four Fast Clamps (1436-619). Designed to work with Firebar 9-LED Light Kit (1436-857). Fits LXC Roof Kit (1436-500).

1436-589



# FIREBAR TO LIGHT SUPPORT TRANSITION BRACKETS

Required brackets to transition Firebar mounts to the Aluminum Light Support. Fits all Firebar LED Light Bars. Sold in pairs.

#### 1436-908



#### FIREBAR TUBE CLAMPS

Fits all Firebar LED Light Bars. Low-profile styling provides secure mounting. Reducers included for multiple tube fitments. Mounting hardware included. Sold individually.

#### 1436-869 1 1/4 INCH - 1 INCH

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

#### 1436-871 1 3/4 INCH — 1 1/2 INCH

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS



#### **FAST CLAMP**

Embedded threads allow mounting of lights, GPS brackets, etc., to ROPS. Quick-release capability. Attaches to any 1 1/2-inch or 1 3/4-inch tube. Highstrength nylon construction. Zinc-coated hardware for resistance to corrosion. Sold individually.

# 1436-619



## **BLACK 3/4-INCH TUBE CLAMP**

Use to mount Firebar LED lights to 3/4-in. tubes or ATV racks or as a generic clamp for other accessories. Sturdy and rubber dipped for solid grip. Sold individually.

#### 1436-914

UNIVERSAL



## **ACCESSORY PLUG KIT**

Powers 12-volt DC accessories from a cigarettelighter-style outlet. 15-amp max.

#### 0436-435

UNIVERSAL



#### **ACCESSORY EXTENSION HARNESSES**

Used to extend any Style 21 accessory plug. Allows you to add lights where you want them.

#### 1436-643 66 IN.

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS

#### 1436-834 24 IN.

UNIVERSAL – WORKS WITH WILDCAT, PROWLER & ATV MODELS



# **ELECTRICAL PLUG**

Add 12-volt DC accessory plug (Style 21) to your vehicle. Links power to trailered accessories with a 12-volt DC connection. 12-in. plug-in link. 15-amp max.

# 0436-087

UNIVERSAL



### **SWITCH**

Non-backlit on/off switch for additional accessories. Fits into Wildcat and Prowler molded dash parts.

## 1436-178

UNIVERSAL



## **SWITCH MOUNT PANEL KIT**

Includes switch panel and two plugs for installing added accessories. Accommodates rectangular-style switches.

# **1436-008** UNIVERSAL



#### **ACCESSORY ADAPTERS**

Conveniently plugs into 12-volt accessory plug (Style 21). Powers multiple 12-volt accessories. 15 amps max.

**1639-623 2-0UTLET** UNIVERSAL

**1639-624 3-0UTLET** UNIVERSAL

# WHEEL/TIRES



## **BLACK MAGIC WHEEL/TIRE KIT\***

Includes Trailfinder tires mounted on 14-in. Black Magic® wheels. Directionally mounted tires for front and rear. Aircat center caps. Lug nuts included.

#### 1436-681 FOUR WHEELS/TIRES KIT

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '06-'15 PROWLER; '11-'15 HDX; '07-'15 700 – 1000 ATV MODELS



# 393/TRAILFINDER WHEEL/TIRE KIT \*

Includes Trailfinder tires mounted on 14-in. or 15-in. 393 wheels. Directionally mounted tires for front and rear. Lug nuts and center cap included.

#### 1436-786 14 IN.

'12-'15 WILDCAT & WILDCAT 4

#### 1436-787 15 IN.

'12-'15 WILDCAT & WILDCAT 4

# WHEELS



#### **BLACK MAGIC 14-IN. WHEELS \***

Exclusive Arctic Cat offsets for custom fit and performance. Corrosion-resistant, rugged, lightweight aluminum construction. Polished with black inlays for understated shine and finish. Each wheel X-rayed to ensure quality. Lug nuts included.

#### 1436-479 14X6.5 — FRONT

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '06-'15 PROWLER; '11-'15 HDX; '07-'15 700 – 1000 ATV MODELS (REQUIRES 14-IN. TIRES)

#### 1436-480 14X8 — REAR

'12-'15 WILDCAT; '13-'15 WILDCAT 4; '06-'15 PROWLER; '11-'15 HDX; '07-'15 700 – 1000 ATV MODELS (REQUIRES 14-IN. TIRES)



# **BLACK MAGIC 12-IN. WHEELS\***

#### 2436-194 12X6.0 — FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 – 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 – 1000 (EXCLUDES XC 450) – FRONT; '13-'15 400 & 450; '08-'12 350, 366 & 425 – FRONT & REAR

#### 2436-195 12X7.5 — REAR

14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - REAR



# **BLACK MAGIC 12-IN. MATTE WHEEL\***

## 2436-196 12X6.0 — FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 – 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 – 1000 (EXCLUDES XC 450) – FRONT; '13-'15 400 & 450; '08-'12 350, 366 & 425 – FRONT & REAR

#### 2436-197 12X7.5 — REAR

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - REAR

Non homologated tires/wheels.
Only available on requst.



## 393 WILDCAT WHEEL\*

393 aluminum wheels widen vehicle 3–4 inches; know your local width/trail laws. Center cap and lug nuts included.

**1436-490 15X7 — FRONT** '12-'15 WILDCAT; '13-'15 WILDCAT 4

**1436-491 15X8 — REAR** '12-'15 WILDCAT; '13-'15 WILDCAT 4

**1436-488 14X7 — FRONT** '12-'15 WILDCAT; '13-'15 WILDCAT 4

**1436-489 14X8 — REAR** 12-15 WILDCAT 4



## 15-IN. MIDNIGHT ICE WHEELS \*

Lightweight, corrosion resistant aluminum. Features a black finish with chrome torx accents and Arctic Cat center cap for maximum durability and visual impact. Individually X-rayed for quality assurance. Lug nuts not included.

**1436-918 — FRONT** '12-'15 WILDCAT & WILDCAT 4

**1436-919 — REAR** '12-'15 WILDCAT & WILDCAT 4



## **ITP T7 BEADLOCK WHEEL\***

Race-inspired for the true off-road enthusiast. Aluminum wheels with outer beadlocking ring holds tire bead to inner rim. Lug nuts included.

**2436-198 14X6.5 — FRONT** '12-'15 WILDCAT & WILDCAT 4

**2436-199 14X8 — REAR** 12-15 WILDCAT & WILDCAT 4



#### **LUG NUT**

M10 X 1.25-inch thread size. Tapered base.

2441-177 — CHROME LENGTH 1 1/2-IN. UNIVERSAL

0423-556 — CHROME LENGTH 1 3/16-IN. UNIVERSAL

0423-618 — CHROME LENGTH 1 1/16-IN. UNIVERSAL

1423-260 — MATTE BLACK LENGTH 1 1/16-IN. UNIVERSAL



# 12-IN. TURBO 10 ALUMINUM WHEEL — MATTE BLACK \*

Exclusive Arctic Cat offsets for custom fit and performance. Corrosion-resistant, rugged, lightweight aluminum construction. Polished with black inlays for understated shine and finish. Each wheel X-rayed to ensure quality. Lug nuts included.

## 2436-200 12X6.0 — FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - FRONT; '13-'15 400 & 450; '08-'12 350, 366 & 425 - FRONT & REAR

## 2436-201 12X7.5 — REAR

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - REAR

<sup>\*</sup> Non homologated tires/wheels.
Only available on requst.

# **TIRES**



#### **TRAIL PRO TIRES \***

Front tread pattern provides precise straight-line tracking and crisp steering response. Unique, nondirectional rear tread pattern for optimized traction in a variety of conditions. Durable 4-ply rated shell provides lightweight puncture resistance and long tread life.

#### 2402-111 25X8XR12 — FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 – 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 – 1000 (EXCLUDES XC 450) – FRONT; '13-'15 400 & 450; '08-'12 350, 366 & 425 – FRONT & REAR

#### 2402-112 25X10XR12 — REAR

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - REAR

#### 2402-223 26X9XR12 — FRONT

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 – 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 – 1000 (EXCLUDES XC 450) – FRONT; '13-'15 400 & 450; '08-'12 350, 366 & 425 – FRONT & REAR

#### 2402-224 26X11XR12 — REAR

'14-'15 WILDCAT TRAIL; '15 WILDCAT SPORT; '13-'15 500 - 1000, XR, MUDPRO, TRV & TBX; '02-'12 450 - 1000 (EXCLUDES XC 450) - REAR



## BLACKWATER EVOLUTION™ TIRE \*

Innovative new nondirectional design for awesome traction. 8-ply-rated radial construction for smooth riding and superb handling. All-new "Tough Tread" rubber compound offers exceptional wear and abrasion resistance.

2402-153 27X9XR14 — FRONT

'12-'15 WILDCAT & WILDCAT 4

2402-154 27X11XR14 — REAR

'12-'15 WILDCAT & WILDCAT 4



## MAXXIS® BIGHORN 2.0 TIRES \*

Slimmer, lightweight radial design with increased shock absorption for a smooth ride. Nondirectional radial pattern for optimal cornering and performance. 4-ply construction.

**1402-935 26X9XR12 — FRONT** WILDCAT SPORT & 700 – 1000 ATV MODELS

**1402-936 26X11XR12 — REAR** WILDCAT SPORT & 700 – 1000 ATV MODELS

1402-937 27X9XR14 — FRONT

WILDCAT, PROWLER, HDX & ATV MODELS WITH 14-IN. WHEELS (EXCLUDES WILDCAT TRAIL)

1402-938 27X11XR14 — REAR

WILDCAT, PROWLER, HDX & ATV MODELS WITH 14-IN. WHEELS (EXCLUDES WILDCAT TRAIL)



# **TRAILFINDER TIRES**\*

Designed with flatter tread area to have more ground contact. Radial tires are lightweight 6-ply construction.

1436-751 26X10XR15 — FRONT

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (REQUIRES 15-IN. WHEELS)

1436-763 26X12XR15 — REAR

'12-'15 WILDCAT; '13-'15 WILDCAT 4 (REQUIRES 15-IN. WHEELS)

1436-750 26X10XR14 — FRONT

1436-762 26X12XR14 — REAR



#### 14-IN. EXTENDED-WEAR TIRES

26-in. x 9-in. R-14-in. Kenda® tire. Specific radial design for ROV/ATV offroad applications. Unique, extended-wear tread pattern for longevity.

Approved E Mark for European standards.

#### 1402-633

WILDCAT, PROWLER, HDX & ATV MODELS WITH 14-IN. WHEELS (EXCLUDES WILDCAT TRAIL)



#### **TIRE SEALANT**

Special formulation with special sealing fibers creates a permanent seal. Includes valve core wrench and installation tube. 32-oz. bottle. Not on stock - please ask for lead time.

0436-913

<sup>\*</sup> Non homologated tires/wheels. Only available on requst.

# **ACCESSORIES**





# **ARCTIC CAT RATCHET TIE-DOWNS**

Spring-loaded retainer clips prevent S-hooks from falling off. 1,200-lb. tensile strength. Comfortable ratchet-handle grip. Large grab handle for easy length adjustment. Soft end loop prevents scratches and scuffs.

1436-261 BLACK

2436-124 BLACK/GREEN






# **ARCTIC CAT TIE-DOWNS**

Protects against scratching with integrated soft end loop. 1,200-lb. tensile strength. Dual S-hook locking clips. Scratch-preventing, PVC-dipped S-hook. Strong 100% nylon webbing.

1436-260 BLACK

2436-123 BLACK/GREEN



# **RATCHET TIE-DOWNS**

120-in. reach with heavy-duty, durable nylon web strapping. Tough, rubber-coated ratchet handles. 1,200-lb. rating; sold in pairs.

0436-999 BLACK



## STANDARD CAM BUCKLE TIE-DOWNS

Secures ATV to trailer with high-quality, durable, 69-in. nylon web strapping. 900-lb. rating; sold in pairs.

0436-273 BLACK



# **ARSENAL EXT SHOVEL**

An integrated shovel system with a larger blade and extendable handle. Includes a 35-cm wood saw stowed inside the grip. Extends up to 30.5 inches long, 10-in. x 11-in. blade, 1.9 lbs.

5639-786




## 6-FT. WHIP FLAG

6-ft. flag is designed specifically for Side by Side vehicles. Pop-off design includes tether cord to secure base. 6-ft. flexible, one-piece shaft with flag alerts nearby riders. Quick, single-bolt attachment.

1436-875

'06-'15 PROWLER




## 8-FT. WHIP FLAG

Pop-off design includes tether cord to secure base. 8-ft., flexible, two-piece shaft with flag alerts nearby riders. Quick, single-bolt attachment.

0436-014

UNIVERSAL



# **POCKET SAW**

High-strength, heat-treated steel. Rust-resistant coating retains sharpness. Storage bag included.


1436-193



#### **TOW STRAP WITH CLEVIS**

10,000-lb. tensile strength for durability. Heavyduty, 20-ft. tow strap with included storage bag. Looped at ends, with easy-attach, rust-resistant, zinc-plated shackles.

0436-448



#### CARGO NET

Versatile 15-in. x 30-in. net with coated steel hooks. Secures cargo or other items to rack.

0436-449



## WATER BOTTLE/EXTINGUISHER HOLDER

Neoprene holder holds your "Halon Style" extinguisher or water bottle in place with two Velcro straps. Straps are lined with a rubber grip that prevents sliding, regardless of the terrain you encounter. Neoprene casing cinches shut to keep your contents contained. Fits securely on ROPS.

#### 1436-579

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL & WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX



#### **GRAB HANDLES**

Convenient multiuse grab handles for ROPS. Features nonslip grip connection. Sold in pairs.

#### 1434-578

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL & WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX



# CELLPHONE/GPS/WINCH REMOTE HOLDER

Two-way radio holder also works great for cellphones, GPS systems, MP3 players and other personal electronic devices. Fits and adjusts anywhere along ROPS. Equipped with nonslip grip connection.

#### 1436-581

'12-'15 WILDCAT & WILDCAT 4; '14-'15 WILDCAT TRAIL & WILDCAT SPORT; '11-'15 PROWLER; '12-'15 HDX



0436-715

# RECEIVER HITCH & CHROME BALLS

Features rugged, rust-resistant, high-gloss, powder-coated finish. Heavy-duty design for 2-in. x 2-in. receivers and 1-in. shank balls. Includes pin and clip. For offroad use only.

#### 0436-608

USE WITH 2-IN. RECEIVER HITCH MODELS

#### 0436-715 2-IN. BALL

USE WITH HITCH (0436-608) - 1-IN. SHANK

#### 0436-716 1 7/8-IN. BALL

USE WITH HITCH (0436-608) - 1-IN. SHANK



## **HOMOLOGATED TOWING DEVICE**

Features rugged, rust-resistant, high-gloss, powder-coated finish. Heavy-duty design. Homologated Hitch with 50mm Ball and bracket for wiring. Includes mounting material.

#### AC008-207

**PROWLER** 

#### AC008-064

350 - 1000 FIS & TRV (EXCL. PROWLER, WILDCAT, DVX)

# **BATTERY CHARGERS**



## **CTEK® BATTERY CHARGER**

A great all-around charger that every household should have. Features three modes: low-current mode for smaller 12V batteries used in ATVs and ROVs. Higher-current mode for automotive or marine applications. Winter mode aimed at charging and maintenance in cold weather. Fully automatic for charging and maintenance. Takes its own readings and begins to charge. Once finished charging, it will switch to a maintenance phase. Features a patented method for reconditioning sulfated batteries. Sparkfree, making connection safer and easier. Extends battery life. 12V, 3.3A., EU plug

AC003-399













#### ADDITIONAL BATTERY LEADS

Comfort indicator leads feature a 3-LED battery condition indicator.

5639-421 ALLIGATOR CLIPS

**5639-484 STYLE 21 ADAPTER** 

5639-397 COMFORT INDICATOR — STYLE 21

5639-420 RING TERMINALS

5639-422 OUTLET

5639-485 COMFORT INDICATOR — RING TERMINALS







#### **2ND BATTERY BOX KIT**

Runs in parallel with main battery to double your cranking amps. Gives you two batteries to run multiple accessories. Works with batteries 1436-358 and 1436-691.

#### 1436-651

'15 500, 1000 & MUDPRO (EXCLUDES XR, TRV & MUDPRO 1000); '13-'14 500 – 1000 & MUDPRO (EXCLUDES MUDPRO 1000, TRV & TBX); '05-'12 450 – 1000 & MUDPRO (EXCLUDES XC 450, MUDPRO 1000, TRV & TBX)

#### 1436-842

'11-'15 HDX (EXCLUDES 500 HDX)

# 1436-810

'13-'15 WILDCAT 4



#### **HEAVY-DUTY SEALED BATTERY**

Increased starting power from lead-calcium technology. Leak-free, spillproof design. 21-amp-hour-rated. 350 cold-cranking amps. 8.25 in. L x 3.5 in. W x 6.5 in. H.

#### 1436-252

UNIVERSAL (EXCLUDES XR & TRV); FITS MOWERS

# **HEAVY-DUTY SEALED BATTERY**

Increased starting power from lead-calcium technology. Leak-free, spillproof design. 30-amp-hour-rated. 385 cold-cranking amps. 6.5 in. L x 5.17 in. W x 6.9 in. H. Fits 2nd Battery Box [1436-651, 1436-810 & 1436-842].

#### 1436-691

UNIVERSAL (EXCLUDES XR & TRV); FITS 2ND BATTERY BOX



# **HEAVY-DUTY BATTERY**

Assures reliable starting in colder climates. 20-amp-hour-rated. 275 cold-cranking amps. 8.5 in. L x 3.5 in. W x 6 in. H.

#### 0436-183

UNIVERSAL (EXCLUDES XR & TRV)

# **HEAVY-DUTY BATTERY**

Assures reliable starting in colder climates. 30-amp-hour-rated. 300 cold-cranking amps. 6.5 in. L x 5.17 in. W x 7 in. H. Fits 2nd Battery Box [1436-651, 1436-810 & 1436-842].

#### 1436-358

UNIVERSAL (EXCLUDES XR & TRV); FITS 2ND BATTERY BOX

# OIL & CARE

Two oils deliver performance and protection. In our ACX line, our 15W-50 weight is specifically designed for hot-weather use in our vehicles, while our 0W-40 ACX gives improved cold-weather starting. Both ensure maximum performance for each specific condition and are the most advanced formulation ever developed for your Arctic Cat ATV, Prowler and Wildcat. Premium synthetic base stocks deliver consistent lubrication in all conditions, plus superior rust and corrosion protection even during periods of nonuse. Improved cold-weather starting and optimum protection at extreme operating temperatures, from frigid cold to desert heat. 15 times more shear stable than standard engine oils for greater resistance to thermal and chemical breakdown.



# **ACX OW-40 SYNTHETIC OIL**

All-weather protection. Advanced multigrade formula. Improved cold-weather starting. Superior rust and corrosion protection even during periods of nonuse. Offers maximum engine performance along with unique shear-stable additive formula that protects against engine wear, carbon buildup and sludge formation. 0W-40 is Wet Clutch Certified for use in Arctic Cat wet-clutch engines. Automotive engine oils DO NOT meet the requirements for use in Arctic Cat ATVs equipped with a wet clutch.

1436-434 QUART 1436-435 GALLON 1436-436 16 GALLON 1436-437 55 GALLON



# **ACX 15W-50 SYNTHETIC OIL**

Arctic Cat's Full Synthetic 15W-50 is a heavier-viscosity formula of the original, proven Synthetic ACX 4-Cycle oil. Formulated specifically for hot-weather use in Wildcat, Prowler and ATVs, it provides ultimate hot-temperature engine protection and prevents thermal breakdown in severe conditions. Can also be used in professional applications such as racing, construction, farm and ranch where the machine faces heavier loads and greater engine stress. NOTE: Not recommended for use in ambient temperatures below 32°F — heavier viscosity will make starting more difficult in extreme cold. Original Synthetic ACX [0W-40] engine oil recommended for all-season use.

1436-932 QUART 1436-933 GALLON



#### **ACX OW-40 SYNTHETIC OIL CHANGE KIT**

Everything you need to maintain your oil system: Two quarts of ACX 0W-40 4-Cycle Oil, oil filter and disposable funnel.

#### 1436-438 TWO-QUART

'12-'15 PROWLER XTZ; '11-'15 HDX; '09-'15 PROWLER, XT & XTX; '12-'15 1000 H2; '09-'15 550 H1, 650 H1 & 700 H1

**1436-439 TWO-QUART** '04-'06 650 V-TWIN



## **ACX OW-40 SYNTHETIC OIL CHANGE KIT**

The kit you need to properly service your ATV/ROV: One gallon of ACX 0W-40 4-Cycle Oil, oil filter and disposable funnel.

#### 1436-441 GALLON

'98-'05 250 – 300

#### 1436-440 GALLON

'12-'15 WILDCAT, WILDCAT X & WILDCAT 4; '15 WILDCAT TRAIL, XT; '09-'11 PROWLER XTZ; '06-'08 PROWLER, XT & XTX; '08-'11 1000 H2; '06-'08 700 EFI; '05-'08 650 H1 & 700 H1; '96-'15 350 – 500



#### **ACX 15W-50 SYNTHETIC OIL CHANGE KIT**

Everything you need to maintain your oil system: One gallon of ACX 15W-50 4-Cycle Oil, oil filter and disposable funnel.

#### 1436-934 GALLON

'12-'15 WILDCAT, WILDCAT X & WILDCAT 4; '15 WILDCAT TRAIL, XT; '09-'11 PROWLER XTZ; '06-'08 PROWLER, XT & XTX; '08-'11 1000 H2; '06-'08 700 EFI; '05-'08 650 H1 & 700 H1; '96-'15 350 – 500



#### **4-CYCLE ENGINE OIL**

4-cycle oil for use with wet-clutch systems. Reduces component wear and maximizes transmission protection.

0436-880 10W-40 QUART 0436-879 10W-40 GALLON 2639-103 10W-40 16 GALLON 0436-241 10W-40 55 GALLON





## **ATV 2-CYCLE INJECTION OIL**

Formulated for Arctic Cat ATV 2-cycle air-cooled engines. Exceeds industry standards. Superior protection of engine parts.

0436-884 QUART



#### 80W-90 GEAR LUBE

Extreme-pressure, temperature-stable lubricant for tough conditions. Use in both front and rear differentials.

## 0436-901 QUART

ALL MODELS (EXCLUDES XTX REAR DIFFERENTIAL)



## 80W-90 FRICTION-MODIFIED GEAR LUBE

Designed for optimum engagement in limited-slip differentials. High viscosity index. Combats wear, oxidation, rust and corrosion.

#### 1436-159 9.3 OZ.

XTX (REAR DIFFERENTIAL)



# SYNTHETIC TRANSAXLE FLUID

Arctic Cat Synthetic Transaxle Fluid is a full-synthetic lubricant designed to provide complete lubrication and protection for Arctic Cat Wildcat transaxles. Lighter viscosity formula is more fluid at cold temperatures, and remains stable at high temperatures. Protects against wear, oxidation and corrosion. Long-life formula resists shearing.

2436-050 41 OZ.



## **HIGH-PERFORMANCE GREASE**

Provides superior stability at high temperatures. Protects against rust and corrosion in severe operating environments.

0436-905 14-0Z. TUBE



#### **FOAM AIR FILTER OIL**

Maximizes airflow levels through the filter. Protects engine from dirt and water particles.

0436-891 12 OZ.



# **OIL FILTERS**

Premium replacement oil filters. Exclusively designed for Arctic Cat ATVs/ROVs.

# 3201-451

'04-'06 650 V2

## 0812-034

'96-'15 366-1000 (EXCLUDING DIESEL, DVX & 650 V2)

#### 3436-005

'98-'05 250 & 300

#### 3470-008

'04-'08 400 DVX

#### 3206-194

'07-'15 700 DIESEL



## **FOAM AIR FILTER CLEANER**

Cleans and preserves Arctic Cat ATVs'/ROVs' filtration system. Quick drying.

0436-892 12 OZ.





# **DOT 4 BRAKE FLUID**

Premium fluid designed with corrosion and oxidation inhibitors. Optimizes brake performance if moisture is introduced into the brake system.

5639-848 12 OZ.



## **ARCTIC CAT ANTIFREEZE**

Protects against freezing to -34°F. Provides maximum cooling by raising boiling point to 265°F. Premixed and ready to pour. Added bittering agent keeps animals away.

0436-909 GALLON



# ARCTIC CAT ANTIFREEZE — 60/40 EXTENDED LIFE

Protects against freezing to -62°F. Extended life has 2.5 year service life.

6639-916 GALLON



# FUEL INJECTOR & CARBURETOR CLEANER

Removes deposits from carburetors, fuel injectors, intake manifolds, intake valves and parts.

0436-904 12 OZ.



#### **FUEL DE-ICER**

Prevents system failure at the coldest of temps. Safe on internal parts. Water-absorbing isopropyl blend.

0436-906 12 OZ.



#### **FUEL STABILIZER**

Slows oxidation to prevent gum and varnish buildup. Helps engine start easily after long periods of storage.

0436-907 8 OZ.



# **INSTANT DETAILER**

Polishes and protects. Showroom-quality shine. Resists finger markings. Greaseless finish.

5639-849 16 OZ.



#### **VEHICLE & EQUIPMENT WASH**

All-purpose washer/cleaner is safe for use on all Arctic Cat vehicles. Removes dirt, dust and mild grease and fuel residue. Biodegradable, environmentally safe formula mixes with water.

4639-631 GALLON

**4639-630 FIVE GALLON** 

4639-629 30 GALLON



# **ALL-PURPOSE CLEANER**

Spray on, let sit and rinse off with water. Removes dirt and bugs in one application. Biodegradable, environmentally safe formula mixes with water.

4639-634 GALLON

4639-633 FIVE GALLON

4639-632 30 GALLON



# **HEAVY DUTY CLEANER & DEGREASER**

Removes grease, oil, dirt, brake dust and drive belt residue. Biodegradable, environmentally safe formula mixes with water. Safe for use on all Arctic Cat vehicles.

4639-637 GALLON

**4639-636 FIVE GALLON** 

4639-635 30 GALLON



#### **CLEANING KIT**

Bulk kit includes everything needed to clean any Arctic Cat vehicle. Kit includes two gallons each of Vehicle & Equipment Wash, All-Purpose Cleaner and Heavy-Duty Cleaner & Degreaser. Biodegradable, environmentally safe formulas mix with water.

4639-666



## HAND DRUM PUMP — 16 TO 55 GALLON

Hand pump easily transfers fluids from drum to can or vehicle. Attaches to 16- or 55-gallon drums. Durable pump can be transferred and reused.

1639-249



#### **ENGINE STORAGE PRESERVER**

2-cycle formula protects internal engine parts during periods of nonuse. Aids in corrosion prevention.

0436-888 12 OZ.



## **CHAIN LUBRICANT**

Minimizes dirt buildup.

0436-903 12 OZ.



# **SPRAY & RINSE CLEANER**

Scrub-free cleanser eliminates grease, dirt and bugs.

5639-872 24 OZ.

5639-789 GALLON



#### **GRIP-IT GLUE**

Specially formulated for applying grips to recreational vehicles. Bonds up to 12 sets of grips.

0441-510 1 OZ.



# PRO CAT RIDING GEAR



#### **ADVENTURE-JACKET AND PANTS**

This all year around, state of the art Arctic Cat riders outfit offers an active Air-Vent System along with an integrated breathable-waterproof climate membrane. To point out: outer-shell with numerous pockets; special impregnation; strong – non scraping; hardly any water-intake; tear resistant; reinforced seams; EU certified protectors for passive protection. Numerous possibilities to adjust the fit, as well as a leisure pattern/shape/cut is standard for this "ProCat Riding Gear".

#### MATERIAL

OUTER-SHELL: 500D Polyamide and polyester fabric (100% Polyester), LINER - Permanent Mesh, 100% Polyester

# PROTECTION

CE Approved shoulder, elbow and knee protectors, EVA foam back protector, reflecors on back of jacked and rear of pants.

#### COMFORT

Arms, hips, waist and legs to be size-adjusted

JACKET: Removable fleece jacket (100% Polyester), removeable membrane-vest.

PANT: Removable 3-Layer-Liner Pant

Tight fit - consider to order one size larger



# **PROCAT ADVENTURE JACKET**

size larger

The 3-in-1 concept offers the exceptionally high benefit of this ProCat Gear. The integrated, removable fleece jacket as well as the quilted vest with the same features, togehter add up to this 3-in-1 concept. Reflectors; connecting zipper to Adventure-Pants; Soft, skin-protection collar; adjustable arms & waist; air ventilation shoulder & back green colour; 2 side pockets, 2 chest pockets, 1 pocket on back, Tight fit - consider to order one

AC001-283 S; AC001-284 M; AC001-285 L; AC001-286 XL; AC001-287 2XL; AC001-288 3XL



## **PROCAT ADVENTURE PANTS**

Easy get in/out provided by zippers at pantsends. Zipper connection to Adventure-Jacket and additionally compatible with Team Cat and Wildcat leather jackets. Arctic Cat reflectors on both leg-ends; removable thermo-liner-pants; nonsliding-coated bottom; stretch inlays on knees; air ventilation; 2 side pockets; additional pockets for hip protectors prepared

Tight fit - consider to order one size larger

AC001-404 S; AC001-405 M; AC001-406 L; AC001-407 XL; AC001-408 2XL; AC001-409 3XL



# **PRO CAT LEATHER GLOVE**

20 The elastic material and the pre-formed palm quarantee comfort and perfect fitting. Additional strengthened leather in exposed areas. TPU knuckle and finger protection - added safety. Luftex "Vent in/out" air textured yarns. Adjustable Neoprene cuffs.

AC001-266 S; AC001-267 M; AC001-268 L; AC001-269 XL; AC001-270 2XL

# HELMET



# **TEAM CAT REPLICA - MX HELMET \***

# LTD EDITION - 100pcs. numberd and signed TONY AMORIELLO

2 sizes external shell full Carbon fiber high rigidity; Anatomical structure with the exclusive "N.B.F.F." system (Neck Brace Front Fit); Removable and washable inner lining, highly breathable fabrics and hygienically treated; Removable cheek pads with the "J.1.E.R." (JUST 1 Emergency Remove); Inside chin guard with air vents; Protective internal polystyrene foam shell with air channels; Multiple air vents with anti-intrusion aluminum nets; Multiple top and rear air extractors; Adjustable peak with air vents; Double-D retention system; Weight from 1050 gr +/- 50 gr; Homologated ECE 22/05

AC001-329 S; AC001-330 M; AC001-331 L; AC001-332 XL; AC001-333 2XL



#### **CARBON CAT PRO - MX HELMET \***

2 sizes external shell full Carbon fiber high rigidity; Anatomical structure with the exclusive "N.B.F.F." system (Neck Brace Front Fit); Removable and washable inner lining, highly breathable fabrics and hygienically treated; Removable cheek pads with the "J.1.E.R." (JUST 1 Emergency Remove); Inside chin guard with air vents; Protective internal polystyrene foam shell with air channels; Multiple air vents with anti-intrusion aluminum nets; Multiple top and rear air extractors; Adjustable peak with air vents; Double-D retention system; Weight from 1050 gr +/- 50 gr; Homologated ECE 22/05

AC001-329 S; AC001-330 M; AC001-331 L; AC001-332 XL; AC001-333 2XL





# **CROSS CAT - MX HELMET \***

Removable and washable inner lining, UV coating, highly breathable fabrics and hygienically treated; Multiple top and rear air extractors; Adjustable peak with air vents; Micrometic retention system; Weight from 1260 gr +/- 50 gr; Homologated ECE 22/05

BLACK AC001-335 S; AC001-336 M; AC001-337 L; AC001-338 XL; AC001-339 2XL

WHITE AC001-341 S; AC001-342 M; AC001-343 L; AC001-344 XL; AC001-345 2XL



\* HELMET BACK BAG Included with every Artic Cat Helmet



#### PRO CAT - BLUETOOTH HELMET \*

On-Road helmet with a less pronounced chin-guard, but still characterized by an aerodynamic line, equipped with integrated Bluetooth communication system BLiNCTM G2; sizes external shell, removable and washable inner lining, highly breathable materials and hygienically treated; Multiple rear air extractors; thermoplastic resin shell, Micrometric lock; UV laquer finishing; removable Cheek Pads; wide-angle adjustable peak Weight from 1600 gr +/- 50 gr; Homologated ECE 22/05

Bluetooth BLiNCTM G2 Features:

- Lithium battery with charger
- 150 hours of standby
- Stereo Speaker Integrated
- Pairing in few seconds to cellphone, MP3 and GPS system
- one singel button to answer, reject or re-dial a call
- Intercom between rider and passenger

AC001-317 S; AC001-318 M; AC001-319 L; AC001-320 XL



**PRO CAT - BLUETOOTH VISOR** 

Replacement Visors for Pro Cat Helmet. Use heated visor for cold winter days.

AC001-570 HEATED VISOR; TRANSPARENT

AC001-585 TRANSPARENT AC001-586 LIGHT SMOKE

# CAPS / BUFF

# GOGGLES

# **GEAR BAGS**



**AIRCAT CONTRAST STITCH** Washed cotton. Contrast stitching.

5253-145



**ARCTIC CAT** 63% polyester, 34% viscose, 3% spandex.

5253-144



**ARCTIC CAT BUFF**Original Buff

AC001-002



## **ADULT**

Lends maximum eye protection from impactresistant GE Lexan® lenses. V-nose, foam surround and silicone-treated strap provide a snug yet comfortable fit.

5258-040
REPLACEMENT LENS - CLEAR

4978-220



YOUTH

4228-295

# **PROTECTION**



#### **TEK VEST**

A lightweight, breathable vest that provides optimal protection for trail riders. Designed to be worn over/under a jacket or a light jersey. Reverseentry pockets with waterproof zippers and internal key clip.

5212-911 S 5212-912 M 5212-914 L 5212-916 XL 5212-918 2XL



# **ARCTIC CAT LARGE ROLLER**

Large center storage area for all your gear. Rolls smoothly and quietly on polyurethane wheels. Telescoping pull handle. 6,550 cu. in., 8.5 lbs., 30 in. x 17 in. x 16.5 in.

5262-901



# **ARCTIC CAT DUFFLE**

Durable, lightweight construction. Large main compartment with ventilated shoe pocket. Padded, adjustable shoulder strap. 2,500 cu. in., 1.2 lbs., 23 in. x 11 in. x 9 in.

5242-902



# **REBEL BACKPACK**

A lightweight backpack loaded with features. Padded interior compartment fits most 17-in. laptops. Dual side beverage holders. Comfortable padded back panel. Sliding sternum strap. 2,000 cu. in., 1.6 lbs., 19 in.  $\times$  14 in.  $\times$  9 in.

5242-904

# LIFESTYLE GEAR

# MEN'S CLOTHING



# **LEATHER JACKET "VINTAGE CAT"**

In style, comfortable and soft Cow-leather jacket with retro/vintage Design. Great to wear with jeans as a sporty or business look. High quality Arctic Cat embossments; Arctic Cat buttons; Adjustable qaist and arms; Arctic Cat buttons; Two outer pockets with zippers; one big liner-pocket with zipper, one mobile-phone liner-pocket;

Tight fit - consider to order one size larger AC001-492 S; AC001-493 M; AC001-494 L AC001-495 XL; AC001-496 2XL; AC001-497 3XL



# **LEATHER JACKET "TEAM CAT"**

Innovative, sportive ATV rider jacket made of durable Cow leather - great action freedom. Solid Cow leather with integrated, removeable CE-approved protectors to guarantee a combination of security and wearing-comfort. The built-in AirVent system offers a perfect feeling on hot summer days. Sportive, dynamic styling combined. This jacket is produced in high workmanship to last. Adjustable waist and arms. 2 outer pockets with zippers, one big liner-pocket with zipper, one mobile-phone liner-pocket; **Tight fit - consider to order one size larger** 

AC001-468 S; AC001-469 M; AC001-470 L AC001-471 XL; AC001-472 2XL; AC001-473 3XL



#### **TEAM ARCTIC RACING**

T-Shirt longsleeve; US-Sizing - considere to order one size smaller


**5259-401** S; **5259-402** M; **5259-404** L; **5259-406** XL; **5259-408** 2XL



**TEAM ARCTIC RACE FULL-ZIP** 

Zip Hoddy; US-Sizing - considere to order one size smaller

**5253-061** S; **5253-062** M; **5253-064** L; **5253-066** XL; **5253-068** 2XL



### **TEAM ARCTIC EXTREME KOOZIE**

60% cotton, 40% polyester. Built-in koozie in pocket; bottle opener inside pocket; US-Sizing - considere to order one size smaller

**5259-471** S; **5259-472** M; **5259-474** L; **5259-476** XL; **5259-478** 2XL



# **ARCTIC CAT ORIGINAL**

T-Shirt shortsleeve, white; US-Sizing - considere to order one size smaller

**5259-271** S; **5259-272** M; **5259-274** L; **5259-276** XL; **5259-278** 2XL



**ARCTIC CAT 62** 

50% polyester, 25& cotton, 25& rayon; US-Sizing - considere to order one size smaller

5259-261 S; 5259-262 M; 5259-264 L; 5259-266 XL; 5259-268 2XL

# **BUILD YOUR OWN**

Style your garment unique. Place your ARCTIC CAT logos where you want. 6 different sizes of ARCTIC CAT logos available. For more information ask your ARCTIC CAT representative.



#### AC001-587

Logo Aircat, 280x135mm, green/white (No.1)

#### AC001-588

Logo Aircat, 160x65mm, green/white (No.2)

#### AC001-589

Logo Aircat, 120x50mm, green/white (No.3)

# AC001-590

Logo Arctic Cat, 190x30, green (No.4)

# AC001-591

Logo Aircat, 65x20mm, grey/black (No.5)

# AC001-592

Patch Aircat, 50mm, grey/black (No.6)



# **ARCTIC CAT JACKET "TRAIL"**

Tight fit; High quality material; Easy-care, breathable stretch Fleece; Quilted front with PRIMALOFT® padding; Full-length zipper with chin guard; Stand-up collar with comfortable fleece lining; 2 side pockets with zippers, 1 inside pocket with zipper; Thumb hole for knuckle; Back and sleeves: 92% Polyester, 8% spandex, 220 g/ m²; Front side: 100% Polyamide, padding: 100% Polyester

CUSTOMIZE YOUR JACKET "TRAIL" ASK YOUR ARCTIC CAT REPRESENTATIVE

AC001-551 M; AC001-552 L; AC001-553 XL; AC001-554 2XL



# **BODYWARMER "MR.CAT"**

Light and sporty ATV-bodywarmer with hood; Wind- and water resistant; Separate storage-bag; 2 side pockets with zippers, 2 inside pockets; Shell and lining: 100% Polyamide; Padding: 90% down/10% feather

CUSTOMIZE YOUR BODYWARMER "MR.CAT" -ASK YOUR ARCTIC CAT REPRESENTATIVE

AC001-581 M; AC001-582 L; AC001-583 XL; AC001-584 2XL



# **HODDIE "BLACK CAT"**

Premium sweat jacket with Bionic®-Finish; Premium quality with an inside brush; Water- and dirt repellent; Cuffs with spandex; Hood + Kangaroo packets, full zipper, 80% cotton, 20% Polyester, 310 g/m²

CUSTOMIZE YOUR HODIE "BLACK CAT" -ASK YOUR ARCTIC CAT REPRESENTATIVE

AC001-556 M; AC001-557 L; AC001-558 XL; AC001-559 2XL



#### **SHOP-SHIRT**

Up to date, longsleeve shirt; Cutaway collar, regular fit; 115g/m², 65% Polyester, 35% combed cotton

CUSTOMIZE YOUR SHOPSHIRT -

ASK YOUR ARCTIC CAT REPRESENTATIVE

#### WHITE

AC001-566 M; AC001-567 L; AC001-568 XL; AC001-569 2XL

NAVYBLUE:

AC001-571 M; AC001-572 L; AC001-573 XL; AC001-574 2XL

BLACK:

AC001-576 M; AC001-577 L; AC001-578 XL; AC001-579 2XL



## **HODDIE "GREEN CAT"**

Classic sweat-pullover Hoody; Premium quality; Cuff/ spandex; Double layered Hoody, large kangaroo pockets; 80% cotton, 20% Polyester, 300g / m<sup>2</sup>

CUSTOMIZE YOUR HODDIE "GREEN CAT" -ASK YOUR ARCTIC CAT REPRESENTATIVE

AC001-561 M; AC001-562 L; AC001-563 XL; AC001-564 2XL

