

EMEA | 9930076

All riders pictured are trained professionals. Polaris" recommends that all riders take a training course. Do not attempt maneuvers beyond your capability. Always wear a helmet and other safety apparel. Never drink and ride. All off-road vehicles depicted in this brochure may feature Polaris" parts and accessories and are not standard features of the base models they accompany.

All performance and/or feature and benefit claims are based upon competitive data available at time of printing. For your nearest dealer, call 1-800-POLARIS or go to www.polaris.com.

Polaris" Sales Inc., 2100 Hwy. 55, Medina, MN 55340 (763) 542-0500 Fax (763) 542-0599 Polaris" Industries LTD. 50 Prairie Way, Winnipeg, Manitoba, Canada R2J 3J8 (204) 925-7100 Fax (204) 925-7110





Unless noted, trademarks are the property or Industries inc. 309" is a registered trademark or 109, inc. Amara "is a registered trademark of Nurse and Englishment of Nurse (10, of Japan. AP'-300' is a registered trademark of Italian Subtradous (Inc. 8) and a registered trademark of Nurse and Englishment of Nurse (Inc. 6) and a registered trademark of Nurse (Inc. 6) and a registe









## ENGINEERING NEVER STOPS.

When engineering is done well, when design is dialed-in down to the smallest detail, it's not always easy to notice. But it makes a world of difference. Lines are cleaner. Angles are tighter. The package is complete. For the Polaris Engineered™ team, fine-tuning accessories for seamless integration is what it's all about.

"The entire team is working together and integrating our processes," says Steve Eastman, Vice President of PG&A. "We're working further up front between the design of the vehicle and the accessories that go with that vehicle."

From testing different UV ray exposures on various materials, beating on bumpers in the workroom, listening to riders and getting out and riding on their own time — Polaris® Engineers never stop listening and never stop refining.

"With a Polaris Engineered™ product, you know it's the world's best. They are designed specifically for our vehicles, ensuring high quality designs that meet our customers' needs," says Dave Longren, Vice President of Off-Road Vehicles. "You know when you buy an accessory or part from us, it's the best."

The Polaris® team knows that hard work, harder testing and endless innovating is key to making solutions that optimize any ride.

"We make the best products in power sports and that's a real tribute to the superiority of our engineering and the emphasis that we have on integration, innovation and quality," says Eastman.

XP 900 FRONT


SHOWN: RANGER CREW 900



## 2015


## RANGER® PARTS, ACCESSORIES & APPAREL

WORK HUNT WINCHES PLOWS LOCK & RIDE® PRO-FIT FULL-SIZE & DIESEL	PG 4-5 PG 6-7 PG 8-9 PG 10-11 PG 12-13
WINDSHIELD SELECTOR ROOF SELECTOR REAR PANEL SELECTOR DOOR SELECTOR CAB SYSTEM SELECTOR WINCHES PLOWS STORAGE & HUNTING BUMPERS & GUARDS MID-SIZE & EV	PG 14–15 PG 16–17 PG 18–19 PG 20–21 PG 22–23 PG 24–25 PG 26–29 PG 30–31 PG 32–33
WINDSHIELD SELECTOR ROOF SELECTOR REAR PANEL SELECTOR DOOR SELECTOR CAB SYSTEM SELECTOR	PG 34–35 PG 36–37 PG 38 PG 39 PG 40–41 PG 42–43 PG 44–47 PG 48–49 PG 50–51 PG 52–53 PG 54–55 PG 56–59 PG 60–61 PG 62–63 PG 64–65 PG 66–67 PG 68
LUBRICANTS & VEHICLE CARE MAINTENANCE PARTS HERITAGE HELMETS GOGGLES & GLOVES OGIO® BAGS JERSEYS, BASE LAYERS, TECH WEAR PROTECTION, YOUTH TECH WEAR CASUAL APPAREL BEANIES & CAPS SIZE CHARTS	PG 69 PG 70–71 PG 72–73 PG 74–75 PG 76–77 PG 78–79 PG 80 PG 81 PG 82 PG 83–88 PG 89 PG 89









## HEAVY-DUTY PULLING POWER FOR YOUR JOB

## DESIGNED FOR POLARIS® VEHICLES

- Integrated mounting locations for a perfect fit
- One number and one price for winch, remote, contactor, mount and wiring

## HIGHEST QUALITY MATERIALS

- Steel spools and cut metal gears for greater durability
- Fully-sealed contactor, motor and drive train keep water out
- Corrosion-resistant finish withstands the elements

## EXTENSIVE LAB AND FIELD TESTING

- Contactors, controls and winch assemblies tested 10,000+ cycles
- Rigorous performance testing in labs and in the field ensure your winch works when you need it most
- Strength testing ensures superior driveline strength





## PRO HEAVY DUTY SERIES

When world-class performance is called for, Polaris® HD PRO winches deliver. These winches combine heavy duty pulling power with premium features like auto-stop technology, synthetic rope for increased durability, aluminum hawse fairlead, and wireless remote control. Look to HD PRO winches for the best of the best.





When your ride leads to extreme conditions, look to a Polaris® WARN® winch. These workhorse winches have proven their performance and durability around the globe with an unrivaled combination of premium components built for pulling heavy loads.





## HEAVY DUTY SERIES

The HD line delivers industry-leading quality and durability with best-in-class value — powered by quality features including sealed motors and contactors, a roller fairlead, wired remote control and proven pulling power.

FOR MORE INFORMATION ON WINCHES, SEE PAGES 24-25 AND 42-43.

## POSITIVE PUSH.

## WHEN PUSH COMES TO SHOVE, GLACIER® PRO PLOW SYSTEMS <u>DELIVER</u>.

Polaris® Engineers set our plows apart by designing them with built-in benefits that help you make quick work of accumulation.



## ROBUST FRAME

Polaris Engineered<sup>™</sup> reinforced plow frames are constructed of heavy duty steel, giving you a durable system you can rely on.

## TALLER BLADES

Multiple 72" blade material options are available with up to a 20" blade height, putting you in control to plow more snow more efficiently than ever before.




## **GREATER LIFT**

Pile snow higher and more effectively with greater lift height. Glacier® PRO plows give you up to an 18" lift height.

## LOCK & RIDE® PLOWS







Mid-Size pages 44-47

Choose from winch lift or hydraulic lift and angle systems to control your plow.

MODULAR DESIGN



# ADD DN WI-IAT YOU CAN COUNT ON.

## LOCK & RIDE® PRO-FIT

POLARIS® PRO-FIT ACCESSORIES LET YOU GET THE JOB DONE WITH SEAMLESS LOCK & RIDE® INTEGRATION.

Choose the windshield, doors and roof that best suit YOUR needs. Plowing snow off the farm road in the 7-month Minnesota winter? Dragging brush in the buggy lowlands of Alabama? Checking on the livestock in the midday Texas sun? With options all along the protection spectrum, we've got you covered.

## DESIGN YOUR CAB



## COMPLETE CAB SYSTEMS

WINDOW





## LOCK & RIDE® PRO-FIT TIP-OUT GLASS WINDSHIELD WIPER READY

- · 3-position adjustability lets riders control the volume
- of airflow into the cab
- · Protective, laminate safety glass
- · Provides the highest level of scratch resistance
- · Easy bolt-on design: Cab frame has designated mounting locations for the hinges, strikers and shock arms
- · Accessory windshield wiper/washer 2879754 can be added (sold separately, see page 62)

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

## LOCK & RIDE® PRO-FIT FIXED GLASS WINDSHIELD WIPER READY

- · Accessory windshield wiper/washer 2879754 can be added (sold separately, see page 62)
- · Protective, laminate safety glass
- · Provides the highest level of scratch resistance
- · Easy 4-bolt installation with designated mounting locations in the cab frame

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15. DIESEL MY 15. CREW DIESEL MY 15

### LOCK & RIDE® PRO-FIT GLASS WINDSHIELD

- · Install or remove in seconds with easy Lock & Ride® quarter-turn handles
- · Protective, laminate safety glass
- · Provides the highest level of scratch resistance

XP 900 MY 13-15. CREW 900 MY 14-15. 570 FULL SIZE MY 15. CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

## LOCK & RIDE® PRO-FIT ADVANTAGES



Curved windshields for the best fit and finish

**CURVED GLASS** 

Automotive-style curved

sound dampening and

optimized visibility.


glass provides the best fit

and finish, improved interior

Gasket runs the perimeter of windshield for a solid 360° seal

## 360° GASKET SEAL

The windshield seals into place with a 360° gasket for reliable protection and comfort.



## Other Cabs Lock & Ride

## **IMPROVED VISIBILITY**

There's no exterior framework on the windshields, so riders enjoy a full, uncompromised field of vision.



## **REVOLUTIONARY** INSTALLATION

Windshields install easily in designated attachment locations and lock securely in place using Lock & Ride® technology.







## VALUE

## LOCK & RIDE® PRO-FIT POLY TIP-OUT WINDSHIELD (HARD COAT)

- · 3-position adjustability lets riders control the volume of airflow into the cab
- · Easy bolt-on design: Cab frame has designated mounting locations for the hinges, strikers and shock arms
- · Scratch-resistant hard coating provides additional protection
- · Strong, durable, optical-grade, .236" thick polycarbonate provides the ultimate in impact resistance

## 2880091

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15. CREW DIESEL MY 15

## LOCK & RIDE® PRO-FIT **POLY WINDSHIELD** (HARD COAT)

- · Scratch-resistant hard coating provides additional protection
- · Strong, durable, optical-grade, .236" thick polycarbonate provides the ultimate in
- impact resistance · Install or remove in seconds with easy Lock & Ride® quarter-turn handles

### 2879127

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL

## **LOCK & RIDE® PRO-FIT** POLY WINDSHIELD (GENERAL PURPOSE)

- · Strong, durable, optical-grade, .236"-thick polycarbonate provides the ultimate in
- impact resistance · Install or remove in seconds with easy Lock
- & Ride® quarter-turn handles · Delivers an exceptional value along with
- reliable protection 2879126 XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL Size My15, Crew 570 Full Size My15, Diesel My


## HALF WINDSHIELD · Provides protection while allowing complete

LOCK & RIDE® PRO-FIT

- airflow to occupants
- · Excellent for high dust/temperature conditions
- · Strong, durable, optical-grade .177" thick polycarbonate provides the ultimate in impact resistance
- Install or remove in seconds with easy Lock & Ride® quarter-turn handles

## 2879135

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15. CREW DIESEL MY 15





## A. LOCK & RIDE® PRO-FIT PREMIUM AUDIO ROOF NEW

- · An incredibly versatile accessory, providing protection, comfort, style, storage, lighting and premium audio
- 400 Watts of power at peak performance • 55Hz-20kHz Frequency response
- · Bluetooth connectivity for wireless audio
- · Audio system is completely integrated under the roof
- · Audio head unit positioned at front of roof with controls
- within reach of driver and passenger · Audio is delivered through four powerful 6x9 speakers
- · Integrated LED floodlight at rear of roof
- · Accessory light bar (sold separately) can be installed at front of roof
- · Two integrated under-roof storage pods are within reach and
- will securely hold small items
- USB charging port and auxiliary input cable
- · Strong, durable black molded-poly roof provides shade and reliable overhead protection · Roof is styled to complement the sporty look of the RANGER®
- · Roof mounts easily on the vehicle frame in designated locations using provided hardware

### 2880538

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2879732 Light Bar Mount (p. 61) required for installing a light bar.

## B. LOCK & RIDE® PRO-FIT PREMIUM ROOF

- · Sound-dampening headliner for improved comfort and optimal finish · Durable injection-molded polyethylene, structured to eliminate distortion in high-heat conditions
- · Integrated water channels drain water away from the cab
- Styled to match the lines of the RANGER XP 900
- · Lock & Ride®: quick and easy snap-on installation and removal
- Includes roof sealing kit

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## C. LOCK & RIDE® PRO-FIT CAMO ROOF

- · Polaris Pursuit® Camo exterior finish · Sound-dampening washable headliner for improved comfort
- and optimal finish Durable injection-molded polycarbonate, structured to
- eliminate distortion in high-heat conditions
- Integrated water channels drain water away from the cab.
- · Styled to match the lines of the RANGER XP 900 and provide a superior fit and finish
- Quick and easy installation with Lock & Ride® snap-on technology · Includes roof sealing kit

XP 900 MY 13-15, 570 FULL-SIZE, DIESEL MY 15

## D. LOCK & RIDE® PRO-FIT CREW CAMO ROOF

- Strong, durable, injection-molded roof with Polaris Pursuit® Camo pattern provides shade, superior overhead protection and effective visual camouflage in woods settings
- Roof attaches to vehicle frame in designated mounting positions
- Roof can be installed in minutes using provided mounting hardware, and removed as quickly
- Roof can be used with additional accessories, including windshield, rear panel, doors, audio, auxiliary lighting and more (each sold separately)

### 2880642CREW 900 MY 14-15, CREW 570 Full-Size and **CREW Diesel**

## E. LOCK & RIDE® PRO-FIT STEEL ROOF

- Thick 12-gauge steel construction for unmatched strength and durability
- Durable powder-coated finish for scratch and corrosion resistance
- · Sound-dampening headliner for reduced interior noise
- · Installs easily in mounting locations integrated in cab frame for gap-free sealed cab environment
- · Roof extends over the tops of all other cab components for optimized sealed installation
- · Sound-absorbing liner for reduced interior noise level: up to 60% quieter at idle and 40% quieter at 20 mph with full cab installed

## XP 900 MY 13-15. 570 FULL-SIZE MY 15. DIESEL MY 15

## F. LOCK & RIDE® PRO-FIT CREW STEEL ROOF

- Thick 12-gauge steel construction for unmatched strength and durability
- · Strong, durable steel roof provides the ultimate in rider
- · Two-piece roof installs easily, bolting into designated mounting locations on vehicle frame
- · Roof panels seal together for dependable protection and no-leak performance
- Roof can be used along with numerous other accessories (each sold separately)

## 2880334

CREW 900 MY 14-15. CREW 570 FULL-SIZE. CREW DIESEL MY 15

## LOCK & RIDE® PRO-FIT ADVANTAGES



DECIBELS Other Cabs





## **SEALED COVERAGE**

Just as roof shingles overlap for seamless coverage, these easy-toinstall roofs extend over the tops of all other cab components to create a sealed enclosure

## **QUIETER RIDE**

Every Lock & Ride® Pro-Fit roof reduces the interior noise level, especially with sound-absorbing liners. Noise levels are up to 60% guieter at idle and 40% guieter at 20 mph.

## **REVOLUTIONARY** INSTALLATION

Lock & Ride® Pro-Fit roofs install directly into mounting points in the RANGER XP 900 and RANGER CREW 900 cab frame, providing the easiest installation and a sealed fit.

## VALUE

## G. LOCK & RIDE® PRO-FIT SPORT ROOF

- · Durable injection-molded polyethylene, structured to eliminate distortion in high-heat conditions
- · Integrated water channels drain water away from the cab
- Styled to match the lines of the RANGER XP 900
- · Lock & Ride®: Quick and easy snap-on installation and removal without tools · Optional Roof Sealing Kit 2879289 (sold separately) recommended for use with complete cab system

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## H. LOCK & RIDE® PRO-FIT CREW SPORT ROOF

- · Injection-molded polycarbonate
- · Attaches in designated, integrated mounting locations atop cab frame using Lock & Ride® fasteners
- · Includes mounting hardware

## 2879642

CREW 900 MY 14-15, CREW 570 FULL-SIZE, CREW DIESEL MY 15

## I. LOCK & RIDE® PRO-FIT CANVAS ROOF

- · Premium, heavy-duty, mold-resistant polyester with UV stabilizers
- · Aluminum roof bow provides constant tension for a finished look and to shed water away from the roof
- · Gasketed design with heavy-duty cinch-tight buckles provides a snug, secure fit
- · Installs easily using mounting locations integrated in cab frame

## 2879039

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## J. LOCK & RIDE® PRO-FIT CREW CANVAS ROOF

- · Premium, heavy-duty, mold-resistant polyester with UV stabilizers
- · Aluminum roof bow provides constant tension for a finished look and to shed water away from the roof
- · Gasketed design with heavy-duty cinch-tight buckles provides a snug, secure fit
- · Installs easily using mounting locations integrated in cab frame

CREW 900 MY 14-15. CREW 570 FULL-SIZE. CREW DIESEL MY 15

## **ROOF SEAL KITS**

## 2879289

XP 900 MY 13-15










Only needed with the sport roof 2878849



## A. LOCK & RIDE® PRO-FIT SLIDING WINDOW REAR PANEL

- Sliding window provides ventilation, cab comfort and access to cargo in rear box
- Durable tempered glass construction for high level of scratch resistance
- Design eliminates exterior framework to provide greater field of vision
- · Install or remove easily in seconds with Lock & Ride® Pro-Fit quarter-turn handles

### 2879015

XP 900 MY 13-15, CREW 900 MY 14-15, DIESEL MY 15, CREW DIESEL MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15

## B. LOCK & RIDE® PRO-FIT GLASS REAR PANEL

- Durable, tempered laminate glass provides high level of scratch resistance
- Design eliminates exterior framework to provide greater field of vision
- · Install or remove easily in seconds with Lock & Ride® Pro-Fit quarter-turn handles

### 287901

XP 900 MY 13-15, CREW 900 MY 14-15, DIESEL MY 15, CREW DIESEL MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15


## LOCK & RIDE® PRO-FIT ADVANTAGES



Gasket runs the perimeter of the rear panel for a solid 360° seal

## 360° GASKET SEAL


Rear panels seal into place with a 360° gasket for the most reliable protection and comfort.



## **IMPROVED VISIBILITY**

In-frame installation eliminates the need for exterior framework, so riders enjoy full, uncompromised rearward visibility.








## REVOLUTIONARY INSTALLATION

Rear panels install easily in designated attachment locations and lock securely in place using Lock & Ride® technology.



## VALUE

## C. LOCK & RIDE® PRO-FIT POLY REAR PANEL

- · Strong, thick polycarbonate provides outstanding impact resistance
- $\boldsymbol{\cdot}$  Provides the best impact and scratch resistance
- · Install or remove quickly and easily with Lock & Ride® Pro-Fit quarter-turn handles
- Installs in contours of cab frame with 360° gasketing for outstanding protection, comfort, fit
  and finish
- $\boldsymbol{\cdot}$  Design eliminates need for exterior framework, resulting in full rearward visibility
- · With windshield installed, rear panel is recommended to reduce dust swirl

### 287913

XP 900 MY 13-15, CREW 900 MY 14-15, DIESEL MY 15, CREW DIESEL MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15

## D. LOCK & RIDE® PRO-FIT CANVAS REAR PANEL

- Premium, heavy-duty, mold-resistant polyester with UV stabilizers
- Durable, heat-sealed vinyl window for durability and crack resistance
- · Heavy-duty cinch-tight buckles for a snug, secure fit
- Panel installs easily into integrated mounting locations
- · Easily removed and stored for greater ventilation
- Tinted finish

### 2879040

XP 900 MY 13-15, CREW 900 MY 14-15, DIESEL MY 15, CREW DIESEL MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15

19

| ROOF SELECTOR | REAR PANEL SELECTOR | DOOR SELECTOR | CAB SYSTEM SELECTOR



## A. LOCK & RIDE® PRO-FIT POWER WINDOW DOORS

- · Power windows
- · Strong, thermoplastic outer shell
- · Reliable heavy-duty tube steel frame · Interior lining for automotive-level fit and finish
- · Includes optional sealing kit

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2879107 does NOT work with CREW vehicles

## B. LOCK & RIDE® PRO-FIT HINGED WINDOW DOORS

- Adjustable pivoting windows
- · Structural web injection-molded shell
- · Heavy-duty tube steel frame
- · Sound-dampening interior liner
- · Includes optional sealing kit

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

## C. LOCK & RIDE® PRO-FIT FIXED WINDOW DOORS

- Tempered, fixed-position glass window has excellent scratch
- and abrasion resistance
- · Structural web injection-molded shell
- Heavy-duty tube steel frame
- · Includes optional sealing kit

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

## D. LOCK & RIDE® PRO-FIT CAMO DOORS

- · Adjustable pivoting windows provide multiple ventilation options
- · Structural web injection-molded shell creates extremely durable door exterior with Polaris Pursuit® Camo finish
- · Heavy-duty tube steel frame
- · Sound-dampening, washable interior line provides high level of fit and finish
- · Doors mount easily and seal in place in cab frame's designated mounting locations
- · Includes cab sealing kit

### 2879980 | Camo

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

## E. LOCK & RIDE® PRO-FIT CREW POLY REAR DOORS

- · Injection-molded poly shells and heavy-duty tube steel frames
- · Easy installation in designated cab frame mounting locations
- · Includes 2 doors, mounting hardware and a cab sealing kit

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

## LOCK & RIDE® PRO-FIT ADVANTAGES



Lock & Ride® Pro-Fit Power Window Doors

## **UNPRECEDENTED VENTILATION OPTIONS**

Only Polaris® offers available power windows that provide the ultimate in adjustable ventilation. Automotivequality controls let you customize airflow into the cab.





## **SOUND DAMPENING DOOR LINERS**

Most Lock & Ride® Pro-Fit doors reduce the interior noise level, especially those with interior sound-absorbing liners: Noise levels are up to 60% guieter at idle and 40% guieter at 20 mph.

## **REVOLUTIONARY INSTALLATION**

Hinges and strikers are integrated into Lock & Ride® Pro-Fit doors for the easiest installation, and a 360° gasket ensures a sealed fit and finish. Quickremoval pins make it easy to remove doors.









## **PREMIUM**

## F. LOCK & RIDE® PRO-FIT CREW CAMO REAR DOORS NEW

- Strong, durable doors feature Polaris Pursuit® Camo pattern and provide outstanding rider protection and effective visual camouflage in woods settings
- · Injection-molded poly shells and heavy-duty tube steel
- · Easy installation in designated cab frame mounting locations
- · Includes 2 doors, mounting hardware and a cab sealing kit 2880641CREW 900 MY 14-15, CREW 570 Full-size MY 15,

**CREW Diesel MY 15** 

## G. LOCK & RIDE® PRO-FIT CANVAS DOORS

- · Premium, heavy duty 23 oz. polyester construction
- UV stabilizers and mold resistant polyester material · Durable, heat-sealed PVC window for durability and crack
- Powder-coated steel frame provides door with solid structure
- · Zip-down windows provide adjustable ventilation
- · Gasket design for sealed installation blocks wind and rain
- · Doors mount easily and seal in place in cab frame's
- designated mounting locations

### 2878853

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

VALUE

## H. LOCK & RIDE® PRO-FIT CREW CANVAS REAR DOORS

- · Heavy-duty 23 oz. polyester
- Easy installation in designated cab frame mounting locations
- Includes Two doors and mounting hardware

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

### I. LOCK & RIDE® PRO-FIT HALF DOORS

- · Black powder-coated doors feature strong, durable steel construction
- · Steel tube frames for added support
- · Slam latch to ensure doors close tightly

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## FULL-SIZE CAB SYSTEM SELECTOR





## **PREMIUM**

## LOCK & RIDE® PRO-FIT

LX CAB SYSTEM

THE BEST VENTILATION AND THE MOST PREMIUM FEATURES

LOCK & RIDE° PRO-FIT TIP-OUT GLASS WINDSHIELD (PN 2879847) LOCK & RIDE® PRO-FIT PREMIUM ROOF (PN 2878851) LOCK & RIDE® PRO-FIT SLIDING WINDOW REAR PANEL (PN 2879015)

LOCK & RIDE® PRO-FIT POWER WINDOW DOORS (PN 2879107)

- · Power Window Doors: A new level of ventilation adjustability and convenience, along with enhanced visibility
- Tip-Out Glass Windshield: Choose from 3 positions closed, open for airflow or raised completely; wiper ready
- · Sliding Window Rear Panel: Provides adjustable ventilation and convenient access to cargo box
- · Premium Roof: Styled to coordinate with your RANGER® and lined with sound-dampening material

2851123

## LOCK & RIDE® PRO-FIT

SX CAB SYSTEM

THE PERFECT BALANCE OF PROTECTION, COMFORT AND QUICK INSTALLATION

LOCK & RIDE® PRO-FIT FIXED GLASS WINDSHIELD (PN 2879269) LOCK & RIDE® PRO-FIT PREMIUM ROOF (PN 2878851) LOCK & RIDE® PRO-FIT GLASS REAR PANEL (PN 2879013) LOCK & RIDE® PRO-FIT HINGED WINDOW DOORS (PN 2879124)

- Roof and Door Premium Interior Liners: Riders experience enhanced comfort and reduced operating noise
- · Hinged Window Doors: Let a rider choose protection or airflow, and enjoy a wide field of vision
- · Windshield and Rear Panel Glass Windows: Reliable protection and the best scratch resistance for great
- Installs Quickly: Components install quickly and easily in designated mounting locations in the cab frame and with Lock & Ride® quarter-turn handles

2851129

## LOCK & RIDE® PRO-FIT

**V** CREW CAB L \( \) SYSTEM

THE ULTIMATE COMFORT AND PROTECTION FOR EVERYONE

LOCK & RIDE® PRO-FIT FIXED GLASS WINDSHIELD 2879269 LOCK & RIDE® PRO-FIT CREW SPORT ROOF 2879642 LOCK & RIDE® PRO-FIT GLASS REAR PANEL 2879013 LOCK & RIDE® PRO-FIT HINGED WINDOW DOORS 2879124

LOCK & RIDE® PRO-FIT CREW POLY REAR DOORS 2879641

- · Premium Interior Door Liners: Riders experience enhanced comfort and reduced
- · Hinged Window Doors: Let a rider choose protection or airflow, and enjoy a wide field of vision
- · Glass Rear Panel and Windshield: Reliable protection and the best scratch resistance for optimal visibility,
- · Installs Quickly: Components install quickly and easily in designated mounting locations in the cab frame and with Lock & Ride® quarter-turn handles


2851130











## VALUE

## LOCK & RIDE® PRO-FIT

X CAB System

THE FASTEST INSTALLATION FOR MAXIMUM VERSATILITY

LOCK & RIDE® PRO-FIT GLASS WINDSHIELD (PN 2878854) LOCK & RIDE® PRO-FIT SPORT ROOF (PN 2878849) INCLUDES CAB SEALKIT LOCK & RIDE® PRO-FIT POLY REAR PANEL (PN 2879134) LOCK & RIDE® PRO-FIT FIXED WINDOW DOORS (PN 2879247)

- Installs Quickly: Components are easy to install in designated mounting locations in the cab frame and with Lock & Ride® quarter-turn handles
- · Windshield and Rear Panel Glass Windows: Reliable protection and the best scratch resistance for great visibility
- Fixed Window Doors: Riders enjoy full visibility and maximum scratch resistance
- · Sealed Installation: Components fit together and create a comfortable sealed interior

2851125

## LOCK & RIDE® PRO-FIT

S CAB SYSTEM

DURABLE CANVAS CONSTRUCTION, ESSENTIAL PROTECTION

LOCK & RIDE® PRO-FIT POLY WINDSHIELD, GENERAL PURPOSE (PN 2879126) LOCK & RIDE® PRO-FIT CANVAS ROOF (PN 2879039) LOCK & RIDE® PRO-FIT CANVAS REAR PANEL (PN 2879040) LOCK & RIDE® PRO-FIT FIXED CANVAS DOORS (PN 2878853)

- · Canvas Components: Lightweight and easy to store when removed
- · Poly Windshield: Durable, impact-resistant, reliable protection that ensures great visibility in all conditions
- · Adjustable Door Ventilation: Zip-open windows in the doors let riders control airflow into the cab

2851126

## LOCK & RIDE® PRO-FIT

**W** CREW CAB **A** SYSTEM

HEAVY DUTY PROTECTION FOR EVERYONE

LOCK & RIDE® PRO-FIT POLY WINDSHIELD, GENERAL PURPOSE (PN 2879126) LOCK & RIDE® PRO-FIT CREW SPORT ROOF 2879642 LOCK & RIDE® PRO-FIT POLY REAR PANEL 2879134 LOCK & RIDE® PRO-FIT CANVAS DOORS 2878853 LOCK & RIDE® PRO-FIT CREW CANVAS REAR DOORS 2879899

- · Installs Quickly: Components install quickly and easily in designated mounting locations in the cab frame and with Lock & Ride® quarter-turn handles
- · Poly Windshield and Rear Panel: Durable, impact-resistant, reliable protection that ensures optimal visibility in all conditions
- Fixed Window Doors: Riders enjoy the full visibility and maximum scratch resistance
- Sealed Installation: Components fit together and create a comfortable sealed interior









## **PRO HD WINCHES**



## POLARIS® PRO HD 6000 LB. WINCH

- · 6000 lbs. of pulling capacity
- · Auto stop technology ideal for snow plowing applications
- 50' of 7mm premium high strength synthetic rope
- · High quality polished aluminum fairlead
- · Wireless remote control unique code for no interference
- · Integrated design to Polaris® RANGER®
- · Fully sealed contactor, motor & drivetrain
- 6 gauge wiring maximize current flow
- · Low speed gearing for optimized plow control
- · Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- · 1 year warranty
- · Includes all components required for installation

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2880093

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15





## POLARIS® PRO HD 4500 LB. WINCH

- 4500 lbs. of pulling capacity
- · Auto stop technology ideal for snow plowing applications
- 50' of 6mm premium high strength synthetic rope
- · High quality polished aluminum fairlead
- Integrated design to Polaris® ranger
- · Fully sealed contactor, motor & drivetrain
- · 6 gauge wiring maximizes current flow
- · Low speed gearing for optimized plow control
- Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- Corded remote control with socket
- · 1 year warranty
- Includes all components required for installation

## 2879141

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## 2880094

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15



## WARN® PROVANTAGE WINCHES



## WARN® PROVANTAGE 4500 LB. WINCH

- · WARN® PROVANTAGE winch optimized for Polaris® Ranger®
- · 4500 lbs of pulling capacity
- · Fully sealed contactor, motor & drivetrain
- · 50' of 7/32" high strength aircraft quality steel cable
- · Three-stage planetary gear train for smooth efficient operation
- · All metal gear housing and gears for maximum durability
- · Durable corrosion resistant finish
- · Oversized hook for maximum durability
- · Ergonomic clutch handle
- · Patented roller disc brake
- · Corded remote control with socket
- · Limited life time warranty for mechanical components. Limited 3 year warranty for electrical components
- · Includes all components required for installation

## 2880569

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

CREW 900 MY 14-15, CREW 570 MY 15, CREW DIESEL MY 15

2880570

6X6 800 CREW 800

## **WINCHES AND PLOWS GO TOGETHER**

The muscle to plow. Versatile Polaris® winches can be used to raise and lower plow blades. Choose the winch that meets your pulling and plowing needs. See pages 26-29 for plows.



## **HD WINCHES**



## POLARIS® HD 4500 LB. WINCH (INTEGRATED MOUNT)

- · 4500 lbs of pulling capacity
- · Integrated design to Polaris® Ranger®
- · Fully sealed contactor, motor and drivetrain
- · 6 gauge wiring maximizes current flow
- · 50' of 7/32" high strength steel cable
- · Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- · Low speed gearing for optimized plow control
- · Corded remote control with socket
- 1 year warranty
- · Performance upgrades; synthetic rope, auto stop, wireless remote and plow rope (sold separately) · Includes all components required for installation

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

2880095

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

2878781

800, HD MY 09-14, 6X6 MY 10-14, 500 EFI MY 09-10, DIESEL MY 11-14, CREW MY 10-14, CREW DIESEL MY 12-14

## POLARIS® HD 4500 LB. WINCH (MULTI-MOUNT)

The convenient multi-mount option allows for front or rear receiver mounting. A handheld remote and aircraft-quality cable allow for safe and secure operation. Requires Front Receiver Hitch Kit (2878846).

2879142

XP 900 MY 13-15, 570 FULL-SIZE MY 15, CREW DIESEL MY 15

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

800 EFI MY 09-14. 400. EV MY 10-14. 500 EFI MY 09-10. 500 DIESEL MY 11-14. 500 CREW MY 10-14. CREW



## POLARIS® PRO HD WINCH UPGRADE KIT

Winch Fitment 4500 Lb. requires use of synthetic winch rope

2879148



- FRONT RECEIVER HITCH · Allows you to pull from the front of your RANGER® Works with all bumpers

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY15, CREW 570 FULL SIZE MY15. DIESEL MY15. CREW DIESEL MY15



## SYNTHETIC WINCH ROPE

Polaris® winch ropes are designed to work with the Polaris® winch of the same rating. Always use the rope that is sized appropriately for your winch.

2879187 | 4500 Lb. Winch Rope HD 4500 Lb. Winch only

2879188 | 6000 Lb. Winch Rope 6000 Lb. Winch Only



## WINCH WIRELESS REMOTE

- Remote: 52mm x 98mm x 28mm, weight .055KG Receiver: 110mm x 98mm x 30mm, weight .21KG
- Battery Type: 23A/12V
- Battery Life: 1 year
- Remote RANGER®: 50'
- Install Time: 20 minutes

2879316



### POWER CONTROLLER

- · Control your winch directly from the shift knob
- · Ideal for plowing; puts plow controls in your shifting hand Can be used with any Polaris® winch
- 2879227






FULL-SIZE GLACIER® PROPLOW SYSTEM




## GLACIER® PRO PLOW

- · Heavy-duty cast steel frame for maximum durability
- · Lock & Ride® for easy blade installation and removal
- · 72" W x 20" H heavy-duty blade
- · Low-maintenance, self-contained electric over hydraulic cylinders
- · Modular design lets you choose: hydraulic or winch lift
- · Choice of blade angle control: hydraulic or manual angle
- · Lift and angle adjustments can be made from the driver's seat
- Manual angle with shear-pin design protects plow in high-impact contact
   Manual angle adjustment is easily accessible, prevents digging
- into snow to change angle
- Auto-retracting kickstand folds in as you drive away











Glacier® Pro does not work with Pre-Runner Brushguards or Prospector Pro® Tracks.

## STEP 1: SELECT A MOUNT

## GLACIER® PRO PLOW MOUNT PLATE

2879106

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

FULL-SIZE XP 700, XP 800 MY 09-10, 500 EFI MY 09-10, CREW 800 MY

## STEP 2: SELECT A FRAME

GLACIER® PRO PLOW PUSH FRAME 2879103

## REPLACEMENT SHEAR PIN

220482

Shear pins come stock with the plow push frame. Extra shear pins available for purchase in case of damage

## **STEP 3: CONFIGURE PLOW**

CHOOSE A LIFT METHOD:

## GLACIER® PRO PLOW HYDRAULIC LIFT SYSTEM

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15, 500 MY 09-10, 700 MY 09, 800 MY 10-14, CREW 800 MY 10-14, DIESEL 11-14, CREW DIESEL 12-14 Requires Battery Connection Cable 2879685 for CREW 900 MY 14-15 and CREW 570 MY 15 AND CREW DIESEL MY 15 Requires power control 2879227

## OR CHOOSE A POLARIS® WINCH

POLARIS® PRO HD 6000 LB. WINCH POLARIS® PRO HD 4500 LB. WINCH WARN® PROVANTAGE 4500 LB. WINCH POLARIS® HD 4500 LB. WINCH SEE PAGES 24-25 ADD AN ANGLE SYSTEM:

## GLACIER® PRO PLOW HYDRAULIC ANGLE SYSTEM

Required for use: Power Controller 2879227; requires Battery Connection Cable 2879685 for CREW 900 MY 13-15 and CREW 570 Full-Size MY 15 and CREW Diesel MY 15; requires Battery Connection Kit 2879388 for non-crew vehicles

Requires power control 2879227







## STEP 4: SELECT A BLADE

GLACIER® PRO PLOW 72" POLY BLADE

FITS ALL MODELS WITH GLACIER® PRO PLOW INSTALLED

GLACIER® PRO PLOW 72" STEEL BLADE

## POWER CONTROLLER

2070227

Required with Hydraulic Lift 2879220 and Angle System 2879224

**STEP 5: ADD ACCESSORIES** 

## GLACIER® PRO TRACK EXTENSION

- Extension makes it possible to properly mount and use plow on RANGER XP 900 that is equipped with Prospector Pro® Track System
- Extends beyond front tracks to accommodate plow-blade mounting
- · Ensures full plow performance

## 2879871

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15
Required when tracks are installed

PART #	SERVICE PARTS
2879872	Curb Finder
2858541	Snow Deflector
2879875	HD Wear Bar
2204975	Stock Wear Bar
2205223	Skid Shoe
2872726	Plow Marker
2877952	Rear Tire Chains
2872655	Coil Spring Spacer



## FULL-SIZE GLACIER® II PRO PLOW SYSTEM



## **GLACIER® II PLOW**

- · Lock & Ride® installation: Easy, no-tools installation/removal of plow blade
- · Reinforced frame to withstand the greater demands of utility vehicle plowing
- · Designed specifically for the RANGER®; not a generic size like most aftermarket kits
- · Choose from several blades for your type of plowing







I Glacier® II does not work with Pre-Runner Brushguards or Prospector Pro® Tracks. Glacier® II Plow System requires a winch; see pages 24-25.

## STEP 1: SELECT A MOUNT

## **GLACIER® II PLOW MOUNT**

- · Easily installed with 6 bolts
- · Includes mounting hardware

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

ALL RANGER° FULL-SIZE AND MID-SIZE MY 05-14 EXCEPT XP 900 AND CREW 900

## STEP 2: SELECT A FRAME

## GLACIER® II PLOW FRAME

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15, ALL Ranger° full-size and mid-size MY 05-14

## STEP 3: SELECT A LIFT METHOD

CHOOSE A WINCH

POLARIS® PRO HD 6000 LB. WINCH POLARIS® PRO HD 4500 LB. WINCH WARN® PROVANTAGE 4500 LB. WINCH POLARIS® HD 4500 LB. WINCH SEE PAGES 24-25



## STEP 4: SELECT A BLADE

SELECT THE PLOW BLADE THAT'S RIGHT FOR THE WAY YOU PLOW

72" COUNTY BLADE

2878848

72" GLACIER® II PLOW BLADE 2877736







## **LOCK & RIDE® CARGO BOX**

- · Keeps your tools safe and secure
- · Lock & Ride®: Install/remove the box in seconds without tools
- · Oversized hinged lid provides full, easy access to cargo · Durable polyethylene construction
- · Sold individually; full-size RANGER® bed allows for up to 4 cargo boxes

## 2879230

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15



## LOCK & RIDE® BED EXTENDER/DIVIDER

- · Versatile use to extend or divide the cargo box
- $\cdot$  Lock & Ride\*: Install/remove the box in seconds without tools
- · Installs in any location in the box
- · Multiple tie-down points available to secure cargo

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15



## LOCK & RIDE® HEADACHE RACK WITH TOOL HOLDERS

- · Protects riders from cargo shifting in the rear box
- · Secures up to 6 hand tools
- · Lock & Ride®: Install/remove the box in seconds without tools
- · Mesh construction allows airflow through the cab

XP 900 MY 13-15 CREW 900 MY 14-15 570 FILLI-SIZE MY 15 CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15



### CARGO BOX LIFT

- · Heavy-duty actuator raises/lowers cargo box
- · All mounts are integrated into the chassis for easy installation
- · Dump dirt, sand or mulch at the flip of a switch
- · Includes all hardware and a dash-mounted switch
- Box does not work with Dual Battery Kit (2876535) for RANGER® MY 05-08

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15,

Requires Battery Connection Cable 2879685 for CREW 900, CREW 570 Full-size and CREW Diesel MY15

2X4. 4X4. XP MY 05-08. 4X4. XP. HD. CREW MY 09-14. DIESEL MY 11-14. CREW DIESEL MY 12-14. 400/500

Will not work on early-build Full-Size RANGER® MY 10, built prior to February 2010

## 2878266

6X6 MY 11-14



## **60-GALLON BOOMLESS UTILITY SPRAYER**

This sprayer mounts in the rear cargo box using a special mounting bracket that makes installation easy. The sprayer slides into the cargo box and locks securely into place using Lock & Ride® mounting hardware. Enjoy outstanding maneuverability as you ride precisely where you want to spray.

- · Includes a 60-gallon corrosion-resistant polyethylene tank, a 12-volt diaphragm pump and a pressure gauge that lets you adjust the spray pressure
- · Can deliver fluids at a rate of up to 3.8 gpm with a 45 psi maximum
- · Includes a deluxe pistol grip handheld sprayer with an adjustable nozzle and 25' of hose
- · Boomless nozzles can deliver across a full 30' spray-coverage area
- Special mounting brackets secure sprayer in rear cargo box

DIESEL MY 15, CREW DIESEL MY 15, XP 900 MY13-15, CREW 900 MY13-15, 570 FULL SIZE MY15, CREW 570

Not for use on Mid-Size Ranger Models



### HITCH MOUNTED MATERIAL SPREADER NEW

- Material Spreader attaches easily and securely to tow hitch and distributes materials evenly and efficiently
- Tackle big jobs in yard, field and garden
- Spread seeds, fertilizer, chemicals and more
- Connects with vehicle's electrical system to power spreader motor 2880429

570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, XP 900 MY13-15, CREW 900 MY 14-15. DIESEL MY 15. CREW DIESEL MY 15 Requires Material Spreader Mount Kit 2880816

## MATERIAL SPREADER GATE CONTROL KIT

MATERIAL SPREADER MOUNT KIT

2880816



## **LOCK & RIDE® CHAINSAW MOUNT**

- · Lock & Ride®: Installs quickly and easily without tools · Secures chainsaw to the outside bed wall
- · Keeps chainsaw within reach at all times
- Maximizes bed space for other cargo
- 2879354

ALL RANGER® MODELS



## LOCK & RIDE® DUAL GUN BOOT MOUNT II

- · Lock & Ride®: Installs quickly and easily without tools
- Securely holds 2 gun boots (sold separately) · Tubular metal crossbar for strength and durability
- · Durable black wrinkle finish with a rust-resistant powder coat Mounted high to accommodate dog kennels (not included)

ALL FULL-SIZE RANGER® MODELS MY 05-15



## **LOCK & RIDE® DUAL GUN BOOT MOUNT**

- · Lock & Ride®: Installs quickly and easily without tools
- Attaches to top of cargo box
- · Durable black wrinkle finish with a rust-resistant powder coat
- · Holds 2 gun boots (sold separately)

## 2876148-458

ALL FULL-SIZE RANGER® MODELS MY 05-15



## **KOLPIN® GUN BOOT IV**

- · Securely protects and holds firearm
- · Works with shotgun or rifle
- · Padded interior, dust-proof, water-resistant

## 2872677 | Black ALL RANGER® MODELS

2872677-419 | Mossy Oak® Break-Up® ALL RANGER® MODELS







## **EXTREME BRUSHGUARDS (FRONT)**

- · Protect front bodywork and headlights
- · Durable matte black finish, aggressive styling
- · Integrated mounting holes for easy installation of lights

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15





## STANDARD BRUSHGUARDS (FRONT)

- · Outstanding strength and protection
- · Protect headlights and taillights, front and rear bodywork
- · Durable matte black finish, rugged styling
- · Integrated mounting holes for easy installation of lights
- · Protect grille with extra-wide vertical bars

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15,



## **EXTREME BRUSHGUARDS (REAR)**

- · Provide rear of vehicle with reliable protection on and off the trail
- Durable matte black finish, aggressive styling
- Integrated mounting holes for easy installation of lights

## 2878842

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15





## STANDARD BRUSHGUARDS (REAR)

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15,



## A-ARM GUARDS

- · Provide additional protection to shafts and A-Arms
- · Strong, durable, stamped aluminum construction
- · Easy bolt-on design

### 2878844 | Front

XP 900 MY 13-15, CREW 900 MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

XP 900 MY 13-15, CREW 900 MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW

2878844 and 2878845 do not fit 2014 or 2015 Ranger XP 900 without modification



## **HMW A-ARM GUARDS**

- · Valuable, reliable protection for vital front suspension components exposed to the rigors of
- · Strong, durable, lightweight HMW (high-molecular weight) polyethylene construction withstands off-road impacts to protect the A-Arms
- Molded specifically for the RANGER® front suspension for proper installation, a sure fit and low-profile presence
- · All mounting hardware included

### 2880553 | Front

XP 900 MY 13-15, CREW 900 MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW

## 2880554 | Rear

XP 900 MY 13-15, CREW 900 MY 15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15



## UNDER BOX MUD GUARD/FENDER FLARE **NEW**

You can reduce the spray from the rear tires of your RANGER® XP 900 with a set of these Under Box Mud Guard/Fender Flares. These guards install over the rear tires to block spray so your vehicle sends less mud, water, dirt and other materials up onto the underside of the rear box.

• Mud Guard/Fender Flares extend over rear tires to block spray and debris kicked up by tires

· Guards keep the underside of the vehicle cleaner

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, **CREW DIESEL MY 15** 



### CREW 900 NERF BARS

Arm your favorite side-by-side against off-road hazards such as rocks and stumps by adding a set of RANGER CREW 900 Nerf Bars. These Nerf Bars are styled to integrate with the styling of the vehicle and provide outstanding protection

- · Install quickly and easily in designated, integrated mounting locations in the frame
- · Provide protection all along the side of the vehicle
- · Built-in boot scrapers at the front and rear help keep the vehicle's interior clean
- · Stamped plate steel with black wrinkle powder-coated finish
- · Nerf Bars mount in designated, integrated locations on the vehicle frame
- · Includes 2 Nerf Bars and mounting brackets

2879622 | Black

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15



## HMW SKID PLATE

- · Strong, durable, lightweight HMW (high-molecular weight) polyethylene construction withstands off-road impacts, protecting vehicle components
- · ¼" Thick Skid Plate delivers outstanding underside protection
- Molded specifically for the RANGER XP 900 for easy installation and a sure fit
- · Bolts quickly and easily into designated, integrated installation locations
- Mounting hardware included

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15



## XP 900 NERF BARS

- · Durable, stamped plate steel construction
- · Provide additional protection to side of vehicle
- Integrated boot scraper helps keep interior clean
- · Durable black wrinkle powder-coated finish · Integrated mounting locations for easy installation

XP 900 MY 13-15, 570 FULL SIZE MY 15, DIESEL MY 15





## A. LOCK & RIDE® PRO-FIT TIP-OUT GLASS WINDSHIELD

- · Scratch-resistant, optical-grade laminate safety glass offers the best rider protection and
- · Protects riders from wind, rain, vehicle spray, off-road hazards and more
- · Windshield has minimal perimeter framework for full visibility
- · Strong hydraulic arms hold windshield securely in place when open
- · Windshield installs quickly and easily with Lock & Ride® technology

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## B. LOCK & RIDE® PRO-FIT FIXED GLASS WINDSHIELD

- · Shatterproof, scratch-resistant, optical-grade laminate safety glass offers the best rider protection and visibility
- Protects riders from wind, rain, vehicle spray, off-road hazards and more Windshield has minimal perimeter framework for full visibility
- Windshield installs quickly and easily with Lock & Ride® technology

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## LOCK & RIDE® PRO-FIT ADVANTAGES



Curved windshields for the best fit and finish

**CURVED GLASS** 

Automotive-style curved

sound dampening and

optimized visibility.

glass provides the best fit

and finish, improved interior

Gasket runs the perimeter of windshield for a solid 360°

seal

The windshield seals into

place with a 360° gasket

for reliable protection and

comfort.






### 360° GASKET SEAL **IMPROVED VISIBILITY**

There's no exterior framework on the windshields, so riders enjoy a full, uncompromised field of vision.

## **REVOLUTIONARY** INSTALLATION

Windshields install easily in designated attachment locations and lock securely in place using Lock & Ride® technology.



## VALUE

## C. LOCK & RIDE® PRO-FIT POLY WINDSHIELD (HARD COAT) NEW

- Durable, optical-grade, .236"-thick polycarbonate offers outstanding rider protection and visibility
- Windshield has scratch-resistant hard coating on both sides for enhanced durability
- · Protects riders from wind, rain, vehicle spray, off-road hazards and more
- Windshield has minimal perimeter framework for full visibility
- Windshield installs quickly and easily with Lock & Ride® technology

### 2880204

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## D. LOCK & RIDE® PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE)

- · Durable, optical-grade, .236"-thick polycarbonate offers outstanding rider protection and visibility
- · Protects riders from wind, rain, vehicle spray, off-road hazards and more
- Windshield has minimal perimeter framework for full visibility
- Windshield installs quickly and easily with Lock & Ride®
- technology

### 2879960

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## E. LOCK & RIDE® PRO-FIT HALF WINDSHIELD NEW


- · Strong, durable polycarbonate Half Windshield delivers a combination of protection and airflow into the cab
- · Half Windshield offers protection from rain, sleet, spray and off-road hazards
- Top of cab's front opening is wide open for airflow
- · Lock & Ride® technology: Installs quickly and easily without tools

### 2879961

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

| ROOF SELECTOR | REAR PANEL SELECTOR | DOOR SELECTOR | CAB SYSTEM SELECTOR

SIZE





## A. LOCK & RIDE® PRO-FIT STEEL ROOF NEW

- Strong, durable steel roof provides the ultimate in rider protection
- · One-piece roof installs easily, bolting into designated mounting locations on vehicle frame
- · Roof provides dependable protection and no-leak performance
- · Interior fabric liner provides sound reduction
- · Roof can be used along with numerous other accessories (each sold separately)

## 2879954

570 MY 15, ETX MY 15, EV MY 15

## B. LOCK & RIDE® PRO-FIT CREW STEEL ROOF NEW

- · Strong, durable steel roof provides the ultimate in rider protection
- Two-piece roof installs easily, bolting into designated mounting locations on vehicle frame
- Roof panels seal together for dependable protection and no-leak performance
- · Roof can be used along with numerous other accessories (each sold separately)

## 2879955

CREW 570 MY 1

## C. LOCK & RIDE® PRO-FIT CAMO ROOF NEW

- · Strong, durable injection-molded roof with Polaris Pursuit® Camo pattern provides shade, superior overhead protection and effective visual camouflage in woods settings
- Roof attaches to vehicle frame in designated mounting positions
- · Roof can be installed in minutes using provided mounting hardware, and removed as quickly
- Roof can be used with additional accessories, including windshield, rear panel, doors, audio, auxiliary lighting and more (each sold separately)

## 2880634

570 MY 15, ETX MY 15, EV MY 15

## D. LOCK & RIDE® PRO-FIT CREW CAMO ROOF

- · Strong, durable injection-molded roof with Polaris Pursuit® Camo pattern provides shade, superior overhead protection and effective visual camouflage in woods settings
- Two-piece roof installs easily, bolting into designated mounting locations on vehicle frame
- Roof panels seal together for dependable protection and no-leak performance
- Roof can be used with additional accessories, including windshield, rear panel, doors, audio, auxiliary lighting and more (each sold separately)

## 2880635CREW 570 MY 15

## LOCK & RIDE® PRO-FIT ADVANTAGES









## **SEALED COVERAGE**

Just as roof shingles overlap for seamless coverage, these easy-toinstall roofs extend over the tops of all other cab components to create a sealed enclosure.

## **QUIETER RIDE**

Lock & Ride® Pro-Fit roofs reduce the interior noise level, especially with sound-absorbing liners.

## **REVOLUTIONARY INSTALLATION**

Lock & Ride® Pro-Fit roofs install directly into mounting points in the RANGER 570 Mid-Size and RANGER CREW 570 Mid-Size cab frame, providing the easiest installation and a sealed fit.





## VALUE

## E. LOCK & RIDE® PRO-FIT SPORT ROOF NEW

- Durable black polyethylene Sport Roof provides shade and reliable rider protection
- · One-piece roof installs easily into vehicle frame using Lock & Ride® technology no tools
- · Roof provides dependable protection and no-leak performance
- Roof can be used along with numerous other accessories (each sold separately)


570 MY 15, ETX MY 15, EV MY 15


## F. LOCK & RIDE® PRO-FIT CREW SPORT ROOF

- Durable black polyethylene Sport Roof provides shade and reliable rider protection
- tools required
- · Roof panels seal together for dependable protection and no-leak performance
- Roof can be used along with numerous other accessories (each sold separately)

## 2879953

**CREW 570 MY 15** 







## A. LOCK & RIDE® PRO-FIT GLASS REAR PANEL NEW

- This rear panel provides an outstanding combination of protection, rearward visibility and dust-blocking when the vehicle is equipped with a windshield (sold separately)
- · Shatterproof, scratch-resistant, optical-grade laminate safety glass offers the best rider protection and visibility
- · Provides protection from inclement weather, off-road hazards, shifting cargo and more
- Lock & Ride® technology: Rear panel installs quickly and easily, no tools required
- · Integrated Lock & Ride® fasteners seal rear panel securely to Pro-Fit vehicle framework
- · Rear Panel can be used with accessories such as windshield, roof, doors, auxiliary lights and more (each sold separately)

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## VALUE

## B. LOCK & RIDE® PRO-FIT POLY REAR PANEL NEW

- This rear panel provides an outstanding combination of protection, rearward visibility and dust-blocking when the vehicle is equipped with a windshield (sold separately)
- Durable, optical-grade, .236"-thick polycarbonate offers outstanding rider protection and visibility
- Rear Panel has scratch-resistant hard coating for enhanced durability
- · Provides protection from inclement weather, off-road hazards, shifting cargo and more
- Lock & Ride\* technology: Rear Panel installs quickly and easily, no tools required
- Integrated Lock & Ride® fasteners seal Rear Panel securely to Pro-Fit vehicle framework
- Rear Panel can be used with accessories such as windshield, roof, doors, auxiliary lights and more (each sold separately)

## 2879812

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## MIID-SIZE & EV LOCK & RIDE PF DOOR SELECTOR VENTILATION Available adjustable windows provide airflow to the cab STRUCTURE Strength of materials/technology used INTERIOR FINISH Overall quality of internal components SOLIND DAMPENING Amount of sound absorption and insulation CANVAS 2879963 **CREW CANVAS**









## PREMIUM

## C. LOCK & RIDE® PRO-FIT POLY DOORS NEW

- · Durable, dependable doors feature strong construction, lining and adjustable windows for comfort riders can customize
- · Lightweight, strong and durable polyethylene construction
- · Profile tubing and plastic design create sealed perimeter
- · Textured finish on polyethylene matches vehicle finish
- Doors have interior polyurethane liners
- · Windows slide open and closed for riders to control airflow and access into and from cab
- Doors can be installed in conjunction with accessories such as windshield, rear panel, roof and more (each sold separately)

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## D. LOCK & RIDE® PRO-FIT CAMO DOORS NEW

- · Strong, durable poly doors feature Polaris Pursuit® Camo pattern, providing outstanding rider protection and effective visual camouflage in woods settings
- · Durable, dependable doors feature strong construction, lining and adjustable windows for comfort riders can customize
- · Lightweight, strong and durable polyethylene construction
- · Profile tubing and plastic design create sealed perimeter
- · Textured finish on polyethylene matches vehicle finish
- · Doors have interior polyurethane liners Windows slide open and closed for riders to control airflow and access into and from cab
- · Doors can be installed in conjunction with accessories such as windshield, rear panel, roof and more (each sold separately)

2880636570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

## E. LOCK & RIDE® PRO-FIT CANVAS DOORS NEW

- · Durable, heavy-duty 23-oz. canvas material is mold-resistant for reliable performance and UV-stable to resist fading
- · Heavy-duty powder-coated steel rod door frames provide strength and enhance fit and
  - · Doors install quickly and easily and can be stored easily when not in use
    - Premium-quality paddle latches offer reliable door closure
    - · PVC windows open easily to provide ventilation and close securely using magnetic closures

570 MY 15. CREW 570 MY 15. ETX MY 15. EV MY 15

## F. LOCK & RIDE® PRO-FIT CREW CANVAS REAR DOORS NEW

- · Durable, heavy-duty 23-oz. canvas material is mold-resistant for reliable performance and UV-stable to resist fading
- Heavy-duty powder-coated steel rod door frames provide strength and enhance fit and
- · Doors install quickly and easily and can be

**AVAILABLE SEPTEMBER 2014** 

- stored easily when not in use · Premium-quality paddle latches offer
- reliable door closure
- · Heat-sealed, zip-down PVC windows open
- easily to provide ventilation

### 2879964 CREW 570 MY 15



## VII & BIZIS-CIIM CAB SYSTEM SELECTOR





## MID-SIZE

## LOCK & RIDE® PRO-FIT

LX CAB
SYSTEM NEW

THE BEST VENTILATION AND FEATURES

LOCK & RIDE® PRO-FIT POLY DOORS 2879962 LOCK & RIDE° PRO-FIT TIP-OUT GLASS WINDSHIELD 2880442 LOCK & RIDE® PRO-FIT GLASS REAR PANEL 2879965

LOCK & RIDE® PRO-FIT STEEL ROOF 2879954

- · A complete cab system from a single part number
- · Includes everything needed to create a full cab that provides optimal protection & offers the greatest ventilation adjustability so riders can customize the cab interior comfort
- · Includes Poly Door Set with Slider Windows, Tip-Out Glass Windshield, Glass Rear Panel & Steel Roof
- · Slider Windows in doors offer convenient means of adjusting airflow
- $\boldsymbol{\cdot}$  Windshield can be closed for optimized protection or can be tipped open for airflow
- · Roof provides shade & the ultimate in overhead protection
- · Doors & roof are lined with sound-dampening material

## 2859435

570 MY 15, ETX MY 15, EV MY 15

## LOCK & RIDE® PRO-FIT

SX CAB
SYSTEM NEW

THE PERFECT BALANCE OF PROTECTION, COMFORT, and QUICK INSTALLTION

LOCK & RIDE® PRO-FIT POLY DOORS 2879962 LOCK & RIDE® PRO-FIT GLASS WINDSHIELD 2879958 LOCK & RIDE® PRO-FIT GLASS REAR PANEL 2879965

INCK & RIDE® PRO-FIT SPORT ROOF 2879952

- · A complete cab system from a single part number
- · Includes everything needed to create a full cab that provides outstanding protection and offers riders cab interior comfort
- · Includes Poly Door Set with slider windows, Glass Windshield, Glass Rear Panel and Sport Roof
- · Slider Windows in doors offer convenient means of adjusting airflow
- · Windshield & Rear Panel provide excellent protection and visibility
- · Roof provides shade & reliable overhead protection · Doors are lined with sound-dampening material

2859436 570 MY 15, ETX MY 15, EV MY 15

## LOCK & RIDE® PRO-FIT

A SYSTEM NEW

THE QUICKEST INSTALLATION FOR MAXIMUM VERSATILITY

LOCK & RIDE° PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE® PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE) 2879960 LOCK & RIDE° PRO-FIT POLY REAR PANEL 2879812

LOCK & RIDE® PRO-FIT SPORT ROOF 2879952

- · A complete cab system from a single part number
- $\cdot$  Includes everything needed to create a full cab that provides outstanding protection and
- · Includes Canvas Door Set, Poly Windshield, Poly Rear Panel and Sport Roof
- · Windshield & Rear Panel provide excellent protection and visibility
- · Roof provides shade & reliable overhead protection


## 2859437

570 MY 15. ETX MY 15. EV MY 15









## MID-SIZE CREW

## LOCK & RIDE® PRO-FIT

■ CREW CAB SYSTEM NEW

COMFORT AND PROTECTION FOR FRONT AND BACK SEAT PASSENGERS

LOCK & RIDE® PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE® PRO-FIT CREW CANVAS DOORS 2879964 LOCK & RIDE® PRO-FIT GLASS WINDSHIELD 2879958 LOCK & RIDE® PRO-FIT GLASS REAR PANEL 2879965 LOCK & RIDE® PRO-FIT CREW STEEL ROOF 2879955

- · A complete cab system from a single part number
- · Includes everything needed to create a full cab that provides optimal protection and offers the greatest ventilation adjustability so riders can customize the cab interior comfort
- · Includes Canvas Front and Rear Door Set, Tip-Out Glass Windshield, Glass Rear Panel and Steel Roof
- · Power windows in doors offer the most convenient adjustability
- · Windshield can be closed for optimized protection or can be tipped open for airflow
- · Roof provides shade and the ultimate in overhead protection
- · Roof is lined with sound-dampening material 2859438

CREW 570 MY 15

Recommended to use CREW Cab Seal Kit (2880883) (p. 63)

## LOCK & RIDE® PRO-FIT

V CREW CAB A SYSTEM NEW

DURABLE PROTECTION FOR EVERYONE

LOCK & RIDE® PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE® PRO-FIT CREW CANVAS DOORS 2879964 LOCK & RIDE° PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE) 2879960 LOCK & RIDE® PRO-FIT POLY REAR PANEL 2879812 LOCK & RIDE® PRO-FIT CREW SPORT ROOF 2879953

- · A complete cab system from a single part number
- · Includes everything needed to create a full cab that provides outstanding protection and
- · Includes Canvas Front and Rear Door Set, Poly Windshield, Poly Rear Panel and Sport Roof
- · Windshield and Rear Panel provide excellent protection and visibility
- · Roof provides shade and reliable overhead protection

CREW 570 MY 15

Recommended to use CREW Cab Seal Kit (2880883) (p. 63)







## **PRO HD WINCHES**



## POLARIS® PRO HD 4500 LB. WINCH

- · 4500 lbs of pulling capacity
- Auto stop technology ideal for snow plowing applications
- · 50' of 6mm premium high strength synthetic rope
- · High quality polished aluminum fairlead
- Integrated design to Polaris® Ranger®
- · Fully sealed contactor, motor and drivetrain
- 6 gauge wiring maximizes current flow
- · Low speed gearing for optimized plow control
- Cut metal gears for maximum durability
- Durable corrosion resistant finish · Corded remote control with socket
- · 1 year warranty
- Includes all components required for installation

800 EFI MY 13-14, 400, EV MY 10-14, 500, CREW 500 MY 11-13, 570, CREW 570 MY 14, LSV MY 11-14, 570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY15

Bigger battery 4010630 recommended for non-EPS models

EV model required auxiliary Battery kit 2880555

Requires longer battery cable 2879685 for Crew model



## WARN® PROVANTAGE WINCHES



## WARN® PROVANTAGE 4500 LB. WINCH

- WARN® PROVANTAGE winch optimized for Polaris® Ranger®
- · 4500 lbs of pulling capacity
- · Fully sealed contactor, motor & drivetrain
- 50' of 7/32" high strength aircraft quality steel cable
- $\cdot$  Three-stage planetary gear train for smooth efficient operation
- · All metal gear housing and gears for maximum durability
- · Durable corrosion resistant finish
- · Oversized hook for maximum durability
- · Ergonomic clutch handle
- · Patented roller disc brake
- · Corded remote control with socket
- · Limited lifetime warranty for mechanical components. Limited 3 year
- warranty for electrical components
- · Includes all components required for installation

### 2880574

570 MY 15, ETX MY 15, EV MY 15

### 2880575

CREW 570 MY 15

Bigger battery 4010630 recommended for non-EPS models

EV model required auxiliary Battery kit 2880555



## WARN® PROVANTAGE 3500 LB. WINCH

- · WARN® PROVANTAGE winch optimized for Polaris® Ranger®
- · 3500 lbs of pulling capacity
- · Fully sealed contactor, motor and drivetrain
- 50' of 3/16" high strength aircraft quality steel cable
- · Three-stage planetary gear train for smooth efficient operation
- · All metal gear housing and gears for maximum durability
- 6 gauge wiring maximizes current flow
- · Durable corrosion resistant finish
- · Oversized hook for maximum durability
- · Ergonomic clutch handle
- · Patented roller disc brake
- · Corded remote control with socket
- · Limited lifetime warranty for mechanical components. Limited 3 year warranty for electrical components
- Includes all components required for installation

## 2880576

570 MY 15, ETX MY 15, EV MY 15

2880577

Bigger battery 4010630 recommended for non-FPS models

EV model required auxiliary Battery kit 2880555

## **HD WINCHES**



## POLARIS® HD 3500 LB. WINCH

- · 3500 lbs of pulling capacity
- · Fully integrated design installs to vehicle in 10 minutes
- $\cdot$  3 step Installation bolt winch to the sportsman, connect to battery and plug in handlebar control switch
- · Fully sealed contactor, motor and drivetrain
- · 6 gauge wiring maximizes current flow
- · 50' of 5mm premium high strength synthetic rope
- · Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- · Low speed gearing for optimized plow control
- · Corded remote control with socket
- 1 year warranty · Performance upgrades; synthetic rope, auto stop, wireless remote and plow rope (sold separately)
- · Includes all components required for installation

2878784

800 EFI MY 13-14, 400, EV MY 10-15, 500 MY 11-13, 570 MY 14-15, LSV MY 11-14, ETX MY 15 EV and LSV only requires Auxiliary Battery Kit 2879031

## 2878785

CREW 500 MY 11-13, CREW 570 MY 14-15

Bigger battery 4010630 recommended for non-EPS models. EV model required auxiliary Battery kit 2880555.



## WINCH WIRELESS REMOTE

- Remote: 52mm x 98mm x 28mm, weight .055 kg
- Receiver: 110mm x 98mm x 30mm, weight .21 kg
- Battery Type: 23A/12V
- Battery Life: 1 year
- Remote RANGER®: 50'
- Install Time: 20 minutes
- 2879316

## POWER CONTROLLER

- · Control your winch directly from the shift knob
- · Ideal for plowing; puts plow controls in your shifting hand
- · Can be used with any Polaris® winch

2879227



## SYNTHETIC WINCH ROPE

Polaris® winch ropes are designed to work with the Polaris® winch of the same rating. Always use the rope that is sized appropriately for your winch.

2879187 | 4500 Lb. Winch Rope

2875791 | 3500 Lb. Winch Rope






## MIID-SIZE GLACIER® PRO PLOW SYSTEM



## **GLACIER® PRO PLOW**



Plow system does not work with tracks.

## STEP 1: SELECT A MOUNT

## MID-SIZE GLACIER® PRO MOUNT NEW

- · Strong, durable construction to serve as a secure, reliable foundation of the plow system, season after season
- · Install mount plate on undercarriage of vehicle and attach plow frame and blade (each sold separately) when it's time to

## 2880261

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

## **STEP 2: SELECT A FRAME**

## MID-SIZE GLACIER® PRO FRAME NEW

- · Heavy-duty frame securely holds plow blade (sold separately) and attaches to the Glacier® PRO Plow System mount (sold separately) installed on the undercarriage of the RANGER®
- · Frame is engineered and built to withstand the rigors of big plowing jobs, season after season
- Frame attaches quickly and easily to mount plate on vehicle

## 570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

## 2205527 | Replacement Shear Pin

Shear Pins come stock with the plow push frame. Extra shear pins available for purchase in case of damage.

## STEP 3: SELECT A LIFT METHOD

## SELECT A WINCH

POLARIS® PRO HD 4500 LB. WINCH POLARIS® HD 3500 LB. WINCH WARN® PROVANTAGE 3500 LB. WINCH

SEE PAGES 42-43

## ADD AN ANGLE SYSTEM

## MID-SIZE GLACIER® PRO ANGLING SYSTEM NEW

- · Heavy-duty hydraulic angle system adjusts the plow blade angle in a Glacier® PRO Plow System
- · Angle the plow blade left or right with push-button ease to direct materials where desired
- · No need to get out of cab to adjust plow blade
- Finish plowing jobs faster, more comfortably and with higher-quality results

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15





## **STEP 4: CONFIGURE BLADE**

## MID-SIZE GLACIER® PRO 66" POLY BLADE NEW

- · Strong, durable, lightweight Poly Plow Blade is ideal for a wide range of residential driveway plowing jobs
- Polyethylene snow blade flexes and absorbs impact so less impact energy and stress is transmitted to the RANGER® while plowing
- · 66"-wide blade has forward-angled corners and scoop design for increased plowing surface
- · Poly blade can flex in all temperatures and will not rust like metal blades
- · Includes a replaceable metal wear bar

## 2880269

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

## MID-SIZE GLACIER® PRO 66" STEEL BLADE

- · Strong, durable steel construction ensures this plow blade will tackle big jobs season after season
- · With impressive, 66" span, blade moves large quantities of material with each pass
- Comes with replaceable metal wear bar

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

## CHOOSE THE RIGHT BLADE

Select the plow blade that's right for the way you plow.



## 66" POLY BLADE Best for impact absorption



## 66" STEEL BLADE

Best for big jobs year after year

PART#	SERVICE PARTS
2879866	66" Snow Deflector
2879867	66" Stock Wear Bar
2879868	66" HD Wear Bar
2879872	Curb Finder
2205071	Plow Shoes
2872726	Plow Markers
2872655	Coil Spring Spacers
2876463	Pre-Load Adjusters
2877952	Rear Tire Chains



# MIID-SIZE GLACIER® II



## **GLACIER® II PLOW**





## STEP 1: SELECT A MOUNT

## **GLACIER® II MID-SIZE PLOW MOUNT**

Easily installed with 6 boltsIncludes mounting hardware

2878835

ETX MY 15, 570 MY 15, EV MY 15, CREW 570 MY 15

## STEP 2: SELECT A FRAME

## GLACIER® II MID-SIZE PLOW FRAME

2878822

ALL MID-SIZE RANGER MODELS MY 05-14

## STEP 3: SELECT LIFT METHOD

SELECT A WINCH

POLARIS° PRO HD 4500 LB. WINCH POLARIS° HD 3500 LB. WINCH WARN° PROVANTAGE 3500 LB. WINCH SEE PAGES 42-43



## STEP 4: SELECT A BLADE

**60" RAZOR BLADE®** 

2875370

60" SNOW BLADE 2876626

## CHOOSE THE RIGHT BLADE

Select the plow blade that's right for the way you plow.



## 60" RAZOR BLADE®

Best for plowing snow or gravel to either side of a driveway



## **60" SNOW BLADE**

Best for clearing snow from long driveways

PART #	SERVICE PARTS
2872655	Coil Cover Spring Spacers
2876463	Front Pre-Load Adjuster
2873423	Plow Shoes
2871808	60" Flap
2873426	60" Wear Bars Hd
2871806	Standard Wear Bars
2872726	Plow Marker
2877952	Rear Tire Chains





## LOCK & RIDE® BED EXTENDER/DIVIDER NEW

- · Can extend the usable area of the rear cargo box beyond the tailgate
- · And can divide the cargo box to securely hold varied materials or tools separately
- · Lock & Ride® technology: Extender/Divider can be installed and removed in seconds without
- · Can be installed in any location in the box
- · Framework offers multiple tie-down points to secure cargo using tie-downs, bungees, cargo nets, etc. (each sold separately)

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



## CARGO BOX LIFT

- · Heavy-duty actuator raises/lowers cargo box
- · All mounts are integrated into the chassis for easy installation
- · Dump dirt, sand or mulch at the flip of a switch
- Includes all hardware and a dash-mounted switch

## 28800571 \$699.99 CAN

570 MY 14-15, CREW 570 MY 14-15, ETX MY 15

2878265

EV MY 15, 800 EFI MY 13-14, EV MY 12-14 **EV REQUIRES AUXILIARY BATTERY KIT 2879031** 

2877054

400/500 MY 10-14



## UNDER SEAT STORAGE BOX NEW

- · Secure storage underneath seats
- · Space-saving, easy-to-use storage keeps items protected, dry and dust-free

ETX MY 15, 570 MY 15, CREW 570 MY 15, EV MY 15



## LOCK & RIDE® CARGO BOX

- · Keeps your tools safe and secure
- · Lock & Ride®: Install/remove the box in seconds without tools
- · Oversized hinged lid provides full, easy access to cargo
- · Durable polyethylene construction
- · Sold individually; full-size RANGER® bed allows for up to 4 Cargo Boxes

ALL FULL-SIZE RANGER® MODELS MY 05-15, 800 EFI MY 14, 400, EV MY 10-14, 500, CREW 500, LSV MY 11-14, ETX MY 15, 570 MY 15, EV MY 15, CREW 570 MY 15

LOCK & RIDE





## 40-GALLON BOOM UTILITY SPRAYER NEW

- Use this sprayer to apply liquid applications to yard, garden or field
- · Corrosion-resistant polyethylene tank has 40-gallon capacity to tackle big jobs
- · Lock & Ride® technology: Sprayer mounts quickly and easily in rear cargo box without tools · Delivers applications evenly from adjustable boom
- · Connection to vehicle's electrical system accesses power for spray pump
- · Ready For Roundup®

2880637

570 MY 15. ETX MY 15. EV MY 15. CREW 570 MY 15



## **LOCK & RIDE® CHAINSAW MOUNT**

- · Lock & Ride®: Installs quickly and easily without tools
- · Secures chainsaw to the outside bed wall
- · Keeps chainsaw within reach at all times
- Maximizes bed space for other cargo

ALL FULL-SIZE RANGER® MODELS MY 05-15. 800 EFI MY 13-14. 400. EV MY 10-15. 500. CREW 500. LSV MY 11-14, CREW 570 MY 14-15, ETX MY 15, 570 MY 15



## **KOLPIN® GUN BOOT IV**

- · Securely protects and holds firearm
- · Works with shotgun or rifle
- · Padded interior, dust-proof, water-resistant

2872677 | Black

ALL RANGER® MODELS

2872677-419 | Mossy Oak® Break-Up® ALL RANGER® MODELS



## MID-SIZE LOCK & RIDE® GUN BOOT MOUNT

- · Holds 2 gun scabbards (sold separately)
- · Lock & Ride® technology for easy on/off

400, EV MY 10-15, 500, CREW 500 MY 11-13, 570 MY 15, CREW 570 MY 14-15, LSV MY 11-14, ETX MY 15





## HMW A-ARM GUARDS NEW

- Valuable, reliable protection for vital front suspension components exposed to the rigors of off-road environments
- Strong, durable, lightweight HMW (high-molecular weight) polyethylene construction withstands off-road impacts to protect the A-Arms
- Molded specifically for the RANGER® front or rear suspension for proper installation, a sure fit
  and low-profile presence
- · All mounting hardware included

2880550 | Front

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

2880551 | Rear

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



## STANDARD FRONT BRUSHGUARD

- · Brushguard reliably enhances front-end protection of vehicle
- · Ideal for trail riding
- · Provides outstanding headlight protection
- · Strong 1.25" (3.2cm) diameter steel tube construction
- $\cdot \ \mathsf{Durable}, \, \mathsf{scratch}\text{-}\mathsf{resistant} \, \, \mathsf{black} \, \, \mathsf{powder-coated} \, \, \mathsf{finish} \, \,$
- Installs easily in pre-drilled mounting locations
   Integrated styling complements the vehicle's look
- Can be used with any winch or plow system

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



## STANDARD REAR BRUSHGUARD NEW

- · Brushguard reliably enhances back-end protection of vehicle
- · Ideal for trail riding
- · Provides outstanding taillight protection
- · Strong 1.25" (3.2cm) diameter tubular-look construction
- Durable, scratch-resistant black powder-coated finish
   Installs easily in pre-drilled mounting locations
- Integrated styling complements the vehicle's look
- · Can be used with accessories such as a winch and tow hitch (each sold separately)
- · Includes integrated mounting tabs for auxiliary lighting

### 2879972

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



### NEDE DADO NIEM

- Nerf Bars provide reliable, easy-to-install protection for the side edges of the vehicle
- Integrated boot scraper helps keep interior clean; scrape mud off boots before getting in
  - Durable, stamped-plate steel construction
- Durable black finish
- · Integrated mounting locations for easy installation

## 2879974

570 MY 15, ETX MY 15, EV MY 15



## CREW NERF BAR NEW

- $\cdot \ \text{Nerf Bars provide reliable, easy-to-install protection for the side edges of the vehicle} \\$
- · Integrated boot scraper helps keep interior clean; scrape mud off boots before getting in
- Durable, stamped-plate steel construction
- · Durable black finish
- · Integrated mounting locations for easy installation

## 2880333

CREW 570 MY 15



## STEP 1: SELECT A MOUNT

## PROSPECTOR PRO® TRACK MOUNTS

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

Requires kit 2205192 for MY 13-14 XP 900 models only

2880058

400 MY 10-14, 500 MY 11-14, 800 EFI MY 13-14

570 MY 14, 570 MY 15, CREW 570 MY 15

## PROSPECTOR TRACK MOUNT KIT

2879215 XP 900 MY 13

Only Fits Tracks 2879216

## **STEP 2: SELECT A KIT**

## PROSPECTOR PRO® TRACKS

- Prospector Pro® Track systems are designed, engineered and built specifically for Polaris® side-by-sides such as the RANGER XP
- They deliver the best in performance, reliability and durability in all four seasons
- · This track system's mounting hardware, drive-system gearing and track design are all engineered and built specifically for Polaris® side-by-sides
- Polaris® track systems deliver the utmost in performance and productivity

## 2880757

500 lb. maximum cargo load with tracks installed

XP 900 MY13-14, CREW 900 MY14-15

Requires kit 2205192

For year round use, Polaris\* recommends the use of Intake Update Kit 2880673 on any MY13-14 RANGER XP 900 with tracks installed. To keep intake system working optimally, this kit pre-filters out fine snow and dust.

For extreme snow use, Polaris® recommends the use of Intake Relocation Kit 2205192 for vehicles equipped with a full cab enclosure.







Exclusive Polaris® 20-18 tooth gear ratio, optimized for Polaris® drivetrain



Heavy-duty, wide, rubberized wheels on a UHMW base to distribute the weight of the side-by-side


## TIRES & WHEELS

## STEP 1: CHOOSE YOUR TIRE

## CHOOSE THE BEST TIRE FOR THE WAY YOU RIDE



Ideal for both hard pack and loose trail



· Built to perform in sand, jagged rocks or any other extreme terrain



ndustry leading anti-puncture side walls Aggressive long lasting tread



Flexible "grippy" tread Aggressive side bite



landles extreme cold Holds shape and provide traction



Extra deep treads Full wall side bite

## **STEP 2: CHOOSE YOUR WHEEL**



REBLR" 14"
FLAT BLACK BEADLOCK\*
152228-458 | 14" X 7" FRONT
152229-458 | 14" X 8" REAR
ALL RANGER" WODELS

2880024

2880025



2880084

2879292

2879294



VADER" 14"
FLAT BLACK WHEEL
1521992-521 | 14" X" FRONT
1521993-521 | 14" X8" REAR
ALL RANGER" MODELS

2880085

2879296

2879298

2879299

2880695



2880086

2879300

2879302

2879303

2880696



SIXR" 14" LUSTER WH 1521507-410 | 1521508-410 | ALL RANGER® MG

2880090

2878882

2878434

2878432

2879393

WREC" 14"
FLAT BLACK WHEE
1521994-521 | 14" x 7" F
1521995-521 | 14" x 8" R
ALL RANGER® MODELS

2880087

2879304

2879306

2879307

2879392









## 12 MM LUG NUT KITS

2879332 | Set of 16 | With Wrench 2879331 | Set of 4 | No Wrench 2204966 | 12 mm Lug Nut Wrench XP 900 MY13-15

**STEP 3: ADD YOUR LUG NUTS** 

## SAE® LUG NUTS FOR ALUMINUM WHEELS

2876754 | Set of 4 2877409 | Set of 16

ALL RANGER  $^\circ$  models except XP 900

## SEDONA® RIPSAW 14" TIRES

5414980 | 26" X 9" FRONT 5414981 | 26" X 11" RFAR

MAXXIS® BIGHORN®

2876905 | 26" X 9" FRONT 2876906 | 26" X 11" REAR

5414127 | 26" X 10" FRONT

5414674 | 27" X 9" FRONT 5414675 | 27" X 11" REAR

get left behind. 5415249 | 27" X 9" X 14" FRONT

5415368 | 27" X 11" X 14" REAR

MOTO MUD

ITP® BAJA CROSS 14" TIRES

ITP® MUD LITE XTR 14" TIRES

MOTO ATTACK 14" TIRES

With its aggressive, 11/8" deep treads, this 6-ply radial tire delivers outstanding performance on extreme terrain. Traction is excellent in deep ruts and in mud. 5413344 | 26" X 9" FRONT 5413345 | 26" X 11" REAR

The tread pattern and wide footprint give this 6-ply radial

tread pattern provide a smooth, predictable ride and slow-wear

Aggressive tread design features 11/8" deep, angled grooves for superior traction in trail or mud situations. 6-ply radial construction offers a smooth ride and long life.

With 1.5" deep lugs and side paddles all the way to the wheel, the 27" MOTO MUD will power your Polaris® ATV, Ranger® or RZR® through the muddiest conditions out there. Built using 8-plyrated Armor Belt® construction these tires will churn through

anything with authority. Bring a tow strap so your friends don't

This 8-ply 14" Moto Attack Tire features advanced radial

construction, aggressive deep-tread and side-bite traction to

ready to race, haul and roll with great handling in deep mud trenches, gravel, hard- or soft-pack trails and sand.

provide a Polaris® RANGER®, ATV or RZR® rider with outstanding traction, handling and long-lasting durability. These tires are













2880026

outstanding traction, and its shoulder lugs help protect the

8-ply, extended-life rubber compound and innovative overlapping

2880027

2880028

2880693

2879295

2879389

2879390

2879391

2880697

2880698 2880699

D WHEEL
114" X 7" FRONT
114" X 8" REAR
MODELS

SIXR" 14" FLAT BLACK V 1521507-521 | 14" 1521508-521 | 14" ALL RANGER® MODE SIXR" 14" MACHINED W 1521507-266 | 14 1521508-266 | 14 ALL RANGER® MOD

2880088

2878884

2878030

2878435

2879394

2880089

2878886

2878032

2878437

2879395

2880700

## **STEP 4: ADD YOUR RINGS**



## 14" FORGE BILLET RINGS

1522244-266 | Machined NEW 1522244-133 | White 1522244-293 | Indy Red 1522244-589 | Orange Crush ALL RANGER® MODELS 14" beadlock wheels only

## **REPLACEMENT CAPS**





## **CENTER CAPS**

1521509-410 | Luster 1521509-521 | Flat Black ALL RANGER® MODELS

Never get a flat with revolutionary TerrainArmor" tire technology, the industry's first Non-Pneumatic tire built to sustain damage without compromising functionality or mobility. Originally designed for military environments, this polymeric web design can withstand harsh terrain that would typically destroy a pneumatic tire.

2880818 | XP 900 FULL-SIZE MY 13-15, CREW XP 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15 Ball joint upgrade kit (PN 2880928) required for XP 900 MY13-14, CREW XP 900 MY13-14, and CREW XP 900 MY15.



2880694





\*Requires 14" Forge Billet Rings 1522244-133, 1522244-293 or 1522244-589

TERRAINARMOR™ NON-PNEUMATIC TIRES



## SUPERIOR TECHNOLOGY


Polaris Engineered<sup>™</sup> offers superior performance with technology to light your way. These lights use Polaris®-exclusive LED technology, angled reflectors and a proprietary shape for full-spread light projection so you can see more — not only what's directly in front of you, but also what's in your periphery.


- Traditional LED lights cast a beam of light straight in front of you where our new Polaris®-exclusive tilted reflector technology provides a wider range of vision
- IP67 rated; fully sealed dust tight, fully submersible for up to one meter
- Durable integrated mounting locations on Polaris® machines
- 1 year warranty
- All light bars com pre-wired
- High grade CRE LED chips




## GREATER RANGE

See more of the trail — not only what's directly in front of you, but also what's in your periphery.







FOR OUR FULL LIGHTING LINE UP, SEE PAGE 42

RESSESSESSES

HARNESS NEEDED FOR RANGER®

2879863

2879863

2879863

2879863

2878770 or 2879863

35" LED Light Bar

13" LED Light Bar

7" LED Light Bar

2" LED Light

27" Dual Row Light Bar



• Convenient, versatile lighting that will enhance your riding experience

· 35" LED Light Bar elevates the vehicle's sporty, high-performance style

· Polaris® exclusive & manufactured by Vision X

· Installs quickly & easily into designated mounting locations and connects to vehicle's electrical system

· Delivers reliable performance & outstanding value

• Dust proof and waterproof up to one meter; tested to IP67 standards

• Premium 5 Watt CREE XPG-2 LEDs

- 35.43" x 2.76" x 2.17" (90 cm x 7 cm x 5.5 cm)

### 2880527

### ALL RANGER® MODELS MY 05-15



Requires LED harness (sold separately). See harness chart for specifics.

Installation instructions are included with the LED harness.

## 27" DUAL ROW LIGHT BAR

• 5-watt LED lights with maximum output of 21,000 lumens


• Custom combination of spot and flood lenses provide optimal light-beam projection

· Integrated mounting locations on roof; see wire harness chart for required harness

· Includes mounting hardware and installation instructions

### 2879858

## ALL RANGER® MODELS MY 05-15



Requires LED harness (sold separately).

Installation instructions are included with the LED harness.

## 13" LED LIGHT BAR NEW

· Convenient, versatile lighting that will enhance your riding experience

• 13" LED Light Bar elevates the vehicle's sporty, high-performance style

· Polaris® exclusive & manufactured by Vision X

· Installs quickly & easily into designated mounting locations and connects to vehicle's electrical system

· Delivers reliable performance & outstanding value

• Dust proof and waterproof up to one meter; tested to IP67 standards

• Premium 5 Watt CREE XPG-2 LEDs

- 13.39" x 2.76" x 2.17" (34 cm x 7 cm x 5.5 cm)

## 2880530

## ALL RANGER® MODELS MY 05-15



Requires LED harness (sold separately). See harness chart for specifics.

Installation instructions are included with the LED harness.

## 7" LED LIGHT BAR NEW

· Convenient, versatile lighting that will enhance your riding experience

• 7" LED Light Bar elevates the vehicle's sporty, high-performance style

• Polaris® exclusive & manufactured by Vision X

• Installs quickly & easily into designated mounting locations and connects to vehicle's electrical system

· Delivers reliable performance & outstanding value

· Dust proof and waterproof up to one meter; tested to IP67 standards

• Premium 5 Watt CREE XPG-2 LEDs

- 6.69" x 2.76" x 2.17" (17 cm x 7 cm x 5.5 cm)

## 2880624

## ALL RANGER® MODELS MY 05-15



Requires LED harness (sold separately). See harness chart for specifics.


Installation instructions are included with the LED harness.

## 2" LED LIGHT

- · 10-watt LED light
- · Max output of 900 lumens
- · Weather-proof connectors with plug-and-play harness
- · Die-cast aluminum housing with interlocking omni-link system and stainless steel hardware

## 2878715

## ALL RANGER® MODELS MY 05-15





## STROBE LIGHT (NOT SHOWN)

· Allows you to be seen in high-traffic areas and in reduced-visibility situations

· Attaches with a mounting bracket on the top of the cab frame

### 2873014

## **CREW 800**

Rear Accessory Wire Harness Kit 2873868 required

## UNIVERSAL LED HARNESS (NOT SHOWN)

· Required for installation of LED Headlight Kits (sold separately)

ALL RANGER® MODELS MY 05-15



LIGHTING





- Includes wiring harness and switch May require 2878907 or 2878906 based on
- mounting location

## 2878772

ALL RANGER® MODELS EXCEPT XP 900

## WHIP FLAG (NOT SHOWN)


· Maximizes visibility on hills and dunes 2878799

BILLET CLAMP ALL RANGER® MODELS EXCEPT XP 900 · Premium look and secure, reliable

performance

 Sold individually 2878907 | 1.75" Frame

2878906 | 1.5" Frame





## **FAST CLAMP**

· Attaches to rollcage for easy light mounting

· Sold individually

ALL RANGER® MODELS EXCEPT XP 900

2858880

### 2879863





Polaris® has partnered with MTX® Audio to supply you with industry-leading audio solutions for your RANGER®. MTX® Audio shares the Polaris Engineered™ values of delivering innovative, quality products that fit right, install easily and stand out against the competition. Choose our all new premium audio roof with stylish lines that blend seamlessly with your RANGER® and integrated LED light bars and taillights to keep you riding longer.

Polaris® and MTX® are committed to providing you with an outstanding, premium product that exceeds expectations and offers a truly remarkable listening experience wherever your RANGER® takes you.

## INDUSTRY LEADING SOUND QUALITY

Full range sound experience with extended low frequency reproduction for bigger, fuller sound

## RIDER-FOCUSED ERGONOMICS

Volume controls, glove-friendly buttons and overhead LED lighting designed with the rider top of mind

## BLUETOOTH® TECHNOLOGY

Sync your smartphone and control your music from a distance with Bluetooth® connectivity

## DURABLE, QUALITY CONSTRUCTION

Marine-grade construction designed to be extremely weather-resistant and handle the toughest outdoor conditions



## LOCK & RIDE® PRO-FIT PREMIUM AUDIO ROOF

- An incredibly versatile accessory, providing protection, comfort, style, storage, lighting and premium audio
- 400 Watts of power at peak performance
- 55Hz-20kHz Frequency response
- · Bluetooth connectivity for wireless audio
- · Audio system is completely integrated under the roof
- · Audio head unit positioned at front of roof with controls within reach of driver and passenger
- $\cdot$  Audio is delivered through four powerful 6x9 speakers
- · At rear of roof is an integrated LED floodlight
- · Accessory light bar (sold separately) can be installed at front of roof
- $\boldsymbol{\cdot}$  Two integrated under-roof storage pods are within reach and will securely hold small items
- $\boldsymbol{\cdot}$  USB charging port and auxiliary input cable
- Strong, durable black molded-poly roof provides shade and reliable overhead protection
- · Roof is styled to complement the sporty look of the RANGER®
- · Roof mounts easily on the vehicle frame in designated locations using provided hardware

### 288053

## XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

Light Bar Mount Kit (2879732) required for installing a light bar.

## LIGHT BAR MOUNT KIT

Required to install a light bar on Premium Audio Roof (2880538).

379732

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

## CAB ACCESSORIES


ADDING CAB ACCESSORIES WILL DELIVER THE COMFORT AND PERFORMANCE YOU NEED FOR THE WAY YOU WORK, HUNT OR RIDE. YOUR RANGER WILL BE MORE TOUGH ON THE OUTSIDE AND MORE ACCOMMODATING ON THE INSIDE.

## WHAT FITS AND WHAT YOU'LL NEED

When you purchase a heater or defrost kit, be sure to get the correct adaptor for proper installation. Using this chart, find where your heater or defrost kit lines up with your RANGER® model and its model year.

Note that adaptors are also required for installation in selected RANGER® models.

SHOWN: RANGER XP 900 HEATER KIT 2879213



## **HEATER KITS:**

PART NO.	FITMENT	NOTES
2880023	XP 900 MY 13-15, CREW 900 MY 14- 15, 570 Full-Size MY 15, CREW 570 Full-Size MY 15, Diesel MY15, CREW Diesel MY 15	Includes in-dash defrost; requires cutting of plastics; does not work with auxiliary battery kit
2878363	XP 800 MY 10-14, 6X6 MY 11-15, CREW 800, HD MY 11-14	
2878364	XP 800 MY 10-14, 6x6 MY 11-15, CREW 800, HD MY 11-14	Includes in-dash defrost; requires cutting of plastics; does not work with auxiliary battery kit; requires Defrost Relocation Kit 2858560 with use of bottom-mount windshield wiper
2879967 NEW	570 MY 15, CREW 570 MY 15	Includes everything needed for proper installation and reliable operation
2878458	800 Mid-Size, 800 EFI MY 13-14, 400 MY 10-14, 500, CREW 500 MY 10-13	Includes in-dash defrost; requires cutting of plastics Adaptor required: 2878652 for Ranger 800 Mid-Size only
2878491	800 EFI MY 13-14, 400 MY 10-14, Mid-Size 500, 570, CREW 570 MY 14-15	Adaptor Kit 2880110 required for 570 Adaptor Kit 2878541 required for 800 EFI MY 14

## WINDSHIELD WIPER KITS:

PART NO.	FITMENT
2879754	2879966 Lock & Ride® Pro-Fit Tip-Out Glass windshield, 2879269 Lock & Ride® Pro-Fit Fixed glass Windshield
2878138	Only works with Pro-Steel™ Tip-Out Windshield 2878214
2878025	800 EFI MY 13-14, 400, 500, 570 MY 14
2879968	570 MY15, CREW 570 MY15, ETX MY15, EV MY15 Not recommend for use with 2880442 Lock & Ride* Pro-Fit Tip-Out Glass Windshield
2878271	EV, MY 10-14, LSV MY 11-14

## CAB SEAL KITS:

PART NO.	FITMENT
2880883	CREW 570 MY 15
2879657	CREW 900 MY 14-15, CREW 570 Full-Size MY 15



FITS RANGER® DASH HARD MOUNTS USING DARTS AND REQUIRES DRILLING

## WATERPROOF BLUETOOTH AUDIO

- · MBQuart Audio Technology
- · Kit includes four mounting configurations
- $\cdot \ \mathsf{Self} \ \mathsf{contained} \ \mathsf{wireless} \ \mathsf{audio} \ \mathsf{unit} \ \mathsf{provides} \ \mathsf{a} \ \mathsf{rider} \ \mathsf{with} \ \mathsf{rich}, \ \mathsf{powerful}, \ \mathsf{high-quality} \ \mathsf{audio}$
- · Mounts easily to the handlebars, roll cage or fits in your dashboard storage area
- · IPX4 rated for water and dust resistance
- · Simple controls on top of unit adjust volume and function
- · Audio unit has Bluetooth connectivity with voice prompts and voice commands (voice commands on iOS only)
- Internal LiPo rechargeable battery provides 12 hours of music between charges
- Unit can be easily removed from your ATV between rides for recharging and for use in other applications

## 2880458

## ALL RANGER® MODELS





## INTERIOR DOME LIGHT KIT

- Weather-proof connectors with plug-and-play harness
- · Push-button switch for easy on and off

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15, ETX MY 15, EV MY 15. 570 MY15. CREW 570 MY15

Only works with a Poly or Premium Roof installed. 2878851, 2878849, 2879642, 2880642, 2879979



## **HEATED SEAT KIT**

- · Enjoy heated seats for extra cold-weather comfort
- · Heater units install in stock seat cushions
- Includes all wiring and installation instructions Requires Battery Connection Cable 2879388 with RANGER XP 900 or prior installation of winch or stereo kit

## 2879271

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 MY 15, DIESEL MY 15, CREW DIESEL MY 15

## SEAT ADJUSTER KIT (NOT SHOWN)

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 MY 15, DIESEL MY 15, CREW DIESEL MY 15 Does not work on 2014-2015 standard models with a one piece bench

seat. Comes standard on LE models.

For front seats in Crew Vehicles



## REAR VIEW MIRROR

- · Durable, weatherproof construction, designed to perform in all off-road riding conditions
- · Installs easily: Mount bolts into your choice of pre-designated mounting locations on vehicle frame
- Mirror attaches to mount and is adjustable
- Convex design provides broad, expanded view of what's behind or alongside the vehicle
- · Can be used with roof, windshield and other accessories

## 2879969

XP 900 MY 14-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, 570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15, DIESEL MY 15, CREW DIESEL MY 15



- · Yellow Speedkey® governs vehicle speed to maximum of 25 mph
- · RANGER® owner can control top speed available to individual

XP 900 MY 14-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, 570 MY 15, CREW 570 MY 15, ETX MY15 Dealer installation required

## 2879290

## XP 900 MY 13

Dealer installation required



## HORN KIT

- · Horn provides a means of instantly, loudly alerting others to potential hazards
- · Horn can conveniently get people's attention and alert them to the presence of the RANGER® or its riders
- · Connects to vehicle's electrical system for power

XP 900 MY 13-15 DIESEL MY 15 CREW DIESEL MY 15 570 FILLI SIZE MY 15, CREW 570 FULL SIZE MY 15, 570 MY 15, CREW 570 MY 15, ETX

Requires Battery Connection Cable 2879388 or prior installation of winch or stereo kit with XP 900, CREW 900, 570 Full-Size and CREW 570 Full-Size

Requires Battery Connection Cable 2880929 or prior installation of winch or stereo kit with ETX, 570 Mid-Size, CREW 570 Mid-Size



### DASH-MOUNTED AUDIO KIT


- · Create your personal soundtrack for your ride with this Dash-Mounted Audio Kit. It installs easily and securely, has a powerful amp and plays music from a variety of audio sources
- Integrated, automotive-style mounting of head unit and speaker nods into dash
- AM/FM tuner with external antenna for reliable reception
- Powerful 45-watt x 4-channel amplifier for premium-quality sound
- USB input to connect MP3 player or other audio sources. Bluetooth® compatible for wireless streaming of music

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY15, CREW DIESEL MY 15

2879685 Auxiliary Battery Harness needed for Full-Size Crew models (sold separately)

570 MY 15 CREW 570 MY 15 FTX MY 15 FV MY 15

2879685 Auxiliary Battery Harness needed for Crew models (sold separately)



## **POLARIS® INTERACTIVE** DIGITAL DISPLAY NEW

Simple and seamless — Polaris® has developed the first of its kind; this display will put you at the center of your riding experience in a whole new way.

- · 4.3" high-resolution, full-color, LCD digital display
- Smartphone connectivity\* via Bluetooth™ displays text message and missed call indicator, phone battery life and cell signal strength
- · Diagnostics screen displays vehicle fault codes, descriptions and suggested actions to resolve issues
- Vehicle Immobilizer and security function allow you to lock your vehicle with a passcode
- GPS Connectivity offers exact location information including elevation, latitude/longitude, compass bearings, as well as recording your route so you can find trails again

### 2880402


XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL

Requires RANGER® install kit 2880567

## POLARIS® INTERACTIVE DIGITAL DISPLAY INSTALL KIT NEW

· Includes all new instrument panel, necessary mounting hardware, wiring harness, etc. to install the Polaris® Interactive Digital Display

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15





Plan and record your route so you can find trails again



Check missed calls and text messages without pulling out your phone



Diagnostics screen displays fault codes and suggested actions to take

## COMING SOON

## POLARIS® LINK NEW POWERED BY RIDEX

Become integrated into your riding experience with the Polaris® Link, powered by RiderX®. The wireless link easily plugs into your vehicle to record diagnostics and information. The data is transferred wirelessly via Bluetooth™ to your cellular device, where you review with your RiderX™ mobile application.\* Polaris Link supplies data to your phone wirelessly from your machine including:

- Real-Time Gauge with speed, RPM and average miles per gallon
- · Vehicle Statistics including fuel rate, battery voltage and engine hours
- · Vehicle Diagnostics that display error codes and preferred dealer communication
- \*Full functionality requires compatible Bluetooth® smartphones

## POLARIS WIRELESS LINK HARNESS NEW

· Wiring harness connects Polaris Wireless Link for most versatile connection in the greatest number of off-road locations to your machine

· Harness connects easily to vehicle electrical system and to the link



TO 82350







## POLARIS® XTR GPS BY LOWRANCE®

- · Know where you are with premium GPS
- · Fully integrated custom dash mount for a clean look
- Marine-grade technology to withstand rigors of harsh off-road environments
- · 5" high-definition color display eliminates glare
- · Oversized controls for operation with gloves
- · Requires installation mount (sold separately)

## 2879174

## XP 900 MY 13-14, CREW 900 MY 14

If the XTR GPS is being purchased for a model that has a metal roof installed, you will also need to purchase an NMEA 2000 Compatible antenna. This is NOT sold through Polaris®.

## LOWRANCE® GPS MOUNT (NOT SHOWN)

XP 900 MY 13-14, CREW 900 MY 14

## REGIONAL HD MAP CARDS (NOT SHOWN)

SOUTHWEST REGION HD MAP CARD

2879424

NORTHWEST REGION HD MAP CARD

NORTH CENTRAL REGION HD MAP CARD

2879426

SOUTH CENTRAL REGION HD MAP CARD

2879427

**GREAT LAKES REGION HD MAP CARD** 

2879428

SOUTHEAST REGION HD MAP CARD

NORTHEAST REGION HD MAP CARD









Polaris®-Exclusive Highly Detailed Off-Road Mapping



## **EPS KIT (ELECTRONIC POWER STEERING)**

- · Enjoy smooth, easy, precise responsive automotive-quality power steering
- EPS provides a light steering feel in all situations, including low-speed maneuvering through challenging terrain
- · Enjoy your riding more and stay fresher throughout a day of riding


2879970 NEW

570 MY 15, CREW 570 MY 15

2879259 XP 900 MY 13

2880083

XP 900 MY 14-15, CREW 900 MY 14-15



## **REVERSE WARNING KIT**

- · Activates automatically when vehicle is in reverse
- · Invaluable when visibility behind the vehicle is obstructed and on busy job sites

2880631 NEW

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

ALL RANGER® MODELS INCLUDING DIESEL MY 15, EV AND LSV EXCEPT DIESEL MY 05-15 AND EV MY 15

Requires harness 2880173 when installed on 2014 RANGER® 570 mid-size

## BATTERY CONNECTION CABLE (NOT SHOWN)

- · High-gauge connector cable to add electronic accessories Required to power accessories on RANGER XP 900 and RANGER CREW 900
- Not required if winch or audio systems are installed

2879388 ALL FULL-SIZE RANGER® MODELS EXCEPT CREW MY 14

2879990

ALL MID SIZE RANGER MODELS THROUGH MY15

2880929

MID SIZE CREW MODELS MY14-15 2879685

ALL FULL-SIZE CREW MODELS MY 14



## AUXILIARY BATTERY KIT NEW 2880555

EV MY 15

Kit does not include batteries. Recommended to use up to two batteries (4010630)

2879031

BATTERY KIT 2879031 FOR EV MY12-14 ONLY

QUICK CHARGE KIT NEW

2880556 EV MY 15

## ACCESSORY HARNESS (NOT SHOWN)

2412710 XP 900. CREW 900 2880173

570 MY 14, CREW 570 MY 14

EV MY 10-14, LSV MY 11-14

EV MOTOR COOLING KIT (NOT SHOWN) 2204419

Recommended for warm-climate riding


PART #	FOR USE WITH XP 900
2879271	Heated Seat Kit
2879213	Heater Kit
2879249	Windshield Washer/Wiper Kit
2879199	Cargo Box Lift
2879205	27" Dual Stack LED Light Bar
2878713	27" LED Light Bar
2878714	12" LED Light Bar
2878202	4" LED Light Bar
2878715	2" LED Light
2876684	PIAA® 35-Watt Light
2877335	Rally Lights
2879273	Horn Kit

BATTERY CONNECTION KIT

Model: RANGER® 12

## P#LARIS® ENGINEERED PARTS ACCESSORIES & APPAREL

## RAMPS & COVERS



## FOLDING HEAVY-DUTY ALUMINUM ARCHED RAMPS

- · Fold up for transport
- Strong enough to hold up to 1,500 lb. (680.7 kg)
- · Include safety straps and instructions
- · Sold in pairs

## 2875387

## LIGHTWEIGHT TRI-FOLD RAMP

- Handles up to 1,500 lb. (680.7 kg)
- · Folds up to fit under ATV during transport
- · Includes safety straps and instructions

2875385 | 72" x 51"

2875860 | 82" x 51"

## ALUMINUM ARCHED LOADING RAMPS

- Each ramp measures 76" x 12" (23.2 x 30.5 cm)
- · Combined capacity up to 2,000 lb. (907.2 kg)
- · Easily transportable

· Sold in pairs 2875384

## TRAILERING COVER NEW

- · Strong, durable, weatherproof canvas construction
- Canvas is UV-stable to resist fading from prolonged exposure to sunlight
- Designed specifically for the RANGER® so it goes on and off easily, fits properly, and offers reliable, full-coverage protection
- · Ratchet strap system on the bottom secures the cover to the vehicle
- · Cover features expandable pockets that ensure coverage of accessories such as all bumpers, roof, most rear cargo box accessories and more

2880632 NEW

570 MY 15, ETX MY 15, EV MY 15 2880633 NEW

CREW 570 MY 15

XP 900 MY 13, 4X4, XP, HD MY 09-13, 4X4, XP, 2X4 MY 05-08, 570 FULL-SIZE MY15, DIESEL MY15



TRAILERS & ACCESSORIES

## **ENCLOSED ATV TRAILERS**

The Polaris® brand of enclosed trailers is the ultimate combination of quality, style and versatility. With a variety of sizes and price points to choose from, this brand is among the most diverse in the industry. Introducing the market's first side-byside UTV package, we've revolutionized the way you'll tow, and store, your Polaris® ATV machines. Standard features include all-aluminum box-tube framework, .030" exterior side panels and torsion ride axles. Box lengths range from 8' to 20'.

### PC6.5X16 QUICK SPECS

4325# Payload Capacity:

Interior Dim (LxWxH): 15' 10" x 77" x 76" Overall Dim (LxWxH). 21' 7" x 101" x 8' 1" (2) 3500# Braked 15" White Mod / 205/75D15 Wheels/Tires:

6000# GVWR-

## OPEN RANGER® TRAILERS

Our RANGER  $^{\circ}$  12 utility trailer was custom designed around the world-famous line of Polaris® utility vehicles. Built from all-aluminum framework, 1.25" pressuretreated decking boards and the highest quality components available, the RANGER® 12 is rugged enough to withstand the best that you, or Mother Nature, can throw at it. Polaris® utility trailer models range from 4' x 8' to 6.5' x 12', and are available in wood or aluminum decking. Popular options include bi-folding rear ramps, removable rail kits, diamond plate side panels, wheel jacks and D-ring tie-downs.

## RANGER® 12 QUICK SPECS

Payload Capacity: 144" x 72" Deck Dim (LxW): 18' x 94" Overall Dim (LxW): (1) 3500# Idler

15" White Mod / 205/75D15 Wheels/Tires-

GVWR-2990#

## **OPEN ATV TRAILERS**

Polaris® ATV trailers are available in widths of 83", 84", 88" or 96" inches, accommodating a variety of ATV models and sizes. With a number of ATV-specific features, including surface-mounted D-rings, side or rear-stowing ramps, rear edge protectors and wheel jacks on larger trailer models, these trailers are ready to haul, right out of the box.

## PATV 83X14 QUICK SPECS

Payload Capacity: 2565# Deck Dim (LxW): 168" x 83" Overall Dim (LxW): 18' x 102"

(1) 3500# Idler (Leaf) Wheels/Tires: 15" Silver Mod / 205/75D15

GVWR-2990#

## DROP RECEIVER HITCH DRAW BAR

· Fits 2" receiver

· Accepts trailer balls with ¾" (1.9 cm) shank

2875320 RANGER® 2"





FOR MORE INFO, PLEASE VISIT:

WWW.POLARIS-TRAILERS.COM



Polaris® and its vehicle body designs and names are registered trademarks of Polaris® Industries Inc. Used under license. Polaris® designs, engineers, manufactures and markets snowmobiles, all-terrain vehicles (ATVs), Victory® motorcycles and the Polaris® RANGER® for recreational and utility use. Information about the complete line of Polaris® products, apparel and vehicle accessories is available from authorized Polaris® dealers or anytime from the Polaris® homepage at www.polarisindustries.com.



## PS-4 OIL CHANGE KITS

2202166 | Sportsman ACE 570. RZR RANGER 570. Twin 600, 700, 800

2877473 | Sportsman® 330-570, XP 550/850/1000 2880913 ∣ Sportsman® ETX, Sportsman ACE™, RANGER®

2879129 | RZR° XP 2011-2012

\* Extreme Cold

-40'F/-40°C 0°F/-20°C

**←** EXTREME COLD EASY START

2879323 | RANGER® 900 / RZR® 900, 1000



## PS-4 EXTREME DUTY OIL CHANGE KITS

2879004 | Sportsman ACE™ 570. RZR®/RANGER® 570. Twin 600, 700, 800

2878924 | Sportsman® 330-570, XP 550/850/1000

2879130 | RZR° XP 2011-2012

2879324 | RANGER® 900/RZR® 900. 1000



## **ORV MAINTENANCE KIT**

- · Kit includes:
- 1.5 quarts of AGL
- 1 quart of Angle Drive Fluid
- 1 pint of Demand Drive Fluid - 1 3oz. tube of All-Season Grease
- · Services all ATV, RANGER®s, and RZR®s



Extreme Hot \*

100°F/40°C 130°F/55°C

- Maximum rust and corrosion protection
- Designed for professional grade and high-temp 4-cycle applications
- 2878920 | Quart (12 per case)

2878922 | 2 Quart (8 per case)

2878919 | Gallon (4 per case)

2879001 | 330 Gallon Tote

2879003 | 16 Gallon 2879002 | 55 Gallon

**EXTREME HEAT WEAR PROTECTION>** 

**PS-4 Extreme Duty** 



## **PS-4 EXTREME DUTY ENGINE OIL**

- Ultimate high-temperature engine protection
- · Prevents thermal breakdown

2877490 | 2 Quart | 8 per case

2876247 | 16 Gallon 2876246 | 55 Gallon

2878814 | 330 Gallon Tote



## **PS-4 SYNTHETIC ENGINE OIL**

- · Maximum engine protection in cold and hot conditions
- · Easy starting in extreme cold
- · Extra rust and corrosion protection
- · Extends gear and clutch life
- · Designed specifically for Polaris® 4-cycle engines
- 2876244 | Quart | 12 per case
- 2876245 | Gallon | 4 per case



EXTENDED LIFE ANTI-FREEZE

50/50 FORMULATION NEW

- · No scaling = better heat transfer

· New yellow coloration

2880514 | 1 US Quart | 12 per case

2880513 | 1 US Gallon | 6 per case 2880512 | 55 US Gallon Drum

### AGL PLUS

· Full synthetic friction-reducing formulation, extreme pressure film protection for severe operating temperatures

· Prevents rust, oxidation, foam and corrosion of internal ATV transmission components

2878068 | Quart | 12 per case

2878069 | Gallon | 6 per case

2878070 | 2.5 Gallon | 2 per case

2879594 | 55 Gallon

### DEMAND DRIVE PLUS

- · Formulated for lubricity, corrosion and oxidation protection in all operating conditions
- · Replaces Demand Drive Fluid, LT Demand Drive Fluid, and

2877922 | Quart | 12 per case

2877923 | 2.5 Gallon | 2 per case

## ATV ANGLE DRIVE FLUID NEW

2876160 | Quart | 12 per case

2872276 | 2.5 Gallon | 2 per case

## **ALL-SEASON GREASE**

· Low-temperature pliability for protection at cold start-up as well as excellent high-speed and high-temperature protection

2871322 | 3 oz. 4-pack | 6 per case

2871423 | 14 oz. | 10 per case 2871312 | Grease Gun Kit | 4 per case

## U-JOINT GREASE

2871515 | 3 oz 4-pack | 24 per case 2871551 | 14 oz | 10 per case

## SYNTHETIC DIESEL ENGINE OIL NEW

- · All-Season 5W-40 Formula
- · Excellent cold weather protection
- · Ultimate protection in serve duty applications

2879832 | Quart | 12 per case

## SUMMER 15W40 DIESEL OIL

· Multi grade lubricant designed for heavy duty equipment

• Excellent wear protection during high temperature applications

2878473 | 2 Quart Bottle | 8 per case 2878471 | Oil Change Kit | 4 per case

## **CARBON CLEAN FUEL TREATMENT**

- · Dissolves gum and varnish in fuel system
- Prevents and cleans carbon in combustion chamber
- · Excellent fuel stabilizer for storage
- · Formulated for both 2- and 4-cycle engines
- · Absorbs water and stabilizes fuel

2871326 | 12 oz. | 12 per case

## PREMIUM ETHANOL FUEL STABILIZER

- · Prevents fuel oxidation and system corrosion Significantly reduces gum and varnish formation
- · Protects fuel system components

· Formulated for both 2- and 4-cycle engines

2870652 | Quart | 12 per case

2872280 | 2.5 Gallon | 2 per case

## XP WASH™ NEW

- · Removed the most intense and stubborn dirt and trail build up easily
- · A foaming, highly concentrated wash
- · Superior water beading 2830203

## POLARIS® POLISH NEW

- · Protection and shine have never looked so good or been so easy - spray on, wipe off
- · Ideal on painted and plastic surfaces
- · Contains carnauba wax
- 2830207

## XP SPRAY WASH™ NIEW

- · Effortless cleaning power simply spray on, spray off and go
- · A biodegradable, high-performance wash ideal for removing dirt, oils and carbon build up

## 2830202

## NEVER RUST SPRAY NEW

- · Brutal conditions demand superior protection, be prepared for any climate
- before and after you ride · Synthetic formula protects against rust and corrosion while lubricating metal surfaces
- High resistance to water wash out
- 2830209

## **INSTANT SHINE &** DETAILER NEW

- · Cleans, polishes and protects plastic and nainted surfaces
- · Be quick, be effective, be ready to go
- · Spray and wipe formula

## 2830204

## ALL PURPOSE CLEANER NEW

- · Biodegradable formula removes dirt and grime effortlessly
- · Use on netting, seats, wheels, tires, plastic, and metal surfaces

## MUD SHIELD™ PRE TREATMENT NEW

- · Pre-treat and protect, engineered for the most extreme conditions
- Makes cleaning your vehicle easier and
- · Inhibits the adhesion of dirt, mud and snow 2830208

2830205

## MAINTENANCE PARTS

POLARIS ENGINEERED™ PARTS ARE DESIGNED AND ENGINEERED TO OPTIMIZE YOUR VEHICLE'S PERFORMANCE AND DELIVER THE TRUE HIGH-PERFORMANCE YOU DEMAND.



### ORV AIR FILTERS

- 99.9% efficient in blocking dirt in extreme testing
- Superior filter capacity: Traps 32% more contaminants than the closest competitor
- · Costs half as much as compared to leading aftermarket brands



## ORV OIL FILTERS

- The Polaris\* filter (#2540086) traps particles 64% smaller in size than the competition, resulting in lower levels of contamination in your engine
- The Polaris\* filter has 44% less restriction than the competition to ensure adequate lubrication in all conditions



## ORV BATTERIES

- $\boldsymbol{\cdot} \ \text{We use only the highest quality batteries} \\$
- $\boldsymbol{\cdot}$  Engineered and tested to fit and perform on our machines



### ORV BRAKE PADS

- High performance in any temperature and condition: wet, dry or mud
- Designed with the same material used by high-end motorcycles



### ORV DRIVE BELTS

- Lowest tolerances (.188") provide highest performance
- $\bullet \ \, \text{The Polaris}^{\circ} \, \text{Kevlar}^{\circ} \, \text{belt provides 2x longer belt life than the competitor's "Heavy-Duty" belt}$

VEHICLE MODEL	AIR FILTER	BELT	OIL FILTER	BATTERY	BRAKE PAD Front	BRAKE PAD REAR
RANGER® EV	N/A	N/A	N/A	N/A	2203747	2203747
RANGER® EV LSV	N/A	N/A	N/A	N/A	2203747	2203747
RANGER® 400	7081308	3211077	2520799	4012622	2203747	2203747
RANGER® 570	2521372	3211169	2540086	4012622	2203747	2203747
RANGER CREW 570	2521372	3211169	2540086	4012622	2203747	2203747
RANGER® 800 EFI	1240482	3211162	2540086	4010630	2202413	2202413
RANGER® 800 6X6	1240482	3211162	2540086	4010630	2203747	2203747
RANGER® 900 DIESEL	1240482	3211135	3070131	4014132	2203747	2203747
RANGER CREW 800	1240482	3211162	2540086	4014043	2203747	2203747
RANGER® 4X4 900 DIESEL	1240482	3211135	2540086	4014132	2203747	2203747
RANGER XP 900	7081706	3211149	2540086	4014132	2203747	2203747
RANGER CREW 900	7081706	3211149	2540086	4014043	2203747	2203747
RANGER XP 900	7081706	3211149	2540086	4014132-P	2203747	2202413
RANGER XP 900 EPS	7081706	3211149	2540086	4014132-P	2203747	2202413
RANGER CREW 900	7081706	3211149	2540086	4014132-P	2203747	2203747
RANGER CREW 900 EPS	7081706	3211149	2540086	4014132-P	2203747	2203747
RANGER® 6X6	1240482	3211162	2540086	4014132-P	2203747	2203747

FIT CHARTS

1. GO TO THE "DEALER EXTRANET."

2. UNDER "NEWS, FORMS AND LINKS" CLICK ON "PURE POLARIS."

3. FIND THE REFERENCE AND FITMENT CHART FOR YOUR VEHICLE.

REFERENCE MANUALS

- 1. GO TO THE "DEALER EXTRANET."
- 2. UNDER "NEWS, FORMS AND LINKS" CLICK ON "TECHNICAL PARTS."
- 3. FIND THE QUICK REFERENCE MANUAL FOR YOUR VEHICLE.



## HERITAGE

## VISIT POLARIS.COM TO LEARN MORE

Category	Product Name	PN	Fitment
Bumpers and Guards	Front Brushguard	2877822-521	XP 800, HD MY 09-14, 500 EFI MY 09-10, Diesel MY 11-14, CREW, 6x6 MY 10-14
Bumpers and Guards	Rear Brushguard	2877340-521	XP 800, HD MY 09-14, 500 EFI MY 09-10, Diesel MY 11-14, CREW, 6x6 MY 10- 14, 570, CREW 570 MY14
Bumpers and Guards	Mid-Size Front Brushguard	2877765-458	400/500/570/800 Mid-Size, Crew 570 Mid-Size, Crew 500
Bumpers and Guards	Mid-Size Rear Bumper, Rgr 400/500	2877711-458	400, 570 EFI, 570 EPS, EV/LSV, 800 EFI Mid-Size, 800 EPS Mid-Size, CREW 570 EFI
Cab System	Pro-Steel™ Cab System With Tipout Windshield And Soft Doors	2851237	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel™ Cab System With Fixed Windshield And Soft Doors	2851236	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel™ Cab System With Tip-Out Windshield And Steel Doors	2851235	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel™ Cab System With Fixed Windshield And Steel Doors	2851234	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Door	Crew Canvas Cab Door Kit	2877834-067	CREW MY 10-14, Diesel CREW MY 12-14
Door	Mid-Size Poly Cab Door Kit	2879111	800 EFI MY13-14, 400, EV MY10-14, 500, 570, LSV MY 11-14
Door	Pro-Steel™ Cab Steel Door Kit	2878216	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Door	Pro-Steel™ Cab Soft Door Kit	2878105	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Doors	RANGER® Mid-Size Crew Canvas Doors	2879353	CREW 500 MY11-14, CREW 570 MY14
Doors	Mid-Size Canvas Cab Door Kit	2879351	800 EFI MY 14, 400, EV, MY 10-14, 500, LSV MY 11-14
Doors	RANGER® Mid-Size Crew Lock & Ride® Poly Door Set	2879114	CREW 500 MY11-14, CREW 570 MY14
Hitch	Front Receiver Hitch	2877040	Full-Size Only: XP 800/HD MY 09-14, 6x6 and CREW MY 10-14, 500 EFI MY 09- 10, Diesel MY 11-14, CREW Diesel MY 12-14
Plow	Glacier® II Plow Mount	2878835	All RANGER® Models MY 05-14
Plow	Glacier® Pro Plow Mount Plate	2879105	FULL-SIZE XP 700, XP 800 MY 09-10, 500 EFI MY 09-10, CREW 800 MY 10-14, 6x6 MY 09-14
Rear Panel	Mid-Size Crew Poly Cab Rear Panel	2879951	800 EFI MY13-14, 400, EV MY10-14, 500, 500 CREW MY11-13, 570, CREW 570 MY14, LSV MY 11-14
Rear Panel	Mid-Size Cab Poly Rear Panel	2879950	800 EFI MY13-14, 400, EV MY10-14, 500, 500 CREW MY11-13, 570, CREW 570 MY14, LSV MY 11-14
Rear Panel	Lock & Ride® Poly Rear Panel	2878761	800 EFI MY 13-14, 400, EV MY 10-14, 500, CREW 500 MY 11-13, 570, CREW 570 MY 14, LSV MY 11-14
Rear Panel	Pro-Steel <sup>™</sup> Cab Rear Panel	2878217	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Rear Panel	Poly Rear Panel	2878165	XP 800, HD MY 09-14, 6X6 MY 10-14, 500 EFI MY 09-10, DIESEL, CREW MY 11-14
Roof	Mid-Size RANGER® Canvas Roof	2879352	CREW 500 MY11-14, CREW 570 MY14
Roof	Mid-Size Canvas Cab Roof / Rear Panel	2879350	800 EFI MY 13-14, 400, EV MY 10-14, 500, CREW 500 MY 11-13, 570, CREW 570 MY 14, LSV MY 11-14
Roof	Lock & Ride® Full-Size Crew Sport Roof	2879112	CREW 500 MY11-14, CREW 570 MY14
Roof	Lock & Ride® Full-Size Crew Sport Roof	2879109	800 EFI MY13-14, 400, EV MY10-14, 500 MY11-13, 570 MY14, LSV MY 11-14
Roof	Lock & Ride® Full-Size Crew Sport Roof	2878755	CREW MY 10-14
Roof	Bimini Soft Top	2878418	CREW 500 MY11-14, CREW 570 MY14
Roof	Pro-Steel Roof	2878215	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Roof	Sport Roof 3Piece	2877946	800 EFI MY 13-14, 400, EV MY 10-14, 500 MY 11-13, 570 MY 14, LSV MY 11-14
Roof	Crew Canvas Cab Roof/Rear Panel	2877833-067	800 CREW MY 10-14, Diesel CREW MY 12-14
Roof	Bimini Soft Top	2876963-067	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14

Category	Product Name	PN	Fitment
Storage	Cargo Box Lift	2880057	RANGER* 570, CREW 570 MY 14
Storage	Cargo Box Lift	2878266	6x6 MY 11-14
Storage	Shoulder Bag	2877862	RANGER® 400
Storage	Cargo Lift Box	2877054	2x4, 4x4, XP MY 05-08, 4x4, XP, HD, CREW MY 09-14, Diesel MY 11-14, CREW DIESEL MY 12-14, 400/500 MY 10-14. Will not work on early-build Full-Size RANGER* MY 10, built prior to February 2010
racks	Prospector Pro® Track Mounts	2880058	400 MY10-14, 500 MY11-14, 800 EFI MY13-14
[racks	Prospector Pro® Track Mounts	2879524	800 XP MY10-14
Vinch	WARN® Provantage 4500 lb. Provantage Winch	2880570	6x6, 800, CREW 800
Vinch	PII Multimount Crew Rear Cable Kit	2877978	6x6 MY 05-09, CREW MY 08-09, CREW, 6x6 MY 10-14
Vindshield	Mid-Size Poly Cab Glass Windshield	2879741	800 EFI MY13-14, 400, EV MY10-14, 500, 500 CREW MY11-13, 570, CREW 570 MY14, LSV MY 11-14
Vindshield	Mid-Size Canvas Cab Poly Windshield	2879491	800 EFI MY13-14, 400, EV MY10-14, 500, 500 CREW MY11-13, 570, CREW 570 MY14, LSV MY 11-14
Vindshield	Mid-Size Canvas Cab Poly Windshield (Hard Coat)	2879490	800 EFI MY13-14, 400, EV MY10-14, 500, 500 CREW MY11-13, 570, CREW 570 MY14, LSV MY 11-14
Vindshield	Full Poly Windshield (Hard Coat)	2879489	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Vindshield	Mid-Size Poly Cab Poly Windshield (Hard Coat)	2879108	800 EFI MY 13-14, 400, EV MY 10-14, 500, CREW 500 MY 11-13, 570, CREW 570 MY 14, LSV MY 11-14, Does not fit with canvas cab or sport roof
Vindshield	Lock & Ride® Half Windshield	2878757	800 EFI MY 13-14, 400, EV, MY 10-14, 500, CREW 500 MY 11-13, 570, CREW 570 MY 14, LSV MY 11-14
Vindshield	Lock & Ride® Half Windshield	2878756	800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14, CREW MY 10-14, CREW DIESEL MY 12-14
Vindshield	Pro-Steel Windshield Tipout	2878214	800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Vindshield	Pro-Steel Windshield Fixed	2878213	800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Vindshield	Windshield Wiper Kit	2878138	Only works with Pro-Steel™ Tip Out Windshield 2878214
Vindshield	Windshield Wiper Kit	2878025	800 EFI MY 13-14, 400, EV, MY 10-14, 500, LSV MY 11-14, 570 MY 14
Vindshield	Poly Cab Poly Windshield (General Purpose)	2876958	800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab Accessories	RANGER® 570 Heater Adaptor	2880110	RANGER® 570
Cab Accessories	Battery Connection Cable	2879990	All Mid-Size RANGER® Models MY14
Cab Accessories	Mid-Size Heater Adaptor	2878652	RANGER MY10-11
Cab Accessories	Mid-Size RANGER * Heater, Crew	2878491	800 EFI MY 13-14, 400 MY 10-14, Mid-Size 500, 570, CREW 570 MY 14-15 Adaptor Kit 2880110 required for 570 Adaptor Kit 2878541 required for 800 EFI MY14
Cab Accessories	Full-Size Heater Kit	2878461	Diesel, CREW Diesel MY 11-14
Cab Accessories	Full-Size Heater Kit	2878364	XP 800, 6x6, CREW, HD MY 11-14
Cab Accessories	RANGER® Grab Handle	2858185	All RANGER® models. Attach anywhere on the roll bars.

ACCESSORIES

## HELMETS

WEARING A HELMET WHEN YOU RIDE IS JUST AS IMPORTANT AS REMEMBERING YOUR KEYS. THANKS TO POLARIS INNOVATION, YOU CAN STILL LOOK GOOD WHILE PROTECTING YOUR HEAD AND YOUR LIFE.



- · Composite construction shell made of aircraft-grade woven carbon fiber and Kevlar® composite materials for superior, lightweight strength
- · Dual-density EPS liner for impact absorption
- Multi-port air induction cooling system with tri-vent goggle anti-fog vents
- · Removable washable liner and cheek pads
- · Snell® M2010-, DOT- and ECE-approved

2865110 | Sly | XS-5XL

2865111 | Podium | XS-5XL

2865112 | Dominate | XS-5XL

2864218 | Black/VooDoo Blue | XS-2XL

2864208 | Black/Hi-Vis Yellow | XS-2XL

2863185 | Platinum Ice | XS-2XL

## FLY F2° HELMET REPLACEMENT PARTS

2863165 | Breath Deflector

2864211 | Replacement Visor | Black/Hi-Vis

2864357 | Replacement Visor | Black/VooDoo Blue

2863202 | Replacement Visor | Race Orange

2863162 | Visor Screw Kit

286316401 | Cold Weather Plug Kit | XS/S

286316403 | Cold Weather Plug Kit | M/L

286316409 | Cold Weather Plug Kit | XL/2XL 2863199 | Cheek Pad | 40mm | XS

2863198 | Cheek Pad | 35mm | S, M, L

2863197 | Cheek Pad | 30mm | XL

2863196 | Cheek Pad | 25mm | 2XL 2863195 | Cheek Pad | 20mm | 3XL









Black/VooDoo Blue

Black/Hi-Vis Yellow

286224203 | Black | Regular

2863189 | Large Replacement Filters |

2863190 | X-Large Replacement Filters |

286224206 | Black | XL

OSFM | 3 per pack

OSFM | 3 per pack

**RZ MASK** 

Platinum Ice



Black Gloss

The unique, multi-purpose KTP features a face shield that slides up and down. It even works with goggles in the shield-up

- Air-intake, flow-through ventilation system
- Adjustable visor, adjustable chin strap, movable polycarbonate eye shield replaces need for goggles
- DOT approved

2869364 | Black Gloss | S-2X

## · Snell® M2010 and DOT-approved

· Lightweight, protective composite fiberglass shell · Dual-density EPS liner for impact absorption

· Aerodynamic, multi-channel flow-through ventilation system

· Moisture-wicking QwickDry® removable, washable liner

2864179 | Assault | S-3X

**DEMON 1.1 HELMET** 

2864176 | Red Gloss | S-3X 2864177 | Orange Gloss | S-3X

2864178 | Silver Gloss | S-3X

### REPLACEMENT VISOR

2864186 | Red Gloss

2864187 | Orange Gloss

2864188 | Silver Gloss 2864189 | Assault® Matte

## DEMON REPLACEMENT PARTS

2861233 | Breath Deflector

2869484 | Visor Screw Kit









Assault® Special Edition

## TENACITY HELMET

- · Lightweight polycarbonate shell
- · Mouth air-intake vent, eyebrow vents and six rear vents
- · Removable, washable liner · DOT/ECE-approved
- 2864180 | Red Gloss | S-2X
- 2860144 | Black Matte | S-2X
- 2864183 | Retro Gloss | S-3X
- 2864181 | Magenta Gloss | S-2X

## TENACITY REPLACEMENT VISOR

2864190 | Red Gloss

2864191 | Magenta Gloss

2864193 | Black Matte 2862120 | Visor Screw Kit











Magenta Gloss

White Gloss



## GOGGLES

KEEP DEBRIS OUT SO YOU CAN KEEP YOUR EYES WHERE THEY BELONG - ON THE TRAIL. POLARIS®-EXCLUSIVE GOGGLES ARE DESIGNED WITH YOUR RIDE IN MIND SO YOUR LOOK CAN BE MORE INTEGRATED FROM VISOR TO VEHICLE.

# 509° FOR POLARIS°

## 509° DIRT PRO GOGGLES

509° for Polaris° goggles are loaded with performance-driven innovations for avid riders who insist on the best eye protection. These goggles provide the ultimate combination of protection, comfort, ventilation, tear-off compatibility and style.

Size: Oversized frame and lens fit inside all standard moto helmets' goggle port and provide broad visibility.

**Lens**: Protective, shatterproof, single-pane chrome lens; non-vented dirt lens has a durable anti-scratch and anti-fog coating; blocks 100% of UV rays and is easily interchangeable with accessory lenses.

Strap: Innovative hinged-strap mount allows the goggles to remain flush against the face for optimized protection and comfort; ensures that the goggles form a seal against the face to block dirt, dust and wind; adjustable, silicon-backed strap remains securely in place where positioned on helmet.

**Foam**: Triple-layer foam construction consists of 3 layers of moisture-wicking foam of varying densities for a comfortable fit on the face.

Tear-Off Compatible: Unique triple tear-off post design includes 2 posts on the lens and a third adjustable post attached to the strap for enhanced tear-off installation and removal.

Nose Guard: Rigid, vented nose guard protects nose and can be installed or removed in seconds.

**Ventilation**: 13-port vent system (7 on top, 7 at base of frame) promotes fresh air circulation for comfort and fog prevention.

comfort and t	og prevention.
A. 2864327	Carbon Blue (chrome lens)   OSFM
B. 2863427	Signature Red (chrome lens)   OSFM
C. 2864328	Carbon Yellow (chrome lens)   OSFM
D. 2863426	Signature Black (chrome lens)   OSFM
E. 2863429	Blockade Orange (chrome lens)   OSFM
F. 2863428	Blockade Black (chrome lens)   OSFM

## 509° DIRT PRO REPLACEMENT LENSES

2863430	Ī	Chrome	I	OSFM
2863431	ī	Clear I	n	SFM

2863432 | Brown Polarized | OSFM

2863433 | Tear-Offs | 6 per pack | OSFM









## POLARIS® TRAIL GOGGLES

2863434 | Black | OSFM

POLARIS® TRAIL GOGGLES REPLACEMENT LENS

2863482 | Clear | OSFM





## FLY GLOVE

These lightweight gloves from the FLY Racing\* for Polaris\* Collection deliver outstanding protection and a sure grip while keeping hands comfortable.

**Shell:** Lycra® back panels stretch to provide a comfortable fit and are complemented by the embossed neoprene flex-knuckle system designed for protection and flexibility.

**PALM**: Lightly padded palm for extra comfort; durable construction with a reinforced thumb. **Additional Features**: Soft-Flex TPR (thermoplastic rubber) graphics offer extra protection; adjustable TPR wrist closure system; silicone finger grippers for increased grip and control.

A. 2864209 | Black/Hi-Vis Yellow | S-3X

B. 2864219 | Black/VooDoo Blue | S-3X

C. 2863194 | Platinum Ice | S-3X

## P&LARIS® ENGINEERED PARTS ACCESSORIES & APPAREL

## OGIO® BAGS

OGIO® BAGS FOR POLARIS® ARE HIGH-PERFORMANCE CARGO CARRIERS. BALLISTIC-GRADE MATERIALS AND EXCLUSIVE BRANDING GIVE YOU MORE FOR YOUR ON AND OFF ROAD JOURNEYS.

A. OGIO® RIG 9800 BAG

2864212 | Subtle Stripe

B. OGIO® 8800 TRUCKER

2864213 | Subtle Stripe

C. OGIO® LOADER 7600

2864214 | Subtle Stripe

D. ENDURANCE DUFFLE

2864215 | Subtle Stripe

E. BANDIT BACKPACK

2864216 | Subtle Stripe

F. WATERPROOF BACKPACK

2864217 | Charcoal Gray













## JERSEYS

## FLY RACING® JERSEYS

Developed by avid off-road riders, this lightweight, colorful jersey from the FLY Racing® for Polaris® Collection features materials and construction that promote airflow to keep an active rider cool and comfortable.

Fabric: Lightweight 100% polyester panels combine with mesh ventilation panels in key areas to promote airflow and dissipate body heat.

**Graphics**: Vibrant, permanent sublimated graphics, including Polaris® and FLY Racing® branding.

Additional Features: Low-profile, multi-directional Lycra® stretch collar; nonrestrictive shorty cuffs with elastic sleeves help reduce arm pump; extended tail helps keep jersey tucked into pants; tagless printed collar eliminates tag irritation.

2864210 | Black/Hi-Vis Yellow | S-3X

2864220 | Black/VooDoo Blue | S-3X



## BASE LAYERS

## **U.P. BASE LAYER**

• 93% polyester and 7% spandex jersey knit

· Reflective logos

2864030 | Top | Grey | S-3XL

2864031 | Bottom | Grey | S-3XL

## **BLACK ICE BASE LAYER**

• 93% polyester and 7% spandex jersey knit · Contrast stitching, reflective logos

2864033 | Top | Black | S-3XL

2864032 | Bottom | Black | S-3XL



## TECH WEAR

## PRO JACKET

- GORE-TEX® product technology Guaranteed to Keep You Dry®
- · Max vent with 2-way adjustable pit zips and back vent
- · Asymmetric style uses 330D nylon shell and 3M° Scotchlite° reflective
- Durable 2-way YKK° Vislon° zippers for adjustable and comfortable fit Drawcord adjustable neck, waist and Lycra® cuffs to keep snow out

2865003 | Red | S-3XL

2865002 | Black | S-3XL; MT-2XLT

### PRO BIB

- · GORE-TEX® product technology Guaranteed to Keep You Dry®
- · 330D nylon shell with ballistic nylon reinforcement and 3M° Scotchlite° reflective
- · Articulated knees with integrated EVA knee pads for added protection • Durable, YKK® full-length 2-way adjustable water-resistant leg zippers
- External chest pocket and 2 side pockets

2865007 | Black | S-3XL; MT-2XLT



## PROTECTION





TEKVEST® FREESTYLE 2862189 | S-3X



TEKVEST® SUPER SPORT 2862190 | S-3X



TEKVEST® SHOULDER PADS 2862192 | S-3X

## YOUTH

## YOUTH MX HELMET

2860174 | Black | S-M-L 2862171 | Red | S-M-L

2862172 | Blue | S-M-L

## YOUTH RZ MASK

2863191 | Black | OSFM

## YOUTH RZ MASK REPLACEMENT FILTERS

(NOT SHOWN)

2863192 | OSFM | 3 per pack

## **POLARIS® YOUTH GOGGLES**

2863435 | Black | OSFM

## YOUTH SONIC™ GLOVES

2863406 | Black | S-M-L 2863407 | Red | M-L

## YOUTH AERO GLOVES

2862187 | Black | S-M-L

## YOUTH TEKVEST® (70-100 LB)

2862191 | Black





## **COTH ANNIVERSARY** RETRO CASUAL APPAREL

## SIGNATURE RETRO HOODIE

- · 100% cotton
- · The ultimate in durability with a shoulder-to-shoulder selffabric neck taping
- · Polaris® logo aglets
- · Kangaroo pockets

2865087 | S-3XL

## ANNAPURNA MID-LAYER

- 100% polyester polar fleece, anti-static/anti-pill
- · Zippered hand warmer pockets
- · Polaris® logo on left chest; ellipse on back of shoulders

2864019 | S-5XL

## **RETRO TRUCKER CAP**

- 8-stitch bill allows you to adjust the brim exactly to your own specifications
- 100% cotton front panels on the back and bill
- · 100% polyester mesh back panels
- · Soft brush front panels, constructed and fused buckram
- · Snap-back closure

2865103 | OSFM

## THROWBACK HOODIE

- · 100% cotton
- · The ultimate in durability with a shoulder-to-shoulder self-fabric neck taping and 4-thread safety stitch at all seams
- · 2-needle cover stitch at bottom, sleeves and body
- · Kangaroo pockets

2865097 | S-3XL

## **RETRO PULLOVER**

- $\cdot$  100% cotton sub jersey with a bio-wash finish that makes the fabric extremely soft
- · The ultimate in durability with a shoulder-to-shoulder self-fabric neck taping and 4-thread safety stitch at all seams
- · 2-needle cover stitch at bottom, sleeves and body

2865091 | S-3XL



## **SEE PAGE 77 FOR SIZE CHARTS**

When ordering, add size code to part number. XS:01, S:02, M:03, M-Short:04, M-Tall:05, L:06, L-Short:07, L-Tall:08, XL:09, XL-Short:10, XL-Tall:11, 2XL:12, 2XL-Tall:13, 3XL:14, 4XL:15, 5XL:16

## S'MIM CASUAL APPAREL



## VERTICAL CLIMB PERFORMANCE SHELL

- 88% polyester and 12% spandex jersey fleece shoulders and sleeves
- · 100% nylon shell with 100g Thermore® and quilting
- · Two zippered hand-warmer pockets
- · Polaris® logo on left chest and left sleeve; star on back of neck

2864028 | Black | S-3XL

2864029 | Red/Black | S-3XL



## **BLACKCOMB 1/4 ZIP**

- 100% polyester sweater knit with a fleece back
- · Woven nylon fabric on shoulders with tight quilting
- · Left chest pocket with YKK® zipper
- · 3" collar
- · 2-needle collar finish at neck

2865086 | Black | S-3XL



## OPS TECH LONG SLEEVE

- · Effective mid-layer in layering system
- AP-360° wicking and antimicrobial • Excellent moisture wicking performance
- · Far-infrared (heat enhancing), anti-static/anti-pill

2864096 | Black | S-5XL



## ANNAPURNA MID-LAYER

- 100% polyester polar fleece, anti-static/anti-pill
- · Zippered hand warmer pockets
- · Polaris® logo on left chest; ellipse on back of shoulders

2864020 | Black | S-5XL

## SEE PAGE 77 FOR SIZE CHARTS

When ordering, add size code to part number. XS:01, S:02, M:03, M-Short:04, M-Tall:05, L:06, L-Short:07, L-Tall:08, XL:09, XL-Short:10, XL-Tall:11, 2XL:12, 2XL-Tall:13, 3XL:14, 4XL:15, 5XL:16



## **SLOPE HOODIE**

- 92% polyester and 8% spandex blend
- · The ultimate in durability with a shoulder-to-shoulder selffabric neck taping and 2-needle, 4-thread cover seaming at cuffs and sleeves
- · Unlined 2-piece hood with self-fabric taping
- · Woven, wrap-around patch

2865083 | S-3XL



## TETON CHECK SOFT-SHELL

2864027 | Black Plaid | S-3XL

- 100% polyester soft-shell jacket with 3000/3000 lamination
- Full-zip front with two zippered hand-warmer pockets

· Star on left chest, Polaris® logo on back of left shoulder



## TETON CHECK FLANNEL

2864026 | Black Plaid | S-3XL

- · 100% cotton yarn dye
- Full-button front with collar and button cuffs

· Star on left chest, Polaris® logo on back of shoulders

## **CALLAGHAN VALLEY PLAID**

- $\cdot$  62% polyester, 33% Rayon, and 5% spandex twill weave
- · Embroidered star at lower placket
- 5-thread safety stitch at all seams
- · Shirttail hem

2865080 | S-3XL



- 100% cotton lightweight brushed flannel
  - · 5-thread safety stitch at all seams

BACKCOUNTRY FLANNEL

- · Front yoke
- · Left chest pocket

2865081 | S-3XL



## TRAILBLAZER STRIPE

- 65% polyester, 34% Rayon, and 1% spandex
- 5-thread safety stitch at all seams
- · Reactive printed stripe detail on front
- Back yoke
- · Polaris® logo embroidery above chest pocket

2865082 | S-3XL



## WOMEN'S CASUAL APPAREL

## BLACK ICE BASE LAYER TOP

• 88% polyester and 12% spandex jersey knit, contrast stitching, reflective script logos

2864060 | Black | S-3XL

## **BLACK ICE BASE LAYER PANT**

- $\cdot$  88% polyester and 12% spandex jersey knit
- · Polaris® script logo near left ankle

2864061 | Black | S-3XL



## OPS TECH LONG SLEEVE

- · Effective mid-layer in layering system
- AP-360° wicking and antimicrobial
- · Excellent moisture-wicking performance
- · Far-infrared (heat enhancing), anti-static, anti-pill

2864097 | Black | XS-3XL. 1W-3W

## BLACKCOMB 1/4 ZIP

- Long-sleeve poly knit fleece 1/4 zip mock

2865130 | S-3XL



## **KAUMAJET 1/2 ZIP**

- · 85% polyester and 5% spandex blend
- · 2-needle cover stitch at bottom, sleeves and body
- · Upper-collar and center-back-neck embroidery

• Self-fabric neck taping center front to opposite center front 2865098 | S-3XL

## **OLYMPIC FULL ZIP FLEECE**

- 92% polyester and 8% spandex blend
- Mock neck
- Self-fabric neck taping center front to opposite center front
   4-needle cover stitch at bottom and sides
- · 2-needle cover stitch at sleeve ends

2865099 | S-3XL

## SAWATCH RANGE HOODIE

- · 100% cotton
- · 4-thread safety stitch at all seams
- · 2-needle cover stitch at bottom, sleeves and body
- · Kangaroo pockets
- · 2-piece hood

2865095 | S-3XL

## **FOOTHILLS FLANNEL**

- 100% cotton lightweight brushed flannel with a bio-wash finish that makes the fabric extremely soft
- · Double-turned, clean-finish hem
- 5-thread safety stitch at all seams
- · Princess seams throughout

2865094 | S-3XL



## **EAGLE RIVER GARAGE SHIRT**

- 60% cotton and 40% polyester Poplin weave
- · Flattering, fitted cut
- Full button front with left chest pocket
- Polaris® logo on left chest; ellipse on back of shoulders

2864103 | Navy | S-3XL

2864104 | Black | S-3XL

## YOUTH CASUAL APPAREL

## **SLOPE HOODIE**

- 92% polyester and 8% spandex blend
- $\cdot$  The ultimate in durability with a shoulder-to-shoulder selffabric neck taping and 2-needle, 4-thread cover seaming at cuffs and sleeves
- Unlined 2-piece hood with self-fabric taping
- · Woven, wraparound patch

2865084 | XS-XL



## YOUTH BLACKCOMB 1/4 ZIP

- 100% polyester sweater knit with a fleece back
- · Woven nylon fabric on shoulders with tight quilting
- · Left chest pocket with YKK® zipper
- · 3" collar
- · 2-needle collar finish at neck

2865131 | Boys | S-XL

## SAWATCH RANGE HOODIE

- · 100% cotton
- · 4-thread safety stitch at all seams · 2-needle cover stitch at bottom, sleeves and body
- · Kangaroo pockets
- · 2-piece hood

2865096 | S-XL

# BEANIES & CAPS









## SIGNATURE BEANIE

· 100% acrylic with 3M° Thinsulate®

2865142 | Red | OSFM

2865141 | Black | OSFM

## FLEXFIT THROWBACK CAP

- · Wool/spandex blend
- Flexfit sizing S/M and L/XL
- · Metal retro Polaris® "P" logo 2865144 | Gray | S/M

2865138 | Gray | L/XL

## SLOPE CAP

- · 8-stitch bill allows you to adjust
- the brim exactly to your own specifications · 100% cotton twill hat
- · Features soft-brushed,
- constructed and fused buckram
- · Snap-back closure

2865101 | Youth

## BANKHEAD CAMO CAP

100% polyester camo sublimation 2864303 | Camo | OSFM

2865100 | OSFM

## SIZING CHARTS

## MEN'S JACKET SIZING

Size	Chest	Waist	Hips	Sleeve*	Inseam	Size Code
Small	35-38	31-33	35-37	33	32	02
Medium	38-41	33-35	37-40	34	32.5	03
Large	41-45	35-38	40-43	35	33	06
X-Large	45-48	38-42	43-47	36	33.5	09
2X-Large	48-52	42-45	47-50	37	34	12
3X-Large	52-58	45-52	50-56	38	34	14
4X-Large	58-65	52-61	56-63	39	35	15
5X-Large	65-70	61-63	63-68	40	35	16

## WOMEN'S JACKET SIZING

Size	Chest	Waist	Hips	Sleeve*	Inseam	Size Cod
Small	34-36	24-27	34-37	30	30.5	02
Medium	36-38	27-29	37-40	31	30.5	03
Large	38-40	29-33	40-43	32	31	06
X-Large	40-42	33-36	43-46	32.5	31	09
2X-Large	42-44	36-40	46-49	33	31	12

<sup>\*</sup> Measure sleeve length from center back neck

## YOUTH JACKET SIZING

Size	Height	Chest	Waist	Hips	Sleeve*	Inseam	Size Code
X-Small	41-46	22-24	19-21	23-26	22	21	01
Small	46-52	24-27	21-24	26-29	24	22.5	02
Medium	52-58	27-30	24-26	29-32	27	26.5	03
Large	58-64	30-33	26-28	32-35	30	29.5	06
X-Large	64-67	33-36	28-30	35-37	33	32.5	09

## ADULT HELMET SIZE CONVERSIONS

Size	Hat Size	Inches	Metric	Size Code
X-Small	6.75	21.25	54	01
Small	6.875-7	21.625-22	55-56	02
Medium	7.125-7.25	22.375-22.75	57-58	03
Large	7-7.5	23.125-23.625	59-60	06
X-Large	7.625-7.75	24-24.375	61-62	09
2X-Large	7.875-8	24.75-25.125	63-64	12
3X-Large	8	25-26	65	14

## YOUTH HELMET SIZE CONVERSIONS

Size	Circumference	Metric	Size Code
Adjustable	Fits S-L	51-54	00
Small	20.375	51	02
Medium	20.875	53	03
Large	21.375	55	06